

Literature Cited

Robert W. Kiger, Editor

This is a consolidated list of all works cited in volumes 24 and 25. In citations of articles, the titles of serials are rendered in the forms recommended in G. D. R. Bridson and E. R. Smith (1991). When those forms are abbreviated, as most are, cross references to the corresponding full serial titles are interpolated here alphabetically by abbreviated form. Two or more works published in the same year by the same author or group of coauthors will be distinguished uniquely and consistently throughout all volumes of *Flora of North America* by lower-case letters (b, c, d, ...) suffixed to the date for the second and subsequent works in the set. The suffixes are assigned in order of editorial encounter and do not reflect chronological sequence of publication. The first work by any particular author or group from any given year carries the implicit date suffix "a"; thus, the sequence of explicit suffixes begins with "b". Works missing from any suffixed sequence here are ones cited elsewhere in the *Flora* that are not pertinent in these volumes.

- Aares, E., M. Nurminiemi, and C. Brochmann. 2000. Incongruent phylogeographies in spite of similar morphology, ecology, and distribution: *Phippsia algida* and *P. concinna* (Poaceae) in the North Atlantic region. *Pl. Syst. Evol.* 220: 241–261.
- Abh. Senckenberg. Naturf. Ges. = Abhandlungen herausgegeben von der Senckenbergischen naturforschenden Gesellschaft.
- Acta Biol. Cracov., Ser. Bot. = Acta Biologica Cracoviensia. Series Botanica.
- Acta Horti Bot. Prag. = Acta Horti Botanici Pragensis.
- Acta Phytotax. Geobot. = Acta Phytotaxonomica et Geobotanica. [Shokubutsu Bunrui Chiri.]
- Acta Phytotax. Sin. = Acta Phytotaxonomica Sinica. [Chih Wu Fen Lei Hsüeh Pao.]
- Adati, S. and I. Shiotani. 1962. The cytotaxonomy of the genus *Miscanthus* and its phylogenetic status. *Bull. Fac. Agric. Mie Univ.* 25: 1–24.
- Advancing Frontiers Pl. Sci. = Advancing Frontiers of Plant Sciences.
- Agric. Ledger = The Agricultural Ledger.
- Aiken, S. G. and R. A. Buck. 2002. Aquatic leaves and regeneration of last year's straw in the arctic grass, *Arctophila fulva*. *Canad. Field-Naturalist* 116: 81–86.
- Aiken, S. G. and L. L. Consaul. 1995. Leaf cross sections and phytogeography: A potent combination for identifying members of *Festuca* subgg. *Festuca* and *Leucopoa* (Poaceae), occurring in North America. *Amer. J. Bot.* 82: 1287–1299.

- Aiken, S. G., L. L. Consaul, J. E. Davis, and P. S. Manos. 1993. Systematic inferences from variation in isozyme profiles of arctic and alpine cespitose *Festuca* (Poaceae). *Amer. J. Bot.* 80: 76–82.
- Aiken, S. G., L. L. Consaul, and L. P. Lefkovitch. 1995. *Festuca edlundiae* (Poaceae), a high arctic, new species compared enzymatically and morphologically with similar *Festuca* species. *Syst. Bot.* 20: 374–392.
- Aiken, S. G., M. J. Dallwitz, C. L. McJannet, and L. L. Consaul. 1997. Biodiversity among *Festuca* (Poaceae) in North America: Diagnostic evidence from DELTA and clustering programs, and an INTKEY package for interactive, illustrated identification and information retrieval. *Canad. J. Bot.* 75: 1527–1555.
- Aiken, S. G., M. J. Dallwitz, C. L. McJannet, and L. L. Consaul. 1997b. Fescue Grasses of North America: Interactive Identification and Information Retrieval. Canberra. [CD-ROM.]
- Aiken, S. G. and S. J. Darbyshire. 1990. Fescue Grasses of Canada. Ottawa. [Agric. Canada Publ. 1844/E.]
- Aiken, S. G., S. J. Darbyshire, and L. P. Lefkovitch. 1985. Restricted taxonomic value of leaf sections in Canadian narrow-leaved *Festuca* (Poaceae). *Canad. J. Bot.* 63: 995–1007.
- Aiken, S. G., W. G. Dore, L. P. Lefkovitch, and K. C. Armstrong. 1989. *Calamagrostis epigejos* (Poaceae) in North America, especially Ontario. *Canad. J. Bot.* 67: 3205–3218.
- Aiken, S. G. and G. Fedak. 1991. Cytotaxonomic observations on North American *Festuca* (Poaceae). *Canad. J. Bot.* 70: 1940–1944.
- Aiken, S. G. and S. E. Gardiner. 1991. SDS-PAGE of seed proteins in *Festuca* (Poaceae): Taxonomic implications. *Canad. J. Bot.* 69: 1425–1432.
- Aiken, S. G., S. E. Gardiner, and M. B. Forde. 1992. Taxonomic implications of SDS-PAGE analysis of seed proteins in North American taxa of *Festuca* subgenus *Festuca* (Poaceae). *Biochem. Syst. & Ecol.* 20: 615–629.
- Aiken, S. G., P. F. Lee, D. Punter, and J. M. Stewart. 1988. Wild Rice in Canada. Toronto. [Agric. Canada Publ. 1830.]
- Aiken, S. G. and L. P. Lefkovitch. 1984. The taxonomic value of using epidermal characteristics in the Canadian rough fescue complex (*Festuca altaica*, *F. campestris*, *F. hallii*, "*F. scabrella*"). *Canad. J. Bot.* 62: 1864–1870.
- Aiken, S. G. and L. P. Lefkovitch. 1990. *Arctagrostis* (Poaceae) in North America and Greenland. *Canad. J. Bot.* 68: 2422–2432.
- Aiken, S. G. and L. P. Lefkovitch. 1993. On the separation of two species within *Festuca* subg. *Obtusae* (Poaceae). *Taxon* 42: 323–337.
- Aiken, S. G., L. P. Lefkovitch, S. E. Gardiner, and W. W. Mitchell. 1994. Evidence against the existence of varieties in *Arctagrostis latifolia* ssp. *arundinacea* (Poaceae). *Canad. J. Bot.* 72: 1039–1050.

- Ainouche, M. L. et al. 1999. The allotetraploid invasive weed *Bromus hordeaceus* L. (Poaceae): Genetic diversity, origin and molecular evolution. *Folia Geobot.* 34: 405–419.
- Albee, B. J., L. M. Shultz, and S. Goodrich. 1988. *Atlas of the Vascular Plants of Utah*. Salt Lake City.
- Albers, F. 1973. Cytosystematische Untersuchungen in der Subtribus Deschampsiieneae Holub (Tribus Aveneae Nees): I. Zwei Arten der Gattung *Corynephorus* P.B. *Preslia* 45: 11–18.
- Alderson, J. and W. C. Sharp. 1995. *Grass Varieties in the United States*. Boca Raton. [Rev. ed. of *Agric. Handb.* 170.]
- Alex, J. F. 1987. Quackgrass: Origin, distribution, description and taxonomy. In: H. L. Glick, ed. 1987. *Quackgrass Action Committee Workshop Technical Proceedings, March 10 and 11, 1987, Westin Hotel, Winnipeg, Manitoba*. Winnipeg. Pp. 1–16.
- Alexeev, E. B. 1977. To the systematics of Asian fescues (*Festuca*): I. Subgenera *Drymanthele*, *Subulatae*, *Schedonorus*, *Leucopoa*. *Byull. Moskovsk. Obshch. Isp. Prir., Otd. Biol.*, n. s. 82(3): 95–102.
- Alexeev, E. B. 1980. *Festuca* L.: Subgenera et sectiones novae ex America Boreali et Mexico. *Novosti Sist. Vyssh. Rast.* 17: 42–53.
- Alexeev, E. B. 1982. New and little known fescues (*Festuca* L.) of North America. *Byull. Moskovsk. Obshch. Isp. Prir., Otd. Biol.*, n. s. 87(2): 109–118.
- Alexeev, E. B. 1985. *Festuca* L. (Poaceae) in Alaska et Canada. *Novosti Sist. Vyssh. Rast.* 22: 5–35.
- Alford, M. H. 1999. *The Vascular Flora of Amite County, Mississippi*. M.S. thesis. Duke University.
- Alice, L. A., G. G. Borneo, and K. W. Hilu. 2000. Systematics of *Chloris* (Chloridoideae; Poaceae) and related genera: Evidence from nuclear ITS and chloroplast *matK* sequences. [Abstract.] *Amer. J. Bot.* 87(6, suppl.): 108–109.
- Alinot, S. F. 1973. The vascular flora of Glen Helen, Clifton Gorge, and John Bryan State Park. *Biol. Notes Ohio Biol. Surv.* 5.
- Aliscioni, S. S., L. M. Giussani, F. O. Zuloaga, and E. A. Kellogg. 2003. A molecular phylogeny of *Panicum* (Poaceae: Paniceae): Tests of monophyly and phylogenetic placement within the Panicoideae. *Amer. J. Bot.* 90: 746–821.
- Allan, H. H. et al. 1961–2000. *Flora of New Zealand*. 5 vols. Wellington, Christchurch, and Lincoln.
- Allen, C. M. 1992. *Grasses of Louisiana*, ed. 2. Eunice.
- Allen, C. M., D. A. Newman, and H. H. Winters. 2004. *Grasses of Louisiana*, ed. 3. Pitkin.
- Allen, C. M., C. S. Reid, and C. H. Doffitt. 1999. *Bouteloua rigidiseta* (Poaceae) new to Louisiana. *Sida* 18: 1285.
- Allen, L. and M. L. Curto. 1996. Noteworthy collections. *Madroño* 43: 337–338.

- Allred, K. W. 1983. Systematics of the *Bothriochloa saccharoides* complex (Poaceae: Andropogoneae). Syst. Bot. 8: 168–184.
- Allred, K. W. 1984. Morphologic variation and classification of the North American *Aristida purpurea* complex (Gramineae). Brittonia 36: 382–395.
- Allred, K. W. 1984–1986. Studies in the genus *Aristida* (Gramineae) of the southeastern United States. Rhodora 86: 73–77; 87: 137–155; 88: 367–387.
- Allred, K. W. 1993. A Field Guide to the Grasses of New Mexico. Las Cruces.
- Allred, K. W. 1993b. *Bromus*, section *Pnigma*, in New Mexico, with a key to the brome grasses of the state. Phytologia 74: 319–345.
- Allred, K. W. 1997. A Field Guide to the Grasses of New Mexico, ed. 2. Las Cruces.
- Allred, K. W. and F. W. Gould. 1978. Geographic variation in the *Dichanthelium aciculare* complex (Poaceae). Brittonia 30: 497–504.
- Amer. J. Bot. = American Journal of Botany.
- Amer. Midl. Naturalist = American Midland Naturalist; Devoted to Natural History, Primarily That of the Prairie States.
- Amer. Naturalist = American Naturalist....
- Amoroso, J. L. and W. S. Judd. 1995. A floristic study of the Cedar Key Scrub State Reserve, Levy County, Florida. Castanea 60: 210–232.
- Anales Jard. Bot. Madrid = Anales del Jardín Botánico de Madrid.
- Anamthawat-Jónsson, K. 2005. The *Leymus* Ns-genome. Czech J. Genet. Pl. Breed. 41(special issue): 13–20.
- Anderson, D. E. 1961. Taxonomy and distribution of the genus *Phalaris*. Iowa State J. Sci. 36: 1–96.
- Anderson, D. E. 1974. Taxonomy of the genus *Chloris* (Gramineae). Sci. Bull. Brigham Young Univ., Biol. Ser. 19: 1–133.
- Anderson, H. M. 1990. *Melinis*. In: G. E. Gibbs-Russell et al. 1990. Grasses of Southern Africa.... Pretoria. Pp. 210–213.
- Anderson, J. E. and A. A. Reznicek. 1994. *Glyceria maxima* (Poaceae) in New England. Rhodora 96: 97–101.
- Anderson, L. C. 1995. Noteworthy plants from north Florida: VI. Sida 16: 581–587.
- Anderson, L. C. 2000. Noteworthy plants from north Florida: VII. Sida 19: 211–216.
- Anderson, L. C. and D. W. Hall. 1993. *Luziola bahiensis* (Poaceae): New to Florida. Sida 15: 619–622.
- Andreas, B. K. 1989. The vascular flora of the glaciated Allegheny Plateau region of Ohio. Bull. Ohio Biol. Surv., n. s. 8(1): 1–191.
- Angelo, R. and D. E. Boufford. 1998. Atlas of the flora of New England: Poaceae. Rhodora 100: 101–233.

- Angiosperm Phylogeny Group. 1998. An ordinal classification for the families of flowering plants. *Ann. Missouri Bot. Gard.* 85: 531–553.
- Ann. Bot. (Rome)* = *Annali di Botanica*. [Rome.]
- Ann. Bot. Fenn.* = *Annales Botanici Fennici*.
- Ann. Missouri Bot. Gard.* = *Annals of the Missouri Botanical Garden*.
- Ann. Sci. Nat., Bot.* = *Annales des Sciences Naturelles. Botanique*.
- Anton, A. M. 1981. The genus *Tragus* (Gramineae). *Kew Bull.* 36: 55–61.
- Anton, A. M. and A. T. Hunziker. 1978. El género *Munroa* (Poaceae): Sinopsis morfológica y taxonómica. *Bol. Acad. Nac. Ci. Republ. Argentina* 52: 229–252.
- Aquatic Bot.* = *Aquatic Botany; International Scientific Journal Dealing with Applied and Fundamental Research on Submerged, Floating and Emergent Plants in Marine and Freshwater Ecosystems*.
- Argus, G. W. and K. M. Pryer. 1990. *Rare Vascular Plants in Canada: Our Natural Heritage*. Ottawa.
- Arizona Rare Plant Committee. 2001. *Arizona Rare Plant Field Guide*. [N. p.]
- Ark. Bot.* = *Arkiv för Botanik Utgivet av K. Svenska Vetenskapsakademien*.
- Arnou, L. A. 1994. *Koeleria macrantha* and *K. pyramidata* (Poaceae): Nomenclatural problems and biological distinctions. *Syst. Bot.* 19: 6–20.
- Arriaga, M. O. 1983. Anatomía foliar de las especies de *Stipa* del subgénero *Pappostipa* (Stipeae–Poaceae) de Argentina. *Revista Mus. Argent. Ci. Nat., “Bernardino Rivadavia” Inst. Nac. Invest. Ci. Nat* 6: 89–141.
- Arriaga, M. O. and M. E. Barkworth. 2006. *Amelichloa*: A new genus in the Stipeae (Poaceae). *Sida* 22: 145–149.
- Asay, K. H. and D. R. Dewey. 1979. Bridging ploidy differences in crested wheatgrass with hexaploid × diploid hybrids. *Crop Sci. (Madison)* 19: 519–523.
- Asay, K. H., K. B. Jensen, Hsiao C., and D. R. Dewey. 1992. Probable origin of standard crested wheatgrass, *Agropyron desertorum* (Fisch. ex Link) Schultes. *Canad. J. Pl. Sci.* 72: 763–772.
- Asíns, M. J. et al. 1999. Morphologic and isozyme variation in barnyard grass (*Echinochloa*) weed species. *Weed Technol.* 13: 209–215.
- Assadi, M. 1994. The Genus *Elymus* L. (Poaceae) in Iran: Biosystematic Studies and Generic Delimitation. Ph.D. dissertation. Lund University.
- Assadi, M. and H. Runemark. 1995. Hybridization, genomic constitution and generic delimitation in *Elymus* s.l. (Poaceae, Triticeae). *Pl. Syst. Evol.* 194: 189–205.
- Assafa, S. et al. 1999. Diversity among *Cynodon* accessions and taxa based on DNA amplification fingerprinting. *Genome* 52: 465–474.
- Auquier, P. 1971. *Festuca rubra* subsp. *pruinosa* (Hack.) Piper: Morphologie, écologie, taxonomie. *Lejeunia*, n. s. 56: 1–16.

- Austral. J. Bot. = Australian Journal of Botany.
- Austral. J. Bot., Suppl. Ser. = Australian Journal of Botany. Supplementary Series.
- Austral. Syst. Bot. = Australian Systematic Botany.
- B S B I News = B S B I News; Botanical Society of the British Isles.
- Baaijens, G. J. and J. F. Veldkamp. 1991. *Sporobolus* (Gramineae) in Malesia. *Blumea* 35: 393–458.
- Baden, C. 1991. A taxonomic revision of *Psathyrostachys* (Poaceae). *Nordic J. Bot.* 11: 3–26.
- Baeza, C. M. 1996. Los géneros *Danthonia* DC. y *Rytidosperma* Steud. (Poaceae) en América—Una revisión. *Sendtnera* 3: 11–93.
- Baird, J. R. and J. W. Thieret. 1985. Notes on *Themeda quadrivalvis* (Poaceae) in Louisiana. *Iselya* 2: 129–137.
- Baldini, R. M. 1995. Revision of the genus *Phalaris* L. (Gramineae). *Webbia* 49: 265–329.
- Bamboo = Bamboo; the Magazine of the American Bamboo Society.
- Banks, D. J. 1966. Taxonomy of *Paspalum setaceum* (Gramineae). *Sida* 2: 269–284.
- Banks, D. L. and S. Boyd. 1998. Noteworthy collections. *Madroño* 45: 85–86.
- Barker, C. M. and C. A. Stace. 1982. Hybridization in the genera *Vulpia* and *Festuca*: The production of artificial F₁ plants. *Nordic J. Bot.* 2: 435–444.
- Barker, N. P., H. P. Linder, and E. F. Harley. 1995. Polyphyly of Arundinoideae (Poaceae): Evidence from *rbcL* sequence data. *Syst. Bot.* 20: 423–435.
- Barker, N. P., H. P. Linder, and E. H. Harley. 1998. Sequences of the grass-specific insert in the chloroplast *rpoC2* gene elucidate generic relationships of the Arundinoideae (Poaceae). *Syst. Bot.* 23: 327–350.
- Barker, N. P., C. M. Morton, and H. P. Linder. 2000. The Danthoneae: Generic composition and relationships. In: S. W. L. Jacobs and J. Everett, eds. 2000. *Grasses: Systematics and Evolution*. Collingwood. Pp. 221–230.
- Barkworth, M. E. 1977b. A taxonomic study of the large-glumed species of *Stipa* (Gramineae) in Canada. *Canad. J. Bot.* 56: 606–625.
- Barkworth, M. E. 1981. Foliar epidermes and the taxonomy of North American Stipeae (Gramineae). *Syst. Bot.* 6: 136–152.
- Barkworth, M. E. 1982. Embryological characters and the taxonomy of the Stipeae (Gramineae). *Taxon* 31: 233–243.
- Barkworth, M. E. 1983. *Ptilagrostis* in North America and its relationship to other Stipeae (Gramineae). *Syst. Bot.* 8: 395–419.
- Barkworth, M. E. 1990. *Nassella* (Gramineae: Stipeae): Revised interpretation and nomenclatural changes. *Taxon* 39: 597–614.
- Barkworth, M. E. 1993. *Nassella*. In: J. C. Hickman, ed. 1993. *The Jepson Manual. Higher Plants of California*. Berkeley, Los Angeles, and London. Pp. 1274–1276.

- Barkworth, M. E. 1993b. North American Stipeae (Gramineae): Taxonomic changes and other comments. *Phytologia* 74: 1–25.
- Barkworth, M. E. 1997. Taxonomic and nomenclatural comments on the Triticeae in North America. *Phytologia* 83: 302–311.
- Barkworth, M. E. 2000. Changing perceptions in the Triticeae. In: S. W. L. Jacobs and J. Everett, eds. 2000. *Grasses: Systematics and Evolution*. Collingwood. Pp. 110–120.
- Barkworth, M. E. 2006. A new hybrid genus and 12 new combinations in North American grasses. *Sida* 22: 495–501.
- Barkworth, M. E., L. K. Anderton, J. McGrew, and D. E. Giblin. 2006. Geography and morphology of the *Bromus carinatus* (Poaceae: Bromeae) complex. *Madroño* 53: 235–245.
- Barkworth, M. E. and R. J. Atkins. 1984. *Leymus* Hochst. (Gramineae: Triticeae) in North America: Taxonomy and distribution. *Amer. J. Bot.* 71: 609–625.
- Barkworth, M. E. and R. von Bothmer. 2005. Twenty-one years later: Löve and Dewey's genomic classification proposal. *Czech J. Genet. Pl. Breed.* 41(special issue): 3–9.
- Barkworth, M. E. and K. M. Capels. 2000. The Poaceae in North America: A geographic perspective. In: S. W. L. Jacobs and J. Everett, eds. 2000. *Grasses: Systematics and Evolution*. Collingwood. Pp. 327–346.
- Barkworth, M. E. and D. R. Dewey. 1985. Genomically based genera in the perennial Triticeae of North America: Identification and membership. *Amer. J. Bot.* 72: 767–776.
- Barkworth, M. E. and J. Everett. 1987. Evolution in the Stipeae: Identification and relationships of its monophyletic taxa. In: T. R. Soderstrom et al., eds. 1987. *Grass Systematics and Evolution*. Washington. Pp. 251–264.
- Barkworth, M. E. and J. Linman. 1984. *Stipa lemmonii* (Vasey) Scribner (Poaceae): A taxonomic and distributional study. *Madroño* 31: 48–56.
- Barkworth, M. E. and M. A. Torres. 2001. Distribution and diagnostic characters of *Nassella* (Poaceae: Stipeae). *Taxon* 50: 439–468.
- Barnes, P. W. 1986. Variation in the big bluestem (*Andropogon gerardii*)–sand bluestem (*Andropogon hallii*) complex along a local dune/meadow gradient in the Nebraska sandhills. *Amer. J. Bot.* 73: 172–184.
- Barrett, S. C. H. and D. E. Seaman. 1980. The weed flora of Californian rice fields. *Aquatic Bot.* 9: 351–376.
- Bartlett, E., S. J. Novak, and R. N. Mack. 2002. Genetic variation in *Bromus tectorum* (Poaceae): Differentiation in the eastern United States. *Amer. J. Bot.* 89: 602–612.
- Bartonia = Bartonica; a Botanical Annual.
- Basinger, M. A. and P. Rogertson. 1996. Vascular flora and ecological survey of an old-growth forest remnant in the Ozark Hills of southern Illinois. *Phytologia* 80: 352–367.
- Baum, B. R. 1977. *Oats: Wild and Cultivated; A Monograph of the Genus Avena L. (Poaceae)*. Ottawa. [Biosyst. Res. Inst. Monogr. 14.]

- Baum, B. R. 1978b. The status of *Hordeum brachyantherum* in eastern Canada, with related discussions. *Canad. J. Bot.* 56: 107–109.
- Baum, B. R. and L. G. Bailey. 1990. Key and synopsis of North American *Hordeum* species. *Canad. J. Bot.* 68: 2433–2442.
- Baum, B. R., Yen C., and Yang J. L. 1991. *Roegneria*: Its generic limits and justification for its recognition. *Canad. J. Bot.* 69: 282–294.
- Bay, C. 1992. A phytogeographical study of the vascular plants of northern Greenland—North of 74° northern latitude. *Meddel. Grønland, Biosci.* 36: 1–102.
- Beal, W. J. 1887[–1896]. *Grasses of North America...* 2 vols. Lansing and New York.
- Beatley, J. C. 1969. *Vascular Plants of the Nevada Test Site, Nellis Air Force Range, and Ash Meadows*. Los Angeles.
- Beatley, J. C. 1970. *Additions to Vascular Plants of the Nevada Test Site, Nellis Air Force Range, and Ash Meadows*. Los Angeles.
- Beatley, J. C. 1971. *Vascular Plants of Ash Meadows, Nevada*. Los Angeles.
- Beatley, J. C. 1973. *Check List of Vascular Plants of the Nevada Test Site and Central-southern Nevada*. Cincinnati.
- Beck, K. A., F. E. Caplow, and C. R. Bjork. 2005. Noteworthy collections. *Madroño* 52: 128–130.
- Beetle, A. A. 1943b. The North American variations of *Distichlis spicata*. *Bull. Torrey Bot. Club* 70: 638–650.
- Beetle, A. A. 1948. The genus *Aegopogon* Humb. & Bonpl. *Publ. Univ. Wyoming* 13: 17–23.
- Beetle, A. A. 1950. Buffalograss—Native of the shortgrass plains. *Wyoming Agric. Exp. Sta. Bull.* 293: 1–31.
- Beetle, A. A. 1983+. *Las Gramíneas de México*. 5+ vols. Mexico City.
- Belk, E. 1939. *Studies in the Anatomy and Morphology of the Spikelet and Flower of the Gramineae*. Ph.D. dissertation. Cornell University.
- Bernhardt, K. G., M. Koch, E. Ulbel, and J. Webhofer. 2004. The soil seed bank as a resource for in situ and ex situ conservation of extinct species. In: E. Robbrecht and A. Bogaerts, eds. 2004. *EuroGard III: Papers from the Third European Botanic Gardens Congress and the Second European Botanic Gardens Education Congress (BEDUCO II)*. Meise. Pp. 135–140.
- Best, C. et al. 1996. *A Flora of Sonoma County: Manual of the Flowering Plants and Ferns of Sonoma County, California*. Sacramento.
- Best, K. F. 1978. The biology of Canadian weeds. 31. *Hordeum jubatum* L. *Canad. J. Pl. Sci.* 58: 699–708.
- Biblioth. Bot. = Bibliotheca Botanica; original Abhandlungen aus dem Gesamtgebiete der Botanik.
- Biek, D. 2002. *Flora of Mount Rainier National Park*. Corvallis.
- Biochem. Syst. & Ecol. = Biochemical Systematics and Ecology.

- Biol. Conservation = Biological Conservation; International Quarterly Journal Devoted to Scientific Protection of Plant and Animal Wildlife and All Nature throughout the World....
- Biol. Notes Ohio Biol. Surv. = Biological Notes, Ohio Biological Survey.
- Bittner, R. T. and D. J. Gibson. 1998. Microhabitat relations of the rare reed bent grass, *Calamagrostis porteri* subsp. *insperata* (Poaceae), with implications for its conservation. *Ann. Missouri Bot. Gard.* 85: 69–80.
- Björkman, S. O. 1960. Studies in *Agrostis* and related genera. *Symb. Bot. Upsal.* 17: 1–112.
- Black, G. A. 1963. Grasses of the genus *Axonopus* (a taxonomic treatment). *Advancing Frontiers Pl. Sci.* 5: 1–186.
- Black, J. M. 1978. Gramineae. In: J. M. Black and J. P. Jessop. 1978+. *Flora of South Australia*, ed. 3. 1+ vol. Adelaide. Vol. 1, pp. 88–249.
- Black, J. M. and J. P. Jessop. 1978+. *Flora of South Australia*, ed. 3. 1+ vol. Adelaide.
- Blattner, F. R. 2006. Multiple intercontinental dispersals shaped the distribution area of *Hordeum* (Poaceae). *New Phytol.* 169: 603–614.
- Blondeau, M. and J. Cayouette. 2002. La flore vasculaire de la Baie Wakeham et du Havre Douglas, Nord-du-Québec, Détroit-d'Hudson. *Provancheria* 28.
- Blumea = Blumea; *Tidjschrift voor die Systematiek en die Geografie der Planten* (A Journal of Plant Taxonomy and Plant Geography).
- Blumler, M. 2001. Notes and comments. *Fremontia* 29: 36.
- Böcher, T. W. 1938. Biological distributional types in the flora of Greenland: A study on the flora and plant-geography of South Greenland and East Greenland between Cape Farewell and Scoresby Sound [6. og 7. Thule-Expedition til Sydøstgrønland 1931–1933. Leader: Knud Rasmussen]. *Meddel. Grønland* 106(2): 1–339.
- Böcher, T. W., K. Holmen, and K. Jakobsen. 1968. *The Flora of Greenland*, ed. 2. Copenhagen.
- Bödvarsdóttir, S. K. and K. Anamthawat-Jónsson. 2003. Isolation, characterization, and analysis of *Leymus*-specific DNA sequences. *Genome* 46: 673–682.
- Boissiera = Boissiera; *Mémoires des Conservatoire et de l'Institut de Botanique Systématique de l'Université de Genève* (later: *Mémoires des Conservatoire et Jardin Botaniques de la Ville de Genève*). *Supplement de Candollea*.
- Boivin, B. 1967d. Énumération des plantes du Canada. VI—Monopsides (2ème partie). *Naturaliste Canad.* 94: 471–528.
- Bol. Acad. Nac. Ci. Republ. Argentina = *Boletín de Academia Nacional de Ciencias de la Republica Argentina*.
- Bol. Soc. Bot. México = *Boletín de la Sociedad Botánica de México*.
- Boonbundarl, S. 1985. A Biosystematic Study of the *Digitaria leucites* Complex in North America. Ph.D. dissertation. Texas A&M University.

- Bor, N. L. 1960. The Grasses of Burma, Ceylon, India, and Pakistan, Excluding Bambuseae. New York.
- Borowski, M. and W. C. Holmes. 1996. *Phyllostachys aurea* Riv. (Gramineae: Bambuseae) in Texas. *Phytologia* 80: 30–34.
- Borrill, M. 1955. Breeding systems and compatibility in *Glyceria*. *Nature* 175: 561–563.
- Bot. Gaz. = Botanical Gazette; Paper of Botanical Notes.
- Bot. J. Linn. Soc. = Botanical Journal of the Linnean Society.
- Bot. Jahrb. Syst. = Botanische Jahrbücher für Systematik, Pflanzengeschichte und Pflanzengeographie.
- Bot. Mag. (Tokyo) = Botanical Magazine. [Shokubutsu-gaku Zasshi.] (Tokyo.)
- Bot. Naturschutz Hessen = Botanik und Naturschutz in Hessen.
- Bot. Not. = Botaniska Notiser.
- Bot. Notes (Topsham, Me.) = Botanical Notes. [Topsham, Maine.]
- Bot. Rev. (Lancaster) = Botanical Review, Interpreting Botanical Progress.
- Bot. Tidsskr. = Botanisk Tidsskrift.
- Bothalia = Bothalia; a Record of Contributions from the National Herbarium, Union of South Africa.
- Bothmer, R. von et al. 1995. An Ecogeographical Study of the Genus *Hordeum*, ed. 2. Rome.
- Bothmer, R. von, N. Jacobsen, and R. O. Seberg. 1993. Variation and taxonomy in *Hordeum depressum* and in the *H. brachyantherum* complex (Poaceae). *Nordic J. Bot.* 13: 3–17.
- Bough, M., J. C. Colosi, and P. B. Cavers. 1985. The major weedy biotypes of proso millet (*Panicum miliaceum*) in Canada. *Canad. J. Bot.* 64: 1188–1198.
- Bowcutt, F. 1996. A floristic study of Delta Meadows River Park, Sacramento County, California. *Madroño* 43: 417–431.
- Bowden, W. M. 1957. Cytotaxonomy of section *Psammelymus* of the genus *Elymus*. *Canad. J. Bot.* 35: 951–993.
- Bowden, W. M. 1958. Natural and artificial \times *Elyhordeum* hybrids. *Canad. J. Bot.* 36: 101–123.
- Bowden, W. M. 1959. Chromosome numbers and taxonomic notes on northern grasses: I. Tribe Triticeae. *Canad. J. Bot.* 37: 1143–1151.
- Bowden, W. M. 1960. Chromosome numbers and taxonomic notes on northern grasses: III. Festuceae. *Canad. J. Bot.* 38: 117–131.
- Bowden, W. M. 1960b. Typification of *Elymus macounii* Vasey. *Bull. Torrey Bot. Club* 87: 205–208.
- Bowden, W. M. 1961. Chromosome numbers and taxonomic notes on northern grasses: IV. Tribe Festuceae; *Poa* and *Puccinellia*. *Canad. J. Bot.* 39: 123–138.
- Bowden, W. M. 1964. Cytotaxonomy of the species and interspecific hybrids of the genus *Elymus* in Canada and neighboring areas. *Canad. J. Bot.* 42: 547–601.

- Bowden, W. M. 1967. Taxonomy of intergeneric hybrids of the tribe Triticeae from North America. *Canad. J. Bot.* 45: 711–724.
- Boyd, S. 1998. Noteworthy collections. *Madroño* 45: 326–328.
- Boyle, W. S. 1945. A cytotaxonomic study of the North American species of *Melica*. *Madroño* 8: 1–26.
- Brandenburg, D. M. 1985. Systematic Studies in the Poaceae and Cyperaceae. Ph.D. dissertation. University of Oklahoma.
- Brandenburg, D. M. et al. 1991. Revision of the genus *Cinna* (Poaceae). *Sida* 14: 581–596.
- Brandenburg, D. M. et al. 1991b. A revision of *Diarrhena* (Poaceae) in the United States. *Bull. Torrey Bot. Club* 118: 128–136.
- Brandenburg, D. M. et al. 1991c. One-nerved paleas in *Cinna arundinacea* L. (Poaceae). *Trans. Kentucky Acad. Sci.* 52: 94–96.
- Brandenburg, D. M. et al. 1991d. Hard grass (*Sclerochloa dura*, Poaceae) in the United States. *Sida* 14: 369–376.
- Brandenburg, D. M. and J. W. Thieret. 1996. *Sclerochloa dura* (Poaceae) in Kentucky. *Trans. Kentucky Acad. Sci.* 57: 47–48.
- Brandenburg, D. M. and J. W. Thieret. 2000. *Cinna* and *Limnodea* (Poaceae): Not congeneric. *Sida* 19: 195–2000.
- Braun, E. L. 1967. The Monocotyledonae: Cat-tails to Orchids. Columbus. [The Vascular Flora of Ohio, vol. 1.]
- Bremer, K. 2000. Early Cretaceous lineages of monocot flowering plants. *Proc. Natl. Acad. Sci. U.S.A.* 97: 4707–4711.
- Bremer, K. 2002. Gondwanan evolution of the grass alliance of families (Poales). *Evolution* 56: 1374–1387.
- Brewer, W. H. et al. 1876–1880. Geological Survey of California.... Botany.... 2 vols. Cambridge, Mass.
- Brezhnev, D. D. et al., eds. 1979+. Kul'turnaia Flora SSSR. 4+ vols. in parts. Leningrad.
- Bridson, G. D. R. and E. R. Smith. 1991. B-P-H/S. Botanico-Periodicum-Huntianum/Supplementum. Pittsburgh.
- Briggs, B. G., A. D. Marchant, S. Gilmore, and C. L. Porter. 2000. A molecular phylogeny of Restionaceae and allies. In: K. L. Wilson and D. A. Morrison, eds. 2000. *Monocots: Systematics and Evolution*. Melbourne. Pp. 661–671.
- Brind'Amour, M. and V. Lavoie. 1985. Addition à la flore vasculaire des marais intertidaux du Saint-Laurent (Québec): *Spartina ×caespitosa* A. A. Eaton. *Naturaliste Canad.* 112: 431–432.
- Brittonia = Brittonia; a Journal of Systematic Botany....
- Brooks, R. E. 1974. Intraspecific Variation in *Elymus virginicus* (Gramineae) in the Central United States. M.S. thesis. University of Kansas.

- Brown, L. E. 1993. The deletion of *Sporobolus heterolepis* (Poaceae) from the Texas and Louisiana floras, and the addition of *Sporobolus silveanus* to the Oklahoma flora. *Phytologia* 74: 371–381.
- Brown, L. E. et al. 2005. Annotated checklist of the vascular flora of the Turkey Creek Unit of the Big Thicket National Preserve, Tyler and Hardin counties, Texas. *Sida* 21: 1807–1827.
- Brown, L. E. et al. 2006. Annotated checklist of the vascular flora of the Big Sandy Creek Unit, Big Thicket National Preserve, Texas. *Sida* 22: 705–723.
- Brown, L. E. and I. S. Elsie. 2002. Notes on the flora of Texas with additions and other significant records: II. *Sida* 20: 437–444.
- Brown, L. E. and S. J. Marcus. 1998. Notes on the flora of Texas with additions and other significant records. *Sida* 18: 315–324.
- Brown, L. E. and J. Schultz. 1991. *Arthraxon hispidus* (Poaceae) new to Texas. *Phytologia* 71: 379–381.
- Brown, R. 1814. General remarks, geographical and systematical, on the botany of Terra Australis. In: M. Flinders. 1814. *A Voyage to Terra Australis....* 2 vols. London. Vol. 2, pp. 533–613.
- Brown, W. V. 1952. The relation of soil moisture to cleistogamy in *Stipa leucotricha*. *Bot. Gaz.* 113: 438–444.
- Brown, W. V. and G. A. Pratt. 1960. Hybridization and introgression in the genus *Elymus*. *Amer. J. Bot.* 47: 669–676.
- Brummitt, R. K. 1998. Report of the Committee for Spermatophyta: 47. *Taxon* 47: 863–872.
- Brummitt, R. K. and C. E. Powell, eds. 1992. *Authors of Plant Names. A List of Authors of Scientific Names of Plants, with Recommended Standard Forms of Their Names, Including Abbreviations.* Kew.
- Bruner, J. L. 1987. Systematics of the *Schizachyrium scoparium* (Poaceae) Complex in North America. Ph.D. dissertation. Ohio State University.
- Brunken, J. N. 1977. A systematic study of *Pennisetum* sect. *Pennisetum* (Gramineae). *Amer. J. Bot.* 64: 161–176.
- Brunken, J. N. 1979. Morphometric variation and the classification of *Pennisetum* section *Brevivalvula* (Gramineae) in tropical Africa. *Bot. J. Linn. Soc.* 79: 51–64.
- Bryson, C. T. 1993. *Sacciolepis indica* (Poaceae) new to Mississippi. *Sida* 15: 555.
- Brysting, A. K., S. G. Aiken, L. P. Lefkovitch, and R. L. Boles. 2003. *Dupontia* (Poaceae) in North America. *Canad. J. Bot.* 81: 769–779.
- Brysting, A. K., M. F. Fay, I. J. Leitch, and S. G. Aiken. 2004. One or more species in the arctic grass genus *Dupontia*?—A contribution to the Panarctic Flora project. *Taxon* 53: 365–382.
- Buitenhuis, A. G. and J. F. Veldkamp. 2001. Revision of *Eremochloa* (Gramineae—Andropogoneae—Rottboellinae). *Blumea* 46: 399–420.
- Bull. B. Oklahoma Agric. Exp. Sta. = Bulletin B, Oklahoma Agricultural Experiment Station.

- Bull. Calif. Dep. Agric. = Bulletin of the California Department of Agriculture.
- Bull. Div. Agrostol. U.S.D.A. = Bulletin, Division of Agrostology, United States Department of Agriculture.
- Bull. Fac. Agric. Mie Univ. = Bulletin of the Faculty of Agriculture, Mie University. [Mie Kenritsu Daigaku Nogakubu, Gakujutsu Hokoku.]
- Bull. Josselyn Bot. Soc. Maine = Bulletin of the Josselyn Botanical Society of Maine.
- Bull. Kansas Geol. Surv. = Bulletin of the Kansas Geological Survey.
- Bull. Natl. Mus. Canada = Bulletin of the National Museum of Canada.
- Bull. New York State Mus. Sci. Serv. = Bulletin of the New York State Museum and Science Service.
- Bull. Ohio Biol. Surv. = Bulletin of the Ohio Biological Survey.
- Bull. Soc. Bot. Centre-Ouest = Bulletin de la Société Botanique du Centre-Ouest.
- Bull. Torrey Bot. Club = Bulletin of the Torrey Botanical Club.
- Burbidge, N. T. 1953. The genus *Triodia* R. Br. (Gramineae). Austral. J. Bot. 1: 121–184.
- Busey, P., T. K. Broschat, and B. J. Center. 1982. Classification of St. Augustinegrass. Crop Sci. (Madison) 22: 469–473.
- Bush, B. F. 1926. The Missouri species of *Elymus*. Amer. Midl. Naturalist 10: 49–88.
- But, P. P. H. 1977. Systematics of *Pleuropogon* R. Br. (Poaceae). Ph.D. dissertation. University of California, Berkeley.
- But, P. P. H. et al. 1985. Hong Kong Bamboos. Hong Kong.
- But, P. P. H. et al. 1985b. Rediscovery and reproductive biology of *Pleuropogon oregonus* (Poaceae). Madroño 32: 189–190.
- Bystriakova, N., V. Kapos, C. M. A. Stapleton, and J. Lysenko. 2003. Bamboo Biodiversity: Information for Planning Conservation and Management in the Asia-Pacific Region. Cambridge. [UNEP-WCMC Biodivers. Ser. 14.]
- Byull. Moskovsk. Obshch. Isp. Prir., Otd. Biol. = Byulleten' Moskovskogo Obshchestva Ispytatelei Prirody. Otdel Biologicheskii.
- Calaway, M. L. and J. W. Thieret. 1985. *Amphibromus scabrivalvis* (Gramineae) in Louisiana. Sida 11: 207–214.
- Calder, J. A. and R. L. Taylor. 1968. Flora of the Queen Charlotte Islands. 2 vols. Ottawa.
- Calderón, C. E. and T. R. Soderstrom. 1980. The genera of Bambusoideae (Poaceae) of the American continent: Keys and comments. Smithsonian Contr. Bot. 44: 1–27.
- Caligari, P. D. S. and P. E. Brandham, eds. 2001. Wheat Taxonomy: The Legacy of John Percival. London.
- Callihan, R. H. 1987. Eradication Technology of Matgrass (*Nardus strictus* L.) in the Clearwater National Forest. Moscow, Idaho.
- Callihan, R. H. and D. S. Pavek. 1988. *Milium vernale* survey in Idaho County, Idaho. Idaho Weed Control Rep. 1988: 153.

- Campbell, C. S. 1983. Systematics of the *Andropogon virginicus* complex (Gramineae). J. Arnold Arbor. 64: 171–254.
- Campbell, C. S. 1985. The subfamilies and tribes of Gramineae (Poaceae) in the southeastern United States. J. Arnold Arbor. 66: 123–199.
- Campbell, C. S. 1986. Phylogenetic reconstructions and two new varieties in the *Andropogon virginicus* complex (Poaceae: Andropogoneae). Syst. Bot. 11: 280–292.
- Campbell, C. S., P. E. Garwood, and L. P. Specht. 1986. Bambusoid affinities of the north temperate genus *Brachyelytrum* (Gramineae). Bull. Torrey Bot. Club 113: 135–141.
- Campbell, J. J. N. 1992. Atlas of the Kentucky Flora: First Release of Data on Ferns, Gymnosperms, and Monocots. Lexington, Ky.
- Campbell, J. J. N. 2000. Notes on North American *Elymus* species (Poaceae) with paired spikelets: I. *E. macgregorii* sp. nov. and *E. glaucus* ssp. *mackenzii* comb. nov. J. Kentucky Acad. Sci. 61: 88–98.
- Campbell, J. J. N. 2002. Notes on North American *Elymus* species (Poaceae) with paired spikelets: II. The *interruptus* group. J. Kentucky Acad. Sci. 62: 19–38.
- Campbell, J. J. N. and A. Haines. 2002. Corrections and additions to: "Campbell, J. J. N. 2000. Notes on North American *Elymus* species (Poaceae) with paired spikelets: I. *E. macgregorii* sp. nov. and *E. glaucus* ssp. *mackenzii* comb. nov. J. Ky. Acad. Sci. 61: 88–98." J. Kentucky Acad. Sci. 62: 65.
- Canad. Field-Naturalist = Canadian Field-Naturalist.
- Canad. J. Bot. = Canadian Journal of Botany.
- Canad. J. Pl. Sci. = Canadian Journal of Plant Science.
- Candollea = Candollea; Organe du Conservatoire et du Jardin Botaniques de la Ville de Genève.
- Carlbom, C. G. 1967. A Biosystematic Study of Some North American Species of *Agrostis* L. and *Podagrostis* (Griseb.) Scribn. and Merr. Ph.D. dissertation. Oregon State University.
- Caro, J. A. 1981. Rehabilitación del género *Dasyochloa* (Gramineae). Dominguezia 2: 1–17.
- Caro, J. A. and E. Sánchez. 1969. Las especies de *Cynodon* (Gramineae) de la República Argentina. Kurtziana 5: 191–252.
- Caro, J. A. and E. Sánchez. 1971. La identidad de *Stipa brachychaeta* Godron, *S. caudata* Trinius y *S. bertrandii* Philippi. Darwiniana 16: 637–653.
- Caro, J. A. and E. Sánchez. 1973. Las especies de *Stipa* (Gramineae) del subgénero *Jarava*. Kurtziana 7: 61–116.
- Carretero, J. L. 1981. El género *Echinochloa* Beauv. en el sudeste de Europa. Anales Jard. Bot. Madrid 38: 91–108.
- Carroll, C. P. and K. Jones. 1962. Cytotaxonomic studies in *Holcus*: III. A morphological study of the triploid F₁ hybrid between *H. lanatus* L. and *H. mollis* L. New Phytol. 61: 72–84.
- Carter, J. L. 1962. The vascular flora of Cherokee County. Proc. Iowa Acad. Sci. 69: 60–70.

- Castanea = Castanea; Journal of the Southern Appalachian Botanical Club.
- Castilleja = Castilleja; the Newsletter of the Wyoming Native Plant Society.
- Catalán, P. et al. 1995. Molecular phylogeny of the grass genus *Brachypodium* P. Beauv. based on RFLP and RAPD analysis. Bot. J. Linn. Soc. 113: 263–280.
- Catalán, P., E. A. Kellogg, and R. G. Olmstead. 1997. Phylogeny of Poaceae subfamily Pooideae based on chloroplast *ndhF* gene sequences. Molec. Phylogen. Evol. 8: 150–166.
- Catalán, P. and R. G. Olmstead. 2000. Phylogenetic reconstruction of the genus *Brachypodium* P. Beauv. (Poaceae) from combined sequences of chloroplast *ndhF* gene and nuclear ITS. Pl. Syst. Evol. 220: 1–19.
- Catalán, P., P. Torrecilla, J. Á. López Rodríguez, and R. G. Olmstead. 2004. Phylogeny of the festucoid grasses of subtribe Loliinae and allies (Poeae, Pooideae) inferred from ITS and *trnL-F* sequences. Molec. Phylogen. Evol. 31: 517–541.
- Catling, P. M. and S. M. McKay. 1980. Halophytic plants in southern Ontario. Canad. Field-Naturalist 94: 248–258.
- Catling, P. M., D. S. Erskine, and R. B. MacLaren. 1985. The Plants of Prince Edward Island, with New Records, Nomenclatural Changes, and Corrections and Deletions. Ottawa. [Agric. Canada, Res. Branch, Publ. 1798.]
- Catling, P. M. and S. M. McKay. 1981. A review of the occurrence of halophytes in the eastern Great Lakes region. Michigan Bot. 20: 167–179.
- Catling, P. M., A. A. Reznicek, and J. L. Riley. 1977. Some new and interesting grass records from southern Ontario. Canad. Field-Naturalist 91: 350–359.
- Catling, P. M., A. Sinclair, and D. Cuddy. 2001. Vascular plants of a successional alvar burn 100 days after a severe fire and their mechanisms of re-establishment. Canad. Field-Naturalist 115: 214–222.
- Cayouette, J. 1987b. La flore vasculaire de la région du Lac Chavigny (58° 12' N, 75° 08' O[W]), Nouveau-Québec. Provancheria 20: 1–51.
- Cayouette, J. and S. J. Darbyshire. 1987. La répartition de *Danthonia intermedia* dans l'est du Canada. Naturaliste Canad. 114: 217–220.
- Cayouette, J. and S. J. Darbyshire. 1993. The intergeneric hybrid grass "*Poa labradorica*." Nordic J. Bot. 13: 615–629.
- Cayouette, R. 1972. Additions à la flore adventice du Québec. Naturaliste Canad. 99: 135–136.
- Chambers, K. L. 1966. Notes on some grasses of the Pacific coast. Madroño 18: 250–251.
- Chambers, K. L. 1985. Pitfalls in identifying *Ventenata dubia* (Poaceae). Madroño 32: 120–121.
- Chapman, G. P., ed. 1997. The Bamboos. San Diego.
- Charmet, G., C. Ravel, and F. Balfourier. 1997. Phylogenetic analysis in the *Festuca-Lolium* complex using molecular markers and ITS rDNA. Theor. Appl. Genet. 94: 1038–1046.
- Chase, A. 1920. The North American species of *Cenchrus*. Contr. U.S. Natl. Herb. 22: 45–77.

- Chase, A. 1921. The North American species of *Pennisetum*. Contr. U.S. Natl. Herb. 22: 209–234.
- Cheeke, P. R. and L. R. Shull. 1985. Natural Toxicants in Feeds and Poisonous Plants. Westport.
- Chen, S. L. et al. 2006. Poaceae (Gramineae). In: Wu Z. and P. H. Raven, eds. 1994+. Flora of China. 12+ vols. Beijing and St. Louis. Vol. 22, pp. 1–2.
- Chen, S. L. and Zhu G. H. 2006. *Agropyron*. In: Wu Z. and P. H. Raven, eds. 1994+. Flora of China. 12+ vols. Beijing and St. Louis. Vol. 22, pp. 439–441.
- Chen, S. L. and Zhu G. H. 2006b. *Leymus*. In: Wu Z. and P. H. Raven, eds. 1994+. Flora of China. 12+ vols. Beijing and St. Louis. Vol. 22, pp. 387–394.
- Chester, E. W. 1996. Rare and noteworthy vascular plants from the Fort Campbell Military Reservation, Kentucky and Tennessee. Sida 17: 269–274.
- Chester, E. W., B. E. Wofford, H. R. DeSelm, and A. M. Evans. 1993–1997. Atlas of Tennessee Vascular Plants. 2 vols. Clarksville.
- Chiapella, J. 2000. The *Deschampsia cespitosa* complex in central and northern Europe: A morphological analysis. Bot. J. Linn. Soc. 134: 495–512.
- Chiapella, J. and N. S. Probatova. 2003. The *Deschampsia cespitosa* complex (Poaceae, Aveneae) with special reference to Russia. Bot. J. Linn. Soc. 142: 213–228.
- Church, G. L. 1949. Cytotaxonomic study of *Glyceria* and *Puccinellia*. Amer. J. Bot. 36: 155–165.
- Church, G. L. 1952. The genus *Torreyochloa*. Rhodora 54: 197–200.
- Church, G. L. 1954. Interspecific hybridization in eastern *Elymus*. Rhodora 56: 185–197.
- Church, G. L. 1958. Artificial hybrids of *Elymus virginicus* with *E. canadensis*, *interruptus*, *riparius*, and *wiegandii*. Amer. J. Bot. 45: 410–417.
- Church, G. L. 1967. Pine Hills *Elymus*. Rhodora 69: 330–345.
- Church, G. L. 1967b. Taxonomic and genetic relationships of eastern North American species of *Elymus* with setaceous glumes. Rhodora 69: 121–162.
- Cialdella, A. M. and M. O. Arriaga. 1998. Revisión de las especies Sudamericanas del género *Piptochaetium* (Poaceae, Pooideae, Stipeae). Darwiniana 36: 105–157.
- Cialdella, A. M. and L. M. Giussani. 2002. Phylogenetic relations of the genus *Piptochaetium* (Poaceae, Pooideae, Stipeae): Evidence from morphological data. Ann. Missouri Bot. Gard. 89: 305–336.
- Clark, C. 1990. Vascular plants of the underdeveloped areas of California State Polytechnic University, Pomona. Crossosoma 16: 1–7.
- Clark, D. A. 1996. A Floristic Survey of the Mesa de Maya Region, Las Animas County, Colorado. Boulder.
- Clark, D. A. and T. Hogan. 2000. Noteworthy collections. Madroño 47: 142–144.

- Clark, L. G. and E. J. Judziewicz. 1996. The grass subfamilies Anomochlooideae and Pharoideae (Poaceae). *Taxon* 45: 641–645.
- Clark, L. G., Zhang W. P., and J. F. Wendel. 1995. A phylogeny of the grass family (Poaceae) based on *ndhF* sequence data. *Syst. Bot.* 20: 436–460.
- Clarke, G. C. S. 1980. *Deschampsia*. In: T. G. Tutin et al., eds. 1964–1980. *Flora Europaea*. 5 vols. Cambridge. Vol. 5, pp. 225–227.
- Clay, K. 1995. Noteworthy collections. *Castanea* 60: 84–85.
- Clayton, W. D. 1964. Studies in the Gramineae: V. New species of *Andropogon*. *Kew Bull.* 17: 465–470.
- Clayton, W. D. 1967. Studies in the Gramineae. XIV. *Kew Bull.* 21: 111–117.
- Clayton, W. D. 1969. A Revision of the Genus *Hyparrhenia*. London. [Kew Bull., Addit. Ser. 2.]
- Clayton, W. D. 1970. Gramineae, part 1. In: W. B. Turrill et al., eds. 1952+. *Flora of Tropical East Africa*. 152+ vols. London and Rotterdam. Unnumbered vol.
- Clayton, W. D. 1979. Notes on *Setaria* (Gramineae). *Kew Bull.* 33: 501–509.
- Clayton, W. D. 1987. Andropogoneae. In: T. R. Soderstrom et al., eds. 1987. *Grass Systematics and Evolution*. Washington. Pp. 307–309.
- Clayton, W. D. et al. 1994. Poaceae. In: M. D. Dassanayake et al., eds. 1980+. *A Revised Handbook to the Flora of Ceylon....* 9+ vols. New Delhi and Springfield, Va. Vol. 8.
- Clayton, W. D., S. M. Phillips, and S. A. Renvoize. 1974. Gramineae, part 2. In: W. B. Turrill et al., eds. 1952+. *Flora of Tropical East Africa*. 152+ vols. London and Rotterdam. Unnumbered vol.
- Clayton, W. D. and S. A. Renvoize. 1982. Gramineae, part 3. In: W. B. Turrill et al., eds. 1952+. *Flora of Tropical East Africa*. 152+ vols. London and Rotterdam. Unnumbered vol.
- Clayton, W. D. and S. A. Renvoize. 1986. *Genera Graminum: Grasses of the World*. London. [Kew Bull., Addit. Ser. 13.]
- Clifford, H. T. 1996. *Etymological Dictionary of Grasses*, ver. 1.0. Amsterdam [CD-ROM.]
- Clokey, I. W. 1951. *Flora of the Charleston Mountains, Clark County, Nevada*. Univ. Calif. Publ. Bot. 24.
- Cochrane, T. S., M. M. Rice, and W. E. Rice. 1984. The flora of Rock County, Wisconsin: Supplement I. *Michigan Bot.* 23: 121–133.
- Cody, W. J. 1988. *Plants of Riding Mountain National Park, Manitoba*. Ottawa. [Agric. Canada, Res. Branch, Publ. 1818/E.]
- Cody, W. J. 1996. *Flora of the Yukon Territory*. Ottawa.
- Cody, W. J. et al. 2000. New records of vascular plants in the Yukon Territory II. *Canad. Field-Naturalist* 114: 417–443.
- Cody, W. J. et al. 2000b. Alien and invasive native vascular plants along the Norman Wells pipeline, District of Mackenzie, Northwest Territories. *Canad. Field-Naturalist* 114: 126–137.

- Cody, W. J., S. J. Darbyshire, and C. E. Kennedy. 1990. A bluegrass, *Poa pseudoabbreviata* Roshev., new to the flora of Canada, and some additional records from Alaska. *Canad. Field-Naturalist* 104: 589–591.
- Cody, W. J., C. E. Kennedy, and B. Bennett. 1998. New records of vascular plants in the Yukon Territory. *Canad. Field-Naturalist* 112: 289–328.
- Cody, W. J., C. E. Kennedy, and B. Bennett. 2001. New records of vascular plants in the Yukon Territory III. *Canad. Field-Naturalist* 115: 301–322.
- Columbus, J. T. 1999. An expanded circumscription of *Bouteloua* (Gramineae: Chloridoideae): New combinations and names. *Aliso* 18: 61–65.
- Columbus, J. T., M. S. Kinney, R. Pant, and M. E. Siqueiros D. 1998. Cladistic parsimony analysis of internal transcribed spacer region (nrDNA) sequences of *Bouteloua* and relatives (Gramineae: Chloridoideae). *Aliso* 17: 99–130.
- Columbus, J. T., M. S. Kinney, M. E. Siqueiros D., and R. Cerros T. 2000. Homoplasy, polyphyly, and generic circumscription: The demise of the Boutelouinae (Gramineae: Chloridoideae). [Abstract.] *Amer. J. Bot.* 87(6, suppl.): 120.
- Conert, H. J. 1985. *Mibora*. In: G. Hegi et al. 1964+. *Illustrierte Flora von Mitteleuropa*, ed. 3. 5+ vols. in 8+. Berlin and Hamburg. Vol. 1, part 3(3), pp. 206–210.
- Conert, H. J. 1987. Current concepts in the systematics of the Arundinoideae. In: T. R. Soderstrom et al., eds. 1987. *Grass Systematics and Evolution*. Washington. Pp. 239–250.
- Conert, H. J. 1992. *Coleanthus*. In: G. Hegi et al. 1964+. *Illustrierte Flora von Mitteleuropa*, ed. 3. 5+ vols. in 8+. Berlin and Hamburg. Vol. 1, part 3(6), pp. 434–437.
- Conert, H. J. 1992b. *Glyceria*. In: G. Hegi et al. 1964+. *Illustrierte Flora von Mitteleuropa*, ed. 3. 5+ vols. in 8+. Berlin and Hamburg. Vol. 1, part 3(6), pp. 440–457.
- Conert, H. J. 1992–1994. *Sesleria*. In: G. Hegi et al. 1964+. *Illustrierte Flora von Mitteleuropa*, ed. 3. 5+ vols. in 8+. Berlin and Hamburg. Vol. 1, part 3(6,7), pp. 473–480, 481–486.
- Conert, H. J. and A. M. Türpe. 1969. *Karroochloa*, ein neue Gattung der Gramineen (Poaceae, Arundinoideae, Danthonieae). *Senckenberg. Biol.* 50: 289–318.
- Conert, H. J. and A. M. Türpe. 1974. Revision der Gattung *Schismus* (Poaceae: Arundinoideae: Danthonieae). *Abh. Senckenberg. Naturf. Ges.* 532: 1–81.
- Conference on Weed Control in Rice (1981). 1983. *Proceedings of the Conference on Weed Control in Rice, 31 August – 4 September 1981....* Los Baños.
- Connor, H. E. and E. Edgar. 1974. Names and types in *Cortaderia* Stapf (Gramineae). *Taxon* 23: 595–605.
- Connor, H. E. and E. Edgar. 1979. *Rytidosperma* Steudel (*Nothodanthonia* Zotov) in New Zealand. *New Zealand J. Bot.* 17: 311–337.
- Consaul, L. L. and L. J. Gillespie. 2001. A re-evaluation of species limits in Canadian arctic island *Puccinellia* (Poaceae): Resolving key characters. *Canad. J. Bot.* 79: 927–956.

- Consaul, L. L., L. J. Gillespie, and K. I. MacInnes. 2005. Addition to the flora of Canada? A specimen from the Arctic Archipelago, Northwest Territories links two allopatric species of alkali grass. *Canad. Field-Naturalist* 119: 497–506.
- Conservation Biol. = Conservation Biology; Journal of the Society for Conservation Biology.
- Contr. Gray Herb. = Contributions from the Gray Herbarium of Harvard University. [Some numbers reprinted from (or in?) other periodicals, e.g. *Rhodora*.]
- Contr. Life Sci. Roy. Ontario Mus. = Contributions, Life Sciences, Royal Ontario Museum.
- Contr. New South Wales Natl. Herb. = Contributions from the New South Wales National Herbarium.
- Contr. U.S. Natl. Herb. = Contributions from the United States National Herbarium.
- Cope, E. A. 1994. Further notes on beachgrasses (*Ammophila*) in northeastern North America. *Newslett. New York Fl. Assoc.* 5: 5–7.
- Cope, T. A. 1982. Poaceae. Karachi. [Fl. Pakistan 143.]
- Costas-Lippmann, M. 1977. More on the weedy "pampas grass" in California. *Fremontia* 4: 25–27.
- Cotton, R. and C. A. Stace. 1976. Taxonomy of the genus *Vulpia* (Gramineae): I. Chromosome numbers and geographical distribution of the Old World species. *Genetica* 46: 235–255.
- Covas, G. 1949. Taxonomic observations on the North American species of *Hordeum*. *Madroño* 9: 233–264.
- Coxe, R. et al. 2005. Checklist of the vascular plants of Greene County, Pennsylvania. *Sida* 21: 1829–1859.
- Crampton, B. 1955. *Scribneria* in California. *Leafl. W. Bot.* 7: 219–220.
- Crampton, B. 1959. The grass genera *Orcuttia* and *Neostapfia*: A study in habitat and morphological specialization. *Madroño* 15: 97–110.
- Cronquist, A. 1981. *An Integrated System of Classification of Flowering Plants*. New York. Crop Sci. (Madison) = Crop Science. (Madison, Wisc.)
- Crouch, V. E. and M. S. Golden. 1997. Floristics of a bottomland forest and adjacent uplands near the Tombigbee River, Choctaw County, Alabama. *Castanea* 62: 219–238.
- Curto, M. L. and L. Allen. 1992. California Native Plant Society Grass Walk: Cuyamaca Rancho State Park. [Brochure.] [N. p.]
- Curto, M. L. and D. M. Henderson. 1998. A new *Stipa* (Poaceae: Stipeae) from Idaho and Nevada. *Madroño* 45: 57–63.
- Cusick, A. W., J. S. McCormac, and J. Beathard. 2001. Record number of rare plant species found in 2000. *Nat. Ohio* 23: 1–2.
- Cusick, A. W., R. K. Rabeler, and M. J. Oldham. 2002. Hard or fairgrounds grass (*Sclerochloa dura*, Poaceae) in the Great Lakes region. *Michigan Bot.* 41: 125–135.
- Cusick, A. W. and G. M. Silberhorn. 1977. The vascular plants of unglaciated Ohio. *Bull. Ohio Biol. Surv.*, n. s. 5(4): 1–157.

- Cusick, A. W. and M. A. Vincent. 2002. *Poa bulbosa* L. ssp. *bulbosa* (Poaceae) in North America. *Michigan Bot.* 41: 19–23.
- Cutler, H. C. and E. Anderson. 1941. A preliminary survey of the genus *Tripsacum*. *Ann. Missouri Bot. Gard.* 28: 249–269.
- Cytologia = Cytologia; International Journal of Cytology.
- Czech J. Genet. Pl. Breed. = Czech Journal of Genetics and Plant Breeding (Genetika a Šlechtění).
- Dahlgren, R. M. T. and H. T. Clifford. 1982. *The Monocotyledons: A Comparative Study*. London and New York.
- Daniel, T. F., C. Best, J. Guggolz, and B. Guggolz. 1992. Noteworthy collections: *Gaudinia fragilis*. *Madroño* 39: 309–310.
- Dannhardt, G. and L. Steindl. 1985. Alkaloids of *Lolium temulentum*: Isolation, identification and pharmacological activity. *Pl. Med. (Stuttgart)* 1985: 212–214.
- Darbyshire, S. J. 1993. Realignment of *Festuca* subgenus *Schedonorus* with the genus *Lolium*. *Novon* 3: 239–243.
- Darbyshire, S. J. 1997. Tall wheatgrass, *Elymus elongatus* subsp. *ponticus*, in Nova Scotia. *Rhodora* 99: 161–165.
- Darbyshire, S. J. and J. Cayouette. 1989. The biology of Canadian weeds. 92. *Danthonia spicata* (L.) Beauv. in Roem. & Schult. *Canad. J. Pl. Sci.* 69: 1217–1233.
- Darbyshire, S. J. and J. Cayouette. 1995. Identification of the species in the *Panicum capillare* complex (Poaceae) from eastern Canada and adjacent New York State. *Canad. J. Bot.* 73: 333–348.
- Darbyshire, S. J., J. Cayouette, and S. I. Warwick. 1992. The intergeneric hybrid origin of *Poa labradorica* Steudel (Poaceae). *Pl. Syst. Evol.* 181: 57–76.
- Darbyshire, S. J. and S. I. Warwick. 1992. Phylogeny of North American *Festuca* (Poaceae) and related genera using chloroplast DNA restriction site variation. *Canad. J. Bot.* 70: 2415–2429.
- Darke, R. 1999. *The Color Encyclopedia of Ornamental Grasses: Sedges, Rushes, Restios, Cattails, and Selected Bamboos*. Portland.
- Darwiniana = Darwiniana; Carpeta del "Darwinion."
- Dassanayake, M. D., F. R. Fosberg, and W. D. Clayton, eds. 1980+. *A Revised Handbook to the Flora of Ceylon....* 9+ vols. New Delhi and Springfield, Va.
- Daubenmire, R. 1939. The taxonomy and ecology of *Agropyron spicatum* and *A. inerme*. *Bull. Torrey Bot. Club* 66: 327–329.
- Daubenmire, R. 1960. An experimental study of variation in the *Agropyron spicatum*–*A. inerme* complex. *Bot. Gaz.* 122: 104–108.
- Davey, J. C. and W. D. Clayton. 1977. Some multiple discriminant function studies on *Oplismenus*. *Kew Bull.* 33: 147–157.

- Davidse, G. 1978. A systematic study of the genus *Lasiacis* (Gramineae: Paniceae). *Ann. Missouri Bot. Gard.* 65: 1133–1254.
- Davidse, G. 1987. Fruit dispersal in Poaceae. In: T. R. Soderstrom et al., eds. 1987. *Grass Systematics and Evolution*. Washington. Pp. 143–155.
- Davidse, G. 1994. *Trichloris*. In: G. Davidse et al., eds. 1994+. *Flora Mesoamericana*. 2+ vols. Mexico City. Vol. 6, p. 289.
- Davidse, G. et al., eds. 2001. *Flora de Nicaragua*. *Monogr. Syst. Bot. Missouri Bot. Gard.* 85. [In 3 vols. paged continuously.]
- Davidse, G. and E. Morton. 1973. Bird-mediated fruit dispersal in the tropical grass genus *Lasiacis* (Gramineae: Paniceae). *Biotropica* 5: 162–167.
- Davidse, G. and R. W. Pohl. 1994. *Urochloa*. In: G. Davidse et al., eds. 1994+. *Flora Mesoamericana*. 2+ vols. Mexico City. Vol. 6, pp. 331–333.
- Davidse, G., M. Sousa S., A. O. Chater, et al., eds. 1994+. *Flora Mesoamericana*. 2+ vols. Mexico City.
- Davies, R. S. 1980. Introgression between *Elymus canadensis* L. and *E. virginicus* L. (Triticeae, Poaceae) in South Central United States. Ph.D. dissertation. Texas A&M University.
- Dávila, P. D. 1988. Systematic Revision of the Genus *Sorghastrum* (Poaceae: Andropogoneae). Ph.D. dissertation. Iowa State University.
- Dávila, P. D. 1994. *Trachypogon*. In: G. Davidse et al., eds. 1994+. *Flora Mesoamericana*. 2+ vols. Mexico City. Vol. 6, pp. 380–381.
- Davis, J. I. 1983. Phenotypic plasticity and the selection of taxonomic characters in *Puccinellia* (Poaceae). *Syst. Bot.* 8: 341–353.
- Davis, J. I. 1990. *Puccinellia howellii* (Poaceae), a new species from California. *Madroño* 37: 55–58.
- Davis, J. I. and R. J. Soreng. 1993. Phylogenetic structure in the grass family (Poaceae) as inferred from chloroplast DNA restriction site variation. *Amer. J. Bot.* 80: 1444–1454.
- Davis, P. H., ed. 1965–1988. *Flora of Turkey and the East Aegean Islands*. 10 vols. Edinburgh.
- de Wet, J. M. J. 1968. Biosystematics of the *Bothriochloa barbinodis* complex (Gramineae). *Amer. J. Bot.* 55: 1246–1250.
- de Wet, J. M. J. 1978. Systematics and evolution of *Sorghum* sect. *Sorghum* (Gramineae). *Amer. J. Bot.* 65: 477–484.
- de Wet, J. M. J., D. E. Brink, and C. E. Cohen. 1983. Systematics of *Tripsacum* section *Fasciculata* (Gramineae). *Amer. J. Bot.* 70: 1139–1146.
- de Wet, J. M. J. and J. R. Harlan. 1970. *Bothriochloa intermedia*—A taxonomic dilemma. *Taxon* 19: 339–340.
- de Wet, J. M. J. and J. R. Harlan. 1970b. Biosystematics of *Cynodon* L. C. Rich. (Gramineae). *Taxon* 19: 565–569.

- de Wet, J. M. J., J. R. Harlan, and D. E. Brink. 1982. Systematics of *Tripsacum dactyloides*. Amer. J. Bot. 69: 1251–1257.
- Deam, C. C. 1940. Flora of Indiana. Indianapolis.
- Decker, H. F. 1964. An anatomic-systematic study of the classical tribe Festuceae (Gramineae). Amer. J. Bot. 51: 453–463.
- Decker, H. F. 1964b. Affinities of the grass genus *Ampelodesmos*. Brittonia 16: 76–79.
- DeLisle, D. G. 1963. Taxonomy and distribution of the genus *Cenchrus*. Iowa State Coll. J. Sci. 37: 259–351.
- Denkschr. Schweiz. Naturf. Ges. = Denkschriften der Schweizerischen naturforschenden Gesellschaft.
- Denny, G. C. 2003. *Muhlenbergia dubia* (Poaceae) in central Texas. Sida 20: 1763–1764.
- DeSelm, H. R. 1975. *Schizachyrium stoloniferum* Nash var. *wolfei* DeSelm. Sida 6: 114–115.
- Desert Pl. = Desert Plants; a Quarterly Journal Devoted to Broadening Our Knowledge of Plants Indigenous or Adaptable to Arid and Sub-arid Regions.
- Deshaye, J. and J. Cayouette. 1988. La flore vasculaire des îles et de la presqu'île de Manitousuk, Baie d'Hudson: Structure phytogéographique et interprétation bioclimatique. Provancheria 21.
- Desvaux, É. 1854. Gramineas. In: C. Gay. 1845–1854. Historia Física y Política de Chile.... Botánica [Flora Chilena]. 8 vols., atlas. Paris and Santiago. Vol. 6, pp. 233–469.
- Dewey, D. R. 1963. Natural hybrids of *Agropyron trachycaulum* and *Agropyron scribneri*. Bull. Torrey Bot. Club 90: 111–120.
- Dewey, D. R. 1964. Natural and synthetic hybrids of *Agropyron spicatum* × *Sitanion hystrix*. Bull. Torrey Bot. Club 91: 396–405.
- Dewey, D. R. 1965. Morphology, cytology, and fertility of synthetic hybrids of *Agropyron spicatum* × *Agropyron dasystachyum-riparium*. Bot. Gaz. 126: 269–275.
- Dewey, D. R. 1967. Genome relations between *Agropyron scribneri* and *Sitanion hystrix*. Bull. Torrey Bot. Club 94: 395–404.
- Dewey, D. R. 1967b. Synthetic *Agropyron*–*Elymus* hybrids: II. *Elymus canadensis* × *Agropyron dasystachyum*. Amer. J. Bot. 54: 1084–1089.
- Dewey, D. R. 1968. Synthetic hybrids of *Agropyron dasystachyum* × *Elymus glaucus* and *Sitanion hystrix*. Bot. Gaz. 129: 316–322.
- Dewey, D. R. 1970. The origin of *Agropyron albicans*. Amer. J. Bot. 57: 12–18.
- Dewey, D. R. 1974. Cytogenetics of *Elymus sibiricus* and its hybrids with *Agropyron tauri*, *Elymus canadensis*, and *Agropyron caninum*. Bot. Gaz. 135: 80–87.
- Dewey, D. R. 1975. Introgression between *Agropyron dasystachyum* and *A. trachycaulum*. Bot. Gaz. 136: 122–128.
- Dewey, D. R. 1975b. The origin of *Agropyron smithii*. Amer. J. Bot. 62: 524–530.

- Dewey, D. R. 1976. Cytogenetics of *Agropyron pringlei* and its hybrids with *A. spicatum*, *A. scribneri*, *A. violaceum*, and *A. dasystachyum*. *Bot. Gaz.* 137: 179–185.
- Dewey, D. R. 1982. Genomic and phylogenetic relationships among North American perennial Triticeae. In: J. R. Estes et al., eds. 1982. *Grasses and Grasslands: Systematics and Ecology*. Norman. Pp. 51–58.
- Dewey, D. R. 1984. The genomic system of classification as a guide to intergeneric hybridization in the perennial Triticeae. In: J. P. Gustafson, ed. 1984. *Gene Manipulation in Plant Improvement: 16th Stadler Genetics Symposium*. New York. Pp. 209–279.
- Dewey, D. R. 1986. Taxonomy of the crested wheatgrasses (*Agropyron*). In: K. L. Johnson, ed. 1986. *Crested Wheatgrass: Its Values, Problems and Myths; Symposium Proceedings*, Logan, Utah, October 3–7, 1983. Logan. Pp. 31–42.
- Dewey, D. R. and A. H. Holmgren. 1962. Natural hybrids of *Elymus cinereus* and *Sitanion hystrix*. *Bull. Torrey Bot. Club* 89: 217–228.
- Deyl, M. 1980. *Sesleria*. In: T. G. Tutin et al., eds. 1964–1980. *Flora Europaea*. 5 vols. Cambridge. Vol. 5, pp. 173–177.
- Diamond, A. R. and J. D. Freeman. 1993. Vascular flora of Conecuh Co., Alabama. *Sida* 15: 623–638.
- Diamond, A. R., M. Woods, J. A. Hall, and B. H. Martin. 2002. The vascular flora of the Pike County Pocosin Nature Preserve. *SouthE. Naturalist* 1: 45–54.
- Diggs, G. M., B. L. Lipscomb, and R. J. O'Kennon. 1999. *Shinners' and Mahler's Illustrated Flora of North Central Texas*. Fort Worth. [Sida Bot. Misc. 16.]
- Dignard, N. 2000. Additions récentes à la flore de l'île d'Anticosti. *Ludoviciana* 29: 69–72.
- Dillman, A. C. 1946. The beginnings of crested wheatgrass in North America. *J. Amer. Soc. Agron.* 38: 237–250.
- Dix, W. L. 1945. Will the stowaway, *Molinia caerulea*, become naturalized? *Bartonia* 23: 41–42.
- Dixon, J. M. 1991. Biological flora of the British Isles: *Avenula* (Dumort.) Dumort. *J. Ecol.* 79: 829–865.
- Dixon, J. M. 1995. *Trisetum flavescens* (L.) Beauv. (*T. pratense* Pers., *Avena flavescens* L.). *J. Ecol.* 83: 895–909.
- Dobrenz, A. K. and A. A. Beetle. 1966. Cleistogenes in *Danthonia*. *J. Range Managem.* 19: 292–296.
- Doebley, J. F. 1990. Molecular systematics of *Zea* (Gramineae). *Maydica* 35: 143–150.
- Doebley, J. F. and H. H. Iltis. 1980. Taxonomy of *Zea* (Gramineae): I. A subgeneric classification with a key to taxa. *Amer. J. Bot.* 67: 982–993.
- Doebley, J. F., A. Stec, and C. Justus. 1995. *Teosinte branched1* and the origin of maize: Evidence for epistasis and the evolution of dominance. *Genetics* 141: 333–346.

- Doğan, M. 1999. A concise taxonomic revision of the genus *Alopecurus* L. (Gramineae). *Türk Bot. Derg.* 23: 245–262.
- Dore, W. G. 1950. Persian darnel in Canada. *Sci. Agric. (Ottawa)* 30: 157–164.
- Dore, W. G. 1969. Wild Rice. Ottawa. [Canada Dept. Agric. Publ. 1393.]
- Dore, W. G. 1971. *Sieglingia decumbens* (L) Bernh.—Pulvini of palea. *Watsonia* 8: 297–299.
- Dore, W. G. and C. J. Marchant. 1968. Observations on the hybrid cord-grass, *Spartina ×caespitosa* in the maritime provinces. *Canad. Field-Naturalist* 82: 181–184.
- Dore, W. G. and J. McNeill. 1980. Grasses of Ontario. Hull. [Agric. Canada, Monogr. 26.]
- Dorn, R. D. 2001. Vascular Plants of Wyoming, ed. 3. Cheyenne.
- Dorofeev, V. F. and E. F. Migushova. 1979. Pshenitsa [wheat]. In: D. D. Brezhnev et al., eds. 1979+. *Kul'turnaia Flora SSSR*. 4+ vols. in parts. Leningrad. Vol. 1.
- Douglas, B. J., A. G. Thomas, I. N. Morrison, and M. G. Maw. 1985. The biology of Canadian weeds. 70. *Setaria viridis* (L.) Beauv. *Canad. J. Pl. Sci.* 65: 669–690.
- Douglas, G. W., D. V. Meidinger, and J. L. Penny. 2002. Rare Native Vascular Plants of British Columbia, ed. 2. Victoria.
- Douglas, G. W., G. B. Straley, and D. V. Meidinger. 1989–1994. The Vascular Plants of British Columbia. 4 vols. Victoria. [B.C. Minist. Forests, Special Rep. 1–4.]
- Douglas, G. W., G. B. Straley, D. V. Meidinger, and J. Pojar. 1998–2002. Illustrated Flora of British Columbia. 8 vols. Victoria.
- Douglas, G. W. and R. J. Taylor. 1970. Contributions to the flora of Washington. *Rhodora* 72: 496–501.
- Doyon, D., C. J. Bouchard, and R. Néron. 1986. Répartition géographique et importance dans les cultures de quatre adventices du Québec: *Abutilon theophrasti*, *Amaranthus powellii*, *Acalypha rhomboïdea*, et *Panicum dichotomiflorum*. *Naturaliste Canad.* 113: 115–123.
- Doyon, D., C. J. Bouchard, and R. Néron. 1988. Extension del la répartition géographique de *Setaria faberi* au Québec. *Naturaliste Canad.* 115: 125–129.
- Doyon, D. and W. G. Dore. 1967. Notes on the distribution of two grasses, *Sporobolus neglectus* and *Leersia virginica*, in Québec. *Canad. Field-Naturalist* 81: 30–32.
- Dransfield, S. and E. A. Widjaja, eds. 1995. Bamboos. Leiden. [Pl. Resources S.-E. Asia 7.]
- Drew, M. B., L. K. Kirkman, and A. K. Gholson. 1988. The vascular flora of Ichauway, Baker County, Georgia: A remnant longleaf pine/wiregrass ecosystem. *Castanea* 63: 1–24.
- Dubé, M. 1983. Addition de *Festuca gigantea* à la flore du Canada. *Naturaliste Canad.* 110: 213–215.
- Dubé, M. 1986. La répartition de *Festuca pratensis* Hudson et de *F. arundinacea* Schreber (Poaceae) dans l'est du Canada. *Naturaliste Canad.* 113: 325–330.
- Dubé, M. and P. Morisset. 1987. Morphological and leaf anatomical variation in *Festuca rubra* sensu lato (Poaceae) from eastern Quebec. *Canad. J. Bot.* 65: 1065–1077.

- Dubé, M. and P. Morisset. 1995. La variation des caractères épidermiques foliaires chez le *Festuca rubra* sensu lato (Poaceae) dans l'est du Canada. *Canad. J. Bot.* 74: 1425–1438.
- Dubé, M. and P. Morisset. 1996. La plasticité phénotypique des caractères anatomiques foliaires chez le *Festuca rubra* L. (Poaceae). *Canad. J. Bot.* 74: 1708–1718.
- Dubé, M., P. Morisset, and J. Murdock. 1985. Races chromosomiques chez le *Festuca rubra* sensu lato (Poaceae) dans l'est du Québec. *Canad. J. Bot.* 63: 227–231.
- Duckert-Henriod, M. M. and C. Favarger. 1987. Contribution à la Cytotaxonomie et à la Cytogéographie des *Poa* (Poaceae = Gramineae) de la Suisse. Basel and Boston.
- Duistermaat, H. 1987. A revision of *Oryza* (Gramineae) in Malesia and Australia. *Blumea* 32: 157–193.
- Duvall, M. R. and D. D. Biesboer. 1988. Nonreciprocal hybridization failure in crosses between annual wild-rice species (*Zizania palustris* × *Z. aquatica*: Poaceae). *Syst. Bot.* 13: 229–234.
- Dvorak, J., Luo Z. C., Yang Z. L., and Zhang H. B. 1998. The structure of the *Aegilops tauschii* genepool and the evolution of hexaploid wheat. *Theor. Appl. Genet.* 97: 657–670.
- Dyksterhuis, E. J. 1949. Axillary cleistogenes in *Stipa leucotricha* and their role in nature. *Ecology* 26: 195–199.
- Easterly, N. W. 1951. The flora of Iowa County. *Proc. Iowa Acad. Sci.* 58: 71–95.
- Ecology = Ecology, a Quarterly Journal Devoted to All Phases of Ecological Biology.
- Econ. Bot. = Economic Botany; Devoted to Applied Botany and Plant Utilization.
- Eddy, T. L. 1983. A Vascular Flora of Green Lake County, Wisconsin. M.S. thesis. University of Wisconsin-Oshkosh.
- Eddy, T. L. and N. A. Harriman. 1992. *Muhlenbergia richardsonis* in Wisconsin. *Michigan Bot.* 31: 39–40.
- Edelman, D. K., T. R. Soderstrom, and G. F. Deitzer. 1985. Bamboo introduction and research in Puerto Rico. *J. Amer. Bamboo Soc.* 6: 43–57.
- Edgar, E. 1995. New Zealand species of *Deyeuxia* P. Beauv. and *Lachnagrostis* Trin. (Gramineae: Aveneae). *New Zealand J. Bot.* 33: 1–33.
- Edgar, E. and H. E. Connor. 2000. Gramineae. In: H. H. Allan et al. 1961–2000. Flora of New Zealand. 5 vols. Wellington, Christchurch, and Lincoln. Vol. 5.
- Edgin, B., G. C. Tucker, and J. E. Ebinger. 2005. Vegetation and flora of American Beech Woods Nature Preserve, Clark County, Illinois. *Sida* 21: 1861–1878.
- Edinburgh J. Bot. = Edinburgh Journal of Botany.
- Eilers, L. J. 1974. The flora of Brush Creek Canyon State Preserve. *Proc. Iowa Acad. Sci.* 81: 150–157.
- Eilers, L. J. and D. M. Roosa. 1994. The Vascular Plants of Iowa. Iowa City.
- Elias, M. K. 1942. Tertiary prairie grasses and other herbs from the High Plains. Special Pap. Geol. Soc. Amer. 41.

- Elsley, J. E. and G. Halliday. 1971. Some plant records from southeast Greenland. *Meddel. Grønland* 178(8): 1–15.
- Emery, W. H. P. 1957. A cyto-taxonomic study of *Setaria macrostachya* (Gramineae) and its relatives in the southwestern United States and Mexico. *Bull. Torrey Bot. Club* 84: 94–105.
- Emily de Camp Herbarium. 1999. Plant Communities of the Emily de Camp Herbarium, Island Beach State Park. Seaside Park, N.J.
- Ennos, R. A. 1985. The mating system and genetic structure in a perennial grass, *Cynosurus cristatus* L. *Heredity* 55: 121–126.
- Environment Waikato. 2002. Regional Pest Management Strategy 2002–2007. Hamilton.
- Epstein, W., K. Gerber, and R. Karler. 1964. The hypnotic constituent of *Stipa vaseyi*, sleepy grass. *Experientia* (Basel) 20: 390.
- Erdman, K. S. 1965. Taxonomy of the genus *Sphenopholis*. *Iowa State Coll. J. Sci.* 39: 259–336.
- Ertter, B. 1997. Annotated Checklist of the East Bay Flora: Native and Naturalized Vascular Plants of Alameda and Contra Costa Counties, California. Berkeley.
- Esen, A. and K. W. Hilu. 1991. Electrophoretic and immunological studies of prolamins in the Poaceae: II. Phylogenetic affinities of the Aristideae. *Taxon* 40: 5–17.
- Esparza Sandoval, S. and Y. Herrera Arrieta. 1996. Revisión de *Bouteloua barbata* Lagasca (Poaceae: Eragrostideae). *Phytologia* 80: 73–91.
- Estes, D. 2005. The vascular flora of Giles County, Tennessee. *Sida* 21: 2343–2388.
- Estes, D. and J. Beck. 2005. *Sporobolus heterolepis* (Poaceae) new to Tennessee. *Sida* 21: 1923–1926.
- Estes, D. and J. L. Walck. 2005. The vascular flora of Rattlesnake Falls: A potential state natural area on the Western Highland Rim Escarpment in Tennessee. *Sida* 21: 1753–1780.
- Estes, J. R., R. J. Tyrl, and J. N. Brunken, eds. 1982. *Grasses and Grasslands: Systematics and Ecology*. Norman.
- Euphytica = Euphytica. *Netherlands Journal of Plant Breeding*.
- Evol. Trends Pl. = Evolutionary Trends in Plants.
- Evolution = Evolution; *International Journal of Organic Evolution*.
- Exell, A. W. and H. Wild, eds. 1960+. *Flora Zambesiaca: Mozambique, Federation of Rhodesia and Nyasaland, Bechuanaland Protectorate*. 12+ vols. in parts. London.
- Exp. Cell Res. = Experimental Cell Research.
- Fairbrothers, D. E. and J. R. Gray. 1972. *Microstegium vimineum* (Trin.) A. Camus (Gramineae) in the United States. *Bull. Torrey Bot. Club* 99: 97–100.
- Farwell, O. A. 1919. *Bromelica* (Thurber): A new genus of grasses. *Rhodora* 21: 76–78.
- Fassett, N. C. 1951. *Grasses of Wisconsin: The Taxonomy, Ecology, and Distribution of the Gramineae Growing in the State without Cultivation*. Madison.
- Fay, M. J. 1951. The flora of Cedar County, Iowa. *Proc. Iowa Acad. Sci.* 58: 107–131.

- Fay, M. J. and R. F. Thorne. 1953. Additions to the flora of Cedar County, Iowa. Proc. Iowa Acad. Sci. 60: 122–130.
- Feddes Repert. = Feddes Repertorium.
- Feilberg, J. 1984. A phytogeographical study of South Greenland: Vascular plants. Meddel. Grønland, Biosci. 15: 1–70.
- Felger, R. S. et al. 2005. *Dichanthelium* (Poaceae) new to Arizona: Open door for a potentially invasive species. Sida 21: 1905–1908.
- Ferguson, E. and R. P. Wunderlin. 2006. A vascular plant inventory of Starkey Wilderness Preserve, Pasco County, Florida. Sida 22: 635–659.
- Ferlatte, W. J. 1974. A Flora of the Trinity Alps of Northern California. Berkeley.
- Fernald, M. L. 1933. Recent discoveries in the Newfoundland flora. Rhodora 35: 1–16 etc.
- Fernald, M. L. 1950d. The North American variety of *Millium effusum*. Rhodora 52: 218–222.
- Fernald, M. L. and C. A. Weatherby. 1916. The genus *Puccinellia* in eastern North America. Rhodora 18: 1–23.
- Fertig, W. 1999. Additions to the flora of Wyoming—VI. Castilleja 18: 3.
- Fieldiana, Bot. = Fieldiana: Botany.
- Finot, V. L., P. M. Peterson, R. J. Soreng, and F. O. Zuloaga. 2004. A revision of *Trisetum*, *Peyritschia*, and *Sphenopholis* (Poaceae: Pooideae: Aveninae) in Mexico and Central America. Ann. Missouri Bot. Gard. 91: 1–30.
- Fishbein, M. 1995. Noteworthy collections. Madroño 42: 83.
- Fleming, G. P. and J. C. Ludwig. 1996. Noteworthy collections. Castanea 61: 89–95.
- Fleming, K. M., J. R. Singhurst, and W. C. Holmes. 2002. Vascular flora of Big Lake Bottom Wildlife Management Area, Anderson County, Texas. Sida 20: 355–372.
- Fleming, P. and R. Kanal. 1995. Annotated checklist of vascular plants of Rock Creek Park, National Park Service, Washington, D.C. Castanea 60: 283–316.
- Fleurbec. 1985. Plantes Sauvages du Bord de la Mer: Guide d'Identification Fleurbec. Saint-Augustin.
- Flinders, M. 1814. A Voyage to Terra Australis.... 2 vols. London.
- Folia Geobot. = Folia Geobotanica; a Journal of Plant Ecology and Systematics.
- Folia Geobot. Phytotax. = Folia Geobotanica et Phytotaxonomica.
- Foreman, D. B., N. G. Walsh, and T. J. Entwisle, eds. 1993–1999. Flora of Victoria. 4 vols. Melbourne and Sydney.
- Fox, A. M. and W. T. Haller. 2000. Production and survivorship of the functional stolons of giant cutgrass, *Zizaniopsis miliacea* (Poaceae). Amer. J. Bot. 87: 811–818.
- Fox, W. E. and S. L. Hatch. 1996. *Brachiaria eruciformis* and *Urochloa brizantha* (Poaceae: Paniceae) new to Texas. Sida 17: 287–288.
- Fox, W. E. and S. L. Hatch. 1999. New combinations in *Setaria* (Poaceae: Paniceae). Sida 18: 1037–1047.

- Franklin, J. F. and C. Wiberg. 1979. Goat Marsh Research Natural Area. Federal Research Natural Areas in Oregon and Washington: A Guidebook for Scientists and Educators, Supplement No. 10. Corvallis.
- Freckmann, R. W. 1972. Grasses of central Wisconsin. Rep. Fauna Fl. Wisconsin 6.
- Frederiksen, S. 1978. *Festuca brevissima* Jurtz. in Alaska. Bot. Not. 131: 409–410.
- Frederiksen, S. 1979. *Festuca minutiflora* Rydb., a neglected species. Bot. Not. 132: 315–318.
- Frederiksen, S. 1981. *Festuca vivipara* (Poaceae) in the North Atlantic area. Nordic J. Bot. 1: 277–292.
- Frederiksen, S. 1982. *Festuca brachyphylla*, *F. saximontana* and related species in North America. Nordic J. Bot. 2: 525–536.
- Frederiksen, S. 1983. *Festuca auriculata* in North America. Nordic J. Bot. 3: 629–632.
- Frederiksen, S. 1986. Revision of *Taeniatherum* (Poaceae). Nordic J. Bot. 6: 389–397.
- Frederiksen, S. 1991. Taxonomic studies in *Dasyphyrum* (Poaceae). Nordic J. Bot. 11: 135–142.
- Frederiksen, S. 1991b. Taxonomic studies in *Eremopyrum* (Poaceae). Nordic J. Bot. 11: 271–285.
- Frederiksen, S. and G. Petersen. 1998. A taxonomic revision of *Secale* L. (Triticeae, Poaceae). Nordic J. Bot. 18: 399–420.
- Fredskild, B. 1966. Contributions to the flora of Peary Land, North Greenland. Meddel. Grønland 178(2): 1–23.
- Fredskild, B. 1996. A phytogeographical study of the vascular plants of West Greenland (62° 20'–74° 00' N). Meddel. Grønland, Biosci. 45: 1–157.
- Freeman, C. C., R. L. McGregor, and C. A. Morse. 1998. Vascular plants new to Kansas. Sida 18: 593–604.
- Freire Fierro, A. and D. A. Neill, eds. 2002. La Botánica en el Nuevo Milenio: Memorias del Tercer Congreso Ecuatoriano de Botánica. Quito.
- Freitag, H. 1975. The genus *Piptatherum* (Gramineae) in southwest Asia. Notes Roy. Bot. Gard. Edinburgh 33: 341–408.
- Freitag, H. 1985. The genus *Stipa* in southwest and south Asia. Notes Roy. Bot. Gard. Edinburgh 72: 355–487.
- Frelich, L. 1979. Vascular plants of Newport State Park. Res. Rep. Wisconsin Dept. Nat. Resources 100.
- Fremontia = Fremontia; Journal of the California Native Plant Society.
- Friends of Mount Revelstoke and Glacier. 1996. Vascular Plant Checklist: Mount Revelstoke and Glacier National Parks. Revelstoke.
- Gabel, M. L. 1984. A biosystematic study of the genus *Elymus* (Gramineae: Triticeae). Proc. Iowa Acad. Sci. 91: 140–146.
- Galatowitsch, S. M. and A. van der Valk. 1994. Restoring Prairie Wetlands: An Ecological Approach. Ames.

- Gandhi, K. N. 1989. A Biosystematic Study of the *Schizachyrium scoparium* Complex. Ph.D. dissertation. Texas A&M University.
- Gandhi, K. N. 1996. Nomenclatural novelties for the Western Hemisphere plants—I. Harvard Pap. Bot. 8: 63–66.
- Gard. Ill. = Gardens Illustrated.
- Gardner, R. L., J. S. McCormac, and J. Minney. 2004. *Dichantherium scoparium* and *Muhlenbergia glabrifloris*: New to the flora of Ohio. Sida 21: 465–471.
- Garlitz, R. 1998. Rare and interesting grass records from the northeastern Lower Peninsula. Michigan Bot. 28: 67–71.
- Garlitz, R. and D. Garlitz. 1986. *Bouteloua gracilis*, a new grass to Michigan. Michigan Bot. 25: 123–124.
- Gay, C. 1845–1854. Historia Física y Política de Chile.... Botánica [Flora Chilena]. 8 vols., atlas. Paris and Santiago.
- Gayana, Bot. = Gayana. Botánica.
- Gayle, E. E. 1892. The spines of *Cenchrus tribuloides* L. Bot. Gaz. 17: 126–127.
- Gelting, P. 1934. Studies on the vascular plants of East Greenland between Franz Joseph Fjord and Dove Bay (lat. 73° 15'–76° 20' N.). Meddel. Grønland 101(2): 1–336.
- Genet. Resources Crop Evol. = Genetic Resources and Crop Evolution; an International Journal.
- Genetics = Genetics; a Periodical Record of Investigations Bearing on Heredity and Variation.
- Georgi, D. et al. 2003. Isolation and characterization of S genome specific sequences from *Aegilops* sect. *Sitopsis* species. Genome 46: 478–489.
- Gerish, W. 1979. Chromosomal Analysis of a Previously Unidentified *Spartina* Species. M.S. thesis. Long Island University.
- Gervais, C. 1973. Contribution à l'étude cytologique et taxonomique des avoines vivaces. Denkschr. Schweiz. Naturf. Ges. 88: 3–166.
- Gervais, C., R. Trahan, D. Moreno, and A.-M. Drolet. 1993. Le *Phragmites australis* au Québec: Distribution géographique, nombres chromosomiques et reproduction. Canad. J. Bot. 71: 1386–1393.
- Gibbs-Russell, G. E. 1990. *Ehrharta*. In: G. E. Gibbs-Russell et al. 1990. Grasses of Southern Africa.... Pretoria. Pp. 121–129.
- Gibbs-Russell, G. E. et al. 1990. Grasses of Southern Africa.... Pretoria. [Mem. Bot. Surv. S. Africa 58.]
- Gibbs-Russell, G. E. and R. P. Ellis. 1987. Species groups in the genus *Ehrharta* (Poaceae) in southern Africa. Bothalia 17: 51–65.
- Gillespie, L. J., A. Archambault, and R. J. Soreng. 2006. Phylogeny of *Poa* (Poaceae) based on *trnT-trnF* sequence data: Major clades and basal relationships. Aliso 23: 420–434.

- Gillespie, L. J. and R. J. Soreng. 2005. A phylogenetic analysis of the bluegrass genus *Poa* based on cpDNA restriction site data. *Syst. Bot.* 30: 84–105.
- Gillett, G. W., J. T. Howell, and H. Leschke. 1995. A Flora of Lassen Volcanic National Park, California, rev. Vernon H. Oswald, David W. Showers, and Mary Ann Showers. Sacramento.
- Gillett, J. M. and H. A. Senn. 1960. Cytotaxonomy and infraspecific variation of *Agropyron smithii* Rydb. *Canad. J. Bot.* 38: 747–760.
- Gillett, J. M. and H. A. Senn. 1961. A new species of *Agropyron* from the Great Lakes. *Canad. J. Bot.* 39: 1169–1175.
- Gilman, A. V. 1993. Four recent additions to the vascular flora of Vermont. *Maine Naturalist* (1993–95) 1: 31–32.
- Giorn. Bot. Ital.* = *Giornale Botanico Italiano*.
- Giussani, L. M., J. H. Cota Sánchez, F. O. Zuloaga, and E. A. Kellogg. 2000. A molecular phylogeny of the grass subfamily Panicoideae (Poaceae) using *ndhF* sequences. [Abstract.] *Amer. J. Bot.* 87(6, suppl.): 129.
- Giussani, L. M., J. H. Cota Sánchez, F. O. Zuloaga, and E. A. Kellogg. 2001. A molecular phylogeny of the grass subfamily Panicoideae (Poaceae) shows multiple origins of C₄ photosynthesis. *Amer. J. Bot.* 88: 1993–2012.
- Glick, H. L., ed. 1987. Quackgrass Action Committee Workshop Technical Proceedings, March 10 and 11, 1987, Westin Hotel, Winnipeg, Manitoba. Winnipeg.
- Godley, E. J. 1947. The Variation and Cytology of the British Species of *Agropyron* and Their Natural Hybrids. M.S. thesis Cambridge University
- Goebel, K. I. 1882. Beitrage zur Entwicklungsgeschichte einiger Inflorescenzen. *Jahrb. Wiss. Bot.* 14: 1–39.
- Gómez-Martínez, R. and A. Culham. 2000. Phylogeny of the subfamily Panicoideae with emphasis on the tribe Paniceae: Evidence from the *trnL-F* cpDNA region. In: S. W. L. Jacobs and J. Everett, eds. 2000. *Grasses: Systematics and Evolution*. Collingwood. Pp. 136–140.
- Gómez-Sánchez, M., P. D. Dávila, P. and J. Valdés-Reyna. 2001. Estudio anatómico de *Swallenia* (Poaceae: Eragrostidae: Monanthochloinae), un género monotípico de Norte América. *Madroño* 48: 152–161.
- González-Andrés, F., J. M. Pita, and J. M. Ortiz. 1996. Caryopsis isoenzymes of *Echinochloa* [sic] weed species as an aid for taxonomic discrimination. *J. Hort. Sci.* 71: 187–193.
- Görts-van Rijn, A. R. A., ed. 1985+. *Flora of the Guianas*. Series A: Phanerogams. 12+ fascs. Königstein.
- Gould, F. W. 1958. Chromosome numbers in southwestern grasses. *Amer. J. Bot.* 45: 757–767.
- Gould, F. W. 1965. Chromosome numbers in some Mexican grasses. *Bol. Soc. Bot. México* 29: 49–62.
- Gould, F. W. 1969. Taxonomy of the *Bouteloua repens* complex. *Brittonia* 21: 261–274.
- Gould, F. W. 1975. *The Grasses of Texas*. College Station, Tex.

- Gould, F. W. 1979. The genus *Bouteloua* (Poaceae). *Ann. Missouri Bot. Gard.* 66: 348–416.
- Gould, F. W., M. A. Ali, and D. E. Fairbrothers. 1972. A revision of *Echinochloa* in the United States. *Amer. Midl. Naturalist* 87: 36–59.
- Gould, F. W. and C. A. Clark. 1978. *Dichanthelium* (Poaceae) in the United States and Canada. *Ann. Missouri Bot. Gard.* 65: 1088–1132.
- Gould, F. W. and Z. J. Kapadia. 1964. Biosystematic studies in the *Bouteloua curtipendula* complex. II. Taxonomy. *Brittonia* 16: 182–207.
- Gould, F. W. and R. B. Shaw. 1983. *Grass Systematics*, ed. 2. College Station, Tex.
- Grant, M. L. 1950. Dickinson County flora: A preliminary checklist of the vascular plants of Dickinson County, Iowa, based largely on the herbarium of the Iowa Lakeside Laboratory. *Proc. Iowa Acad. Sci.* 57: 91–129.
- Grant, M. L. 1953. Additions to and notes on the flora of Dickinson County, Iowa. *Proc. Iowa Acad. Sci.* 60: 131–140.
- Grass Phylogeny Working Group. 2000. A phylogeny of the grass family (Poaceae), as inferred from eight character sets. In: S. W. L. Jacobs and J. Everett, eds. 2000. *Grasses: Systematics and Evolution*. Collingwood. Pp. 3–7.
- Grass Phylogeny Working Group. 2001. Phylogeny and subfamilial classification of the grasses (Poaceae). *Ann. Missouri Bot. Gard.* 88: 373–457.
- Gray, J. R. 1974. The Genus *Tripsacum* L. (Gramineae): Taxonomy and Chemosystematics. Ph.D. dissertation. University of Illinois.
- Great Plains Flora Association. 1977. *Atlas of the Flora of the Great Plains*. Ames.
- Great Plains Flora Association. 1986. *Flora of the Great Plains*. Lawrence, Kans.
- Greene, C. W. 1980. The Systematics of *Calamagrostis* (Gramineae) in Eastern North America. Ph.D. dissertation. Harvard University.
- Greene, C. W. 1984. Sexual and apomictic reproduction in *Calamagrostis* (Gramineae) from eastern North America. *Amer. J. Bot.* 71: 285–293.
- Greene, C. W. 1993. *Calamagrostis*. In: J. C. Hickman, ed. 1993. *The Jepson Manual. Higher Plants of California*. Berkeley, Los Angeles, and London. Pp. 1243–1246.
- Grelen, H. E. 1974. Pinehills bluestem, *Andropogon scoparius* var. *divergens* Anderss. ex Hack., an anomaly of the *A. scoparius* complex. *Amer. Midl. Naturalist* 91: 438–444.
- Greuter, W. 1968. Notulae nomenclaturales et bibliographicae, 1–4. *Candollea* 23: 81–108.
- Greuter, W. et al., eds. 2000. *International Code of Botanical Nomenclature (St. Louis Code)*: Adopted by the Sixteenth International Botanical Congress, St. Louis, Missouri, July–August 1999. Königstein. [Regnum Veg. 138.]
- Greuter, W. and K. H. Rechinger. 1967. *Chloris Kythereia*. *Boissiera* 13: 22–196.
- Griffin, J. R. 1990. *Flora of Hastings Reservation, Carmel Valley, California*, ed. 3. Berkeley.
- Griffiths, D. 1912. The grama grasses: *Bouteloua* and related genera. *Contr. U.S. Natl. Herb.* 14: 343–428.

- Guala, G. F. 1988. *Poa bulbosa* L. (Poaceae) in Michigan. Michigan Bot. 27: 13–14.
- Guldner, L. F. 1960. The Vascular Plants of Scott and Muscatine Counties, with Some Reference to Adjoining Areas of Surrounding Counties in Iowa and to Rock Island and Whiteside Counties in Illinois. Davenport. [Davenport Public Mus. Publ. Bot. 1.]
- Guo, Y. L. and Ge S. 2005. Molecular phylogeny of Oryzeae (Poaceae) based on DNA sequences from chloroplast, mitochondrial, and nuclear genomes. Amer. J. Bot. 92: 1548–1558.
- Gustafson, J. P., ed. 1984. Gene Manipulation in Plant Improvement: 16th Stadler Genetics Symposium. New York.
- Haines, A. 2005. New combinations in *Poa*. Bot. Notes (Topsham, Me.) 10: 1–5.
- Hall, D. W. 1978. The Grasses of Florida. Ph.D. dissertation. University of Florida.
- Hall, D. W. 1982. *Sorghastrum* (Poaceae) in Florida. Sida 9: 302–308.
- Hall, D. W. and D. T. Patterson. 1992. Itchgrass—Stop the trains? Weed Technol. 6: 239–241.
- Hall, H. H. and S. Flowers. 1961. Vascular plants found in the Navajo Reservoir basin, 1960: Colorado and New Mexico. In: A. M. Woodbury, ed. 1961. Ecological Studies of the Flora and Fauna of Navajo Reservoir Basin, Colorado and New Mexico. Salt Lake City. Pp. 47–87.
- Hall, H. M. 1902. A botanical survey of San Jacinto Mountain. Univ. Calif. Publ. Bot. 1.
- Halliday, G., L. Kliim-Nielsen, and I. H. M. Smart. 1974. Studies on the flora of the North Blosseville Kyst and on the hot springs of Greenland. Meddel. Grønland 199(2): 1–47.
- Hallsten, G. P., Q. D. Skinner, and A. A. Beetle. 1987. Grasses of Wyoming, ed. 3. R J, Wyoming Agric. Exp. Sta. 202.
- Hämet-Ahti, L. 1965. Vascular plants of Wells Gray Provincial Park and its vicinity, in eastern British Columbia. Ann. Bot. Fenn. 2: 138–164.
- Hamilton, J. G. 1997. Changing perceptions of pre-European grasslands in California. Madroño 44: 311–333.
- Hammel, B. E. and J. R. Reeder. 1979. The genus *Crypsis* (Gramineae) in the United States. Syst. Bot. 4: 267–280.
- Hansen, B. F. and R. P. Wunderlin. 1996. Grasses of Florida: A Checklist of the Poaceae of Florida Along with Their Distribution by County. Tampa.
- Haraldsen, K. B., M. Ødegaard, and I. Nordal. 1991. Variation in the amphi-Atlantic plant *Vahlodea atropurpurea* (Poaceae). J. Biogeogr. 18: 311–320.
- Harden, G. J., ed. 1990–1993. Flora of New South Wales. 4 vols. Kensington, N.S.W.
- Harlan, J. R. 1945. Cleistogamy and chasmogamy in *Bromus carinatus* Hook. & Arn. Amer. J. Bot. 32: 66–72.
- Harlan, J. R. 1945b. Natural breeding structure in the *Bromus carinatus* complex as determined by population analyses. Amer. J. Bot. 32: 142–147.

- Harlan, J. R. and J. M. J. de Wet. 1969. Sources of variation in *Cynodon dactylon* (L.) Pers. Crop Sci. (Madison) 9: 774–778.
- Harlan, J. R. and J. M. J. de Wet. 1972. A simplified classification of cultivated sorghum. Crop Sci. (Madison) 12: 172–176.
- Harlan, J. R., J. M. J. de Wet, W. W. Huffine, and J. R. Deakin. 1970. A guide to the species of *Cynodon* (Gramineae). Bull. B. Oklahoma Agric. Exp. Sta. 673: 1–37.
- Harlan, J. R., J. M. J. de Wet, and A. B. L. Stemler, eds. 1976. Origins of African Plant Domestication. The Hague.
- Harling, G., B. Sparre, and L. Andersson, eds. 1973+. Flora of Ecuador. 68+ nos. Göteborg. [Nos. 1–4 published as Opera Bot., B, 1–4.]
- Harmon, P. J. 1981. The Vascular Flora of the Ridge Top of North Fork Mountain, Grant and Pendleton Counties, West Virginia. M.S. thesis. Southern Illinois University.
- Harms, V. L. 1985. A reconsideration of the nomenclature and taxonomy of the *Festuca altaica* complex (Poaceae) in North America. Madroño 32: 1–10.
- Harris, S. K. 1975. The Flora of Essex County, Massachusetts. Salem, Mass.
- Hartley, T. G. 1966. The flora of the "Driftless Area." State Univ. Iowa Stud. Nat. Hist. 21(1). Harvard Pap. Bot. = Harvard Papers in Botany.
- Harvey, L. H. 1948. *Eragrostis* in North and Middle America. Ph.D. dissertation. University of Michigan.
- Harvey, L. H. 1975. *Eragrostis*. In: F. W. Gould. 1975. The Grasses of Texas. College Station, Tex. Pp. 177–201.
- Harvill, A. M. et al. 1992. Atlas of the Virginia Flora, ed. 3. Burkeville.
- Hatch, S. L. 1975. A Biosystematic Study of the *Schizachyrium cirratum*–*Schizachyrium sanguineum* Complex (Poaceae). Ph.D. dissertation. Texas A&M University.
- Hatch, S. L. et al. 1998. *Triraphis mollis* (Poaceae: Arundineae), a species reported new to the United States. Sida 18: 365–368.
- Hatch, S. L. et al. 1998b. *Luziola peruviana* (Poaceae: Oryzeae) previously unreported from Texas and a key to Texas species. Sida 18: 611–614.
- Hatch, S. L., D. A. Kruse, and J. Pluhar. 2004. *Phalaris arundinacea* (Poaceae: Aveneae): A species new to Texas and a key to *Phalaris* in Texas. Sida 21: 487–491.
- Hawkins, T. K. and E. L. Richards. 1995. A floristic study of two bogs on Crowley's Ridge in Greene County, Arkansas. Castanea 60: 233–244.
- Hay, S. G. 1989. La migration récente de plantes halophytes dans la région Montréalaise. Quatre-Temps 13: 7–11.
- Hayden, A. 1943. A botanical survey in the Iowa lake region of Clay and Palo Alto counties. Iowa State Coll. J. Sci. 17: 277–416.
- Hays, J. 1995. A floristic survey of Falls Hollow sandstone glades, Pulaski County, Missouri. Phytologia 78: 264–276.

- Hedberg, I. 1961. Chromosome studies in *Helicotrichon* Bess. Bot. Not. 114: 389–396.
- Hedberg, I. 1990. Morphological, cytotaxonomic and evolutionary studies in *Anthoxanthum odoratum* L. s.lat.—A critical review. Sommerfeltia 11: 97–107.
- Hedberg, I. and S. Edwards, eds. 1989+. Flora of Ethiopia (and Eritrea). 4+ vols. Addis Ababa and Uppsala.
- Hedberg, O. 1962. The genesis of *Puccinellia vacillans*. Bot. Tidsskr. 58: 157–167.
- Hegi, G. et al. 1964+ Illustrierte Flora von Mitteleuropa, ed. 3. 5+ vols. in 8+. Berlin and Hamburg.
- Heidel, B. L. 1996. Noteworthy collections. Madroño 43: 436–440.
- Heidel, B. L. 1996b. Questions and answers about sweetgrass. Kelseyia 9: 7.
- Heise, K. L. and A. M. Merenlender. 1999. Flora of a vernal pool complex in the Mayacmas Mountains of southeastern Mendocino County, California. Madroño 46: 38–45.
- Hejný, S. 1969. *Coleanthus subtilis* (Tratt.) Seidl in der Tschechoslowakei. Folia Geobot. Phytotax. 4: 345–399.
- Hellquist, C. B. and G. E. Crow. 1997. The bryophyte and vascular flora of Little Dollar Lake peatland, Macinac County, Michigan. Rhodora 99: 195–222.
- Hempel, W. 1970. Taxonomische und chorologische Untersuchungen an Arten von *Melica* L. subgen. *Melica*. Feddes Repert. 81: 131–145.
- Henrard, J. T. 1926–1933. A critical revision of the genus *Aristida*, being a preliminary study and an introduction to the monograph. Meded. Rijks-Herb. 54.
- Henrard, J. T. 1929–1932. A monograph of the genus *Aristida*. Meded. Rijks-Herb. 58.
- Henrard, J. T. 1950. Monograph of the Genus *Digitaria*. Leiden.
- Henry, L. K. 1978. Vascular Flora of Bedford County, Pennsylvania: An Annotated Checklist. Pittsburgh.
- Henry, M. A. 1979. A rare grass on the Eureka dunes. Fremontia 7: 3–6.
- Heredity = Heredity; an International Journal of Genetics.
- Herrera Arrieta, Y. 1998. A revision of the *Muhlenbergia montana* (Nutt.) Hitchc. complex (Poaceae: Chloridoideae). Brittonia 50: 23–50.
- Heyne, E. G., ed. 1987. Wheat and Wheat Improvement, ed. 2. Madison.
- Hickenia = Hickenia; Boletín del Darwinion.
- Hickman, J. C., ed. 1993. The Jepson Manual. Higher Plants of California. Berkeley, Los Angeles, and London.
- Hiesey, W. M. and M. A. Nobs. 1982. Interspecific Hybrid Derivatives between Facultatively Apomictic Species of Bluegrasses and Their Responses to Contrasting Environments. Washington.
- Hignight, K. W., E. C. Bashaw, and M. A. Hussey. 1991. Cytological and morphological diversity of native apomictic buffelgrass, *Pennisetum ciliare* (L.) Link. Bot. Gaz. 152: 214–218.

- Hilu, K. W. 1980. Noteworthy collections: *Eleusine tristachya*. *Madroño* 27: 177–178.
- Hilu, K. W. 1994. Evidence from RAPD markers in the evolution of *Echinochloa* millets (Poaceae). *Pl. Syst. Evol.* 189: 247–257.
- Hilu, K. W. and L. A. Alice. 2001. A phylogeny of Chloridoideae (Poaceae) based on *matK* sequences. *Syst. Bot.* 26: 386–405.
- Hilu, K. W., L. A. Alice, and Liang H. P. 1999. Phylogeny of Poaceae inferred from *matK* sequences. *Ann. Missouri Bot. Gard.* 86: 835–851.
- Hilu, K. W. and A. Esen. 1990. Prolamins in systematics of Poaceae subfam. Arundinoideae. *Pl. Syst. Evol.* 173: 57–70.
- Hilu, K. W. and A. Esen. 1993. Prolamin and immunological studies in the Poaceae: III. Subfamily Chloridoideae. *Amer. J. Bot.* 80: 104–113.
- Hilu, K. W. and J. L. Johnson. 1997. Systematics of *Eleusine* Gaertn. (Poaceae, Chloridoideae): Chloroplast DNA and total evidence. *Ann. Missouri Bot. Gard.* 84: 841–847.
- Hilu, K. W. and K. Wright. 1982. Systematics of Gramineae: A cluster analysis study. *Taxon* 31: 9–36.
- Hinds, H. R. 2000. *Flora of New Brunswick...*, ed. 2. Fredericton.
- Hiser, K. M. 2002. Phylogenetic Placement, Inflorescence Development, and Taxonomy of the Genus *Ixophorus* (Panicoideae: Poaceae). M.S. thesis. University of Missouri-St. Louis.
- Hitchcock, A. S. 1913. Mexican grasses in the United States National Herbarium. *Contr. U.S. Natl. Herb.* 17: 181–389.
- Hitchcock, A. S. 1919. History of the Mexican grass, *Ixophorus unisetus*. *J. Wash. Acad. Sci.* 9: 545–551.
- Hitchcock, A. S. 1935. *Manual of the Grasses of the United States*. Washington.
- Hitchcock, A. S. 1935b. *Muhlenbergia*. In: N. L. Britton et al., eds. 1905+. *North American Flora...* 47+ vols. New York. Vol. 47, pp. 431–476.
- Hitchcock, A. S. and A. Chase. 1910. The North American species of *Panicum*. *Contr. U.S. Natl. Herb.* 15: 1–396.
- Hitchcock, A. S. and A. Chase. 1950. *Manual of the Grasses of the United States*, ed. 2. Washington. [U.S.D.A., Misc. Publ. 200.]
- Hitchcock, C. L. 1969. Gramineae. In: C. L. Hitchcock et al. 1955–1969. *Vascular Plants of the Pacific Northwest*. 5 vols. Seattle. Vol. 1, pp. 384–725.
- Hitchcock, C. L. et al. 1955–1969. *Vascular Plants of the Pacific Northwest*. 5 vols. Seattle. [Univ. Wash. Publ. Biol. 17.]
- Hoagland, B. W., P. H. C. Crawford, P. T. Crawford, and F. Johnson. 2004. Vascular flora of Hackberry Flat, Frederick Lake, and Suttle Creek, Tillman County, Oklahoma. *Sida* 21: 429–445.
- Hocking, P. C., C. M. Finlayson, and A. J. Chick. 1983. The biology of Australian weeds. 12. *Phragmites australis* Trin. ex Steud. *J. Austral. Inst. Agric. Sci.* 49: 123–132.

- Hodgdon, A. R., G. E. Crow, and F. L. Steele. 1979. Grasses of New Hampshire: I. Tribes Poeae (Festuceae) and Triticeae (Hordeae). Sta. Bull. New Hampshire Agric. Exp. Sta. 512.
- Hodgson, H. J. and W. W. Mitchell. 1965. A new *Elymordeum* hybrid from Alaska. Canad. J. Bot. 43: 1355–1358.
- Hoge, P. S. 1992. Biosystematics of Seven Species of *Stipa* from the Southwestern United States and Northern Mexico. M.S. thesis. Utah State University.
- Hole, D. J., K. B. Jensen, R. R.-C. Wang, and S. M. Clawson. 1999. Molecular marker analysis of *Leymus flavescens* and chromosome pairing in *Leymus flavescens* hybrids (Poaceae: Triticeae). Int. J. Pl. Sci. 160: 371–376.
- Holiday, S. 2000. A floristic study of Tsegi Canyon, Arizona. Madroño 47: 29–42.
- Holmen, K. 1957. The vascular plants of Peary Land, North Greenland. Meddel. Grønland 124(9): 1–149.
- Holub, J. 1962. Ein Beitrag zur Abgrenzung der Gattungen in der Tribus Aveneae: Die Gattung *Avenochloa* Holub. Acta Horti Bot. Prag. 1962: 75–86.
- Holub, J. 1998. Reclassifications and new names in vascular plants 1. Preslia 70: 97–122.
- Hough, M. Y. 1983. New Jersey Wild Plants. Harmony.
- Hounsell, R. W. and E. C. Smith. 1966. Contributions to the flora of Nova Scotia. VIII. Distribution of arctic-alpine and boreal disjuncts. Rhodora 68: 409–419.
- Howell, J. T. 1970. Marin Flora: Manual of the Flowering Plants and Ferns of Marin County, California, ed. 2 with suppl. Berkeley.
- Howell, J. T. 1979. A reconsideration of *Trisetum projectum* (Gramineae). Wasmann J. Biol. 37: 21–23.
- Howell, J. T., G. H. True, and C. Best. 1981. Notes on Marin County plants 1970–1980. Four Seasons 6: 3–6.
- Hrusa, F. et al. 2002. Catalogue of non-native vascular plants occurring spontaneously in California beyond those addressed in The Jepson Manual—Part I. Madroño 49: 61–98.
- Hsiao, C., S. W. L. Jacobs, N. J. Chatterton, and K. H. Asay. 1999. A molecular phylogeny of the grass family (Poaceae) based on the sequences of nuclear ribosomal DNA (ITS). Austral. Syst. Bot. 11: 667–688.
- Hubbard, C. E. 1984. Grasses: A Guide to Their Structure, Identification, Uses, and Distribution in the British Isles, ed. 3, rev. J. C. E. Hubbard. Harmondsworth and New York.
- Hubbard, F. T. 1915. A taxonomic study of *Setaria italica* and its immediate allies. Amer. J. Bot. 2: 169–198.
- Hull, A. C. 1974. Species for seeding mountain rangelands in southeastern Idaho, northeastern Utah, and western Wyoming. J. Range Managem. 27: 150–153.
- Hultén, E. 1941–1950. Flora of Alaska and Yukon. 10 vols. Lund and Leipzig. [Vols. paged consecutively and designated as simultaneous numbers of Lunds Univ. Årsskr. (= Acta Univ. Lund.) and Kungl. Fysiogr. Sällsk. Handl.]

- Hultén, E. 1959. The *Trisetum spicatum* complex. Svensk Bot. Tidskr. 53: 203–228.
- Hultén, E. 1960. Flora of the Aleutian Islands and Westernmost Alaska Peninsula, with Notes on the Flora of Commander Islands, ed. 2. Weinheim.
- Hultén, E. 1967. Comments on the flora of Alaska and Yukon. Ark. Bot., n. s. 7: 1–147.
- Hultén, E. 1968. Flora of Alaska and Neighboring Territories: A Manual of the Vascular Plants. Stanford.
- Humphries, C. J. 1978. Notes on the genus *Phleum*. Bot. J. Linn. Soc. 76: 337–340.
- Humphries, C. J. 1978b. Variation in *Taeniatherum caput-medusae* (L.) Nevski. Bot. J. Linn. Soc. 76: 340–344.
- Hunt, D. M. and R. E. Zaremba. 1992. The northeastward spread of *Microstegium vimineum* (Poaceae) into New York and adjacent states. Rhodora 94: 167–170.
- Hunziker, A. T. and A. M. Anton. 1979. A synoptical revision of *Blepharidachne* (Poaceae). Brittonia 31: 446–453.
- Idaho Weed Control Rep. = Idaho Weed Control Report.
- Illinois Biol. Monogr. = Illinois Biological Monographs.
- Iltis, H. H. 2000. Homeotic sexual translocations and the origin of maize (*Zea mays*, Poaceae): A new look at an old problem. Econ. Bot. 54: 7–42.
- Iltis, H. H. and J. F. Doebley. 1980. Taxonomy of *Zea* (Gramineae). II. Subspecific categories in the *Zea mays* complex and a generic synopsis. Amer. J. Bot. 67: 996–1004.
- Int. J. Pl. Sci. = International Journal of Plant Sciences.
- International Genetics Symposia. 1957. Proceedings of the International Genetics Symposia, 1956: Tokyo & Kyoto, September, 1956. Tokyo.
- Iowa State Coll. J. Sci. = Iowa State College Journal of Science.
- Iowa State J. Res. = Iowa State Journal of Research.
- Iowa State J. Sci. = Iowa State Journal of Science.
- Iselya = Iselya; Botanical Journal of the X Club.
- Itin. Geobot. = Itinera Geobotanica.
- J. Amer. Bamboo Soc. = Journal of the American Bamboo Society.
- J. Amer. Soc. Agron. = Journal of the American Society of Agronomy.
- J. Anim. Sci. = Journal of Animal Science.
- J. Arnold Arbor. = Journal of the Arnold Arboretum.
- J. Austral. Inst. Agric. Sci. = Journal of the Australian Institute of Agricultural Science.
- J. Biogeogr. = Journal of Biogeography.
- J. Coastal Res. = Journal of Coastal Research.
- J. Ecol. = Journal of Ecology.
- J. Hort. Sci. = Journal of Horticultural Science.
- J. Iowa Acad. Sci. = Journal of the Iowa Academy of Science.
- J. Jap. Bot. = Journal of Japanese Botany.

- J. Kentucky Acad. Sci. = Journal of the Kentucky Academy of Science.
- J. Linn. Soc., Bot. = Journal of the Linnean Society. Botany.
- J. Range Managem. = Journal of Range Management.
- J. Soil Water Conservation = Journal of Soil and Water Conservation.
- J. Torrey Bot. Soc. = Journal of the Torrey Botanical Society.
- J. Wash. Acad. Sci. = Journal of the Washington Academy of Sciences.
- J. Weed Sci. Technol. = Journal of Weed Science and Technology.
- Jacobs, B. F., J. D. Kingston, and L. L. Jacobs. 1999. The origin of grass-dominated ecosystems. *Ann. Missouri Bot. Gard.* 86: 590–643.
- Jacobs, S. W. L. 1987. Systematics of the chloridoid grasses. In: T. R. Soderstrom et al., eds. 1987. *Grass Systematics and Evolution*. Washington. Pp. 871–903.
- Jacobs, S. W. L. 2001. The genus *Lachnagrostis* (Gramineae) in Australia. *Telopea* 9: 439–448.
- Jacobs, S. W. L. et al. 2006. Systematics of the tribe Stipeae using molecular data. *Aliso* 23: 349–361.
- Jacobs, S. W. L. and J. Everett. 1996. *Austrostipa*, a new genus, and new names for Australasian species formerly included in *Stipa* (Gramineae). *Telopea* 6: 579–595.
- Jacobs, S. W. L. and J. Everett. 1997. *Jarava plumosa* (Gramineae), a new combination for the species formerly known as *Stipa papposa*. *Telopea* 7: 301–302.
- Jacobs, S. W. L. and J. Everett, eds. 2000. *Grasses: Systematics and Evolution*. Collingwood.
- Jacobs, S. W. L., J. Everett, and M. E. Barkworth. 1995. Clarification of morphological terms used in the Stipeae (Gramineae), and a reassessment of *Nassella* in Australia. *Taxon* 44: 33–41.
- Jacobs, S. W. L. and S. M. Hastings. 1993. *Dactyloctenium*. In: G. J. Harden, ed. 1990–1993. *Flora of New South Wales*. 4 vols. Kensington, N.S.W. Vol. 4, pp. 527–529.
- Jacobs, S. W. L. and S. M. Hastings. 1993b. *Ehrharta*. In: G. J. Harden, ed. 1990–1993. *Flora of New South Wales*. 4 vols. Kensington, N.S.W. Vol. 4, pp. 652–654.
- Jacobs, S. W. L. and J. Highet. 1988. Re-evaluation of the characters used to distinguish *Enteropogon* from *Chloris* (Poaceae). *Telopea* 3: 217–221.
- Jacobs, S. W. L. and L. Lapinuro. 1986. The Australian species of *Amphibromus* (Poaceae). *Telopea* 2: 715–729.
- Jacobson, A. L., F. C. Weinmann, and P. F. Zika. 2001. Noteworthy collections. *Madroño* 48: 213–214.
- Jahrb. Wiss. Bot. = Jahrbücher für wissenschaftliche Botanik.
- Jain, S. K. and D. K. Banerjee. 1974. Preliminary observations on the ethnobotany of the genus *Coix*. *Econ. Bot.* 28: 38–42.

- Jakob, S. S. and F. R. Blattner. 2006. A chloroplast genealogy of *Hordeum* (Poaceae): Long-term persisting haplotypes, incomplete lineage sorting, regional extinction, and the consequences for phylogenetic inference. *Molec. Biol. Evol.* 23: 1602–1612.
- Jarvie, J. K. 1992. Taxonomy of *Elytrigia* sect. *Caespitosae* and sect. *Junceae* (Gramineae: Triticeae). *Nordic J. Bot.* 12: 155–169.
- Jarvie, J. K. and M. E. Barkworth. 1992. Anatomical variation in some perennial Triticeae. *Bot. J. Linn. Soc.* 108: 287–301.
- Jarvie, J. K. and M. E. Barkworth. 1992b. Morphological variation and genome constitution in some perennial Triticeae. *Bot. J. Linn. Soc.* 108: 167–189.
- Jauhar, P. P. 1993. Cytogenetics of the *Festuca–Lolium* Complex: Relevance to Breeding. Berlin.
- Jauzein, P. 1993. Le genre *Echinochloa* en Camargue. *Monde Pl.* 88(446): 1–5.
- Jensen, K. B. 1993. *Elymus magellanicus* and its intra- and inter-generic hybrids with *Pseudoroegneria spicata*, *Hordeum violaceum*, *E. trachycaulus*, *E. lanceolatus*, and *E. glaucus* (Poaceae: Triticeae). *Genome* 36: 72–76.
- Jensen, K. B. and K. H. Asay. 1996. Cytology and morphology of *Elymus hoffmanii* (Poaceae: Triticeae): A new species from the Erzurum Province of Turkey. *Int. J. Pl. Sci.* 157: 750–758.
- Jensen, K. B., M. L. Curto, and K. H. Asay. 1995. Cytogenetics of Eurasian bluebunch wheatgrass and their relationship to North American bluebunch and thickspike wheatgrasses. *Crop Sci. (Madison)* 35: 1157–1162.
- Jensen, K. B., S. L. Hatch, and J. K. Wipff. 1992. Cytogenetics and morphology of *Pseudoroegneria deweyi* (Poaceae: Triticeae), a new species from the Soviet Union. *Canad. J. Bot.* 70: 900–909.
- Jensen, K. B. and R. R.-C. Wang. 1997. Cytological and molecular evidence for transferring *Elymus coreanus* from the genus *Elymus* to *Leymus* and molecular evidence for *Elymus californicus* (Poaceae: Triticeae). *Int. J. Pl. Sci.* 158: 872–877.
- Jirásek, V. and J. Chrtek. 1962. Systematische Studie über die Arten der Gattung *Corynephorus* Pal.-Beauv. (Poaceae). *Preslia* 34: 374–386.
- Jirásek, V. and J. Chrtek. 1964. Zur Frage des taxonomischen Wertes der Gattung *Cynosurus* L. *Novit. Bot. Delect. Semin. Horti Bot. Univ. Carol. Prag.* 20: 23–27.
- Johnson, A. E. and A. Blyth. 1988. Re-discovery of *Calamovilfa curtissii* (Gramineae) in the Florida panhandle. *Sida* 13: 137–140.
- Johnson, B. L. 1945. Cytotaxonomic studies in *Oryzopsis*. *Bot. Gaz.* 107: 1–32.
- Johnson, B. L. 1945b. Natural hybrids between *Oryzopsis hymenoides* and several species of *Stipa*. *Amer. J. Bot.* 32: 599–608.
- Johnson, B. L. 1960. Natural hybrids between *Oryzopsis* and *Stipa*: I. *Oryzopsis hymenoides* × *Stipa speciosa*. *Amer. J. Bot.* 47: 736–742.
- Johnson, B. L. 1962. Amphiploidy and introgression in *Stipa*. *Amer. J. Bot.* 49: 253–262.

- Johnson, B. L. 1962b. Natural hybrids between *Oryzopsis* and *Stipa*: II. *Oryzopsis hymenoides* × *Stipa nevadensis*. Amer. J. Bot. 49: 540–546.
- Johnson, B. L. 1963. Natural hybrids between *Oryzopsis* and *Stipa*: III. *Oryzopsis hymenoides* × *Stipa pinetorum*. Amer. J. Bot. 50: 228–234.
- Johnson, B. L. 1972. Polyploidy as a factor in the evolution and distribution of grasses. In: V. B. Youngner and C. M. McKell, eds. 1972. The Biology and Utilization of Grasses. New York. Pp. 18–35.
- Johnson, B. L. and G. A. Rogler. 1943. A cytotaxonomic study of an intergeneric hybrid between *Oryzopsis hymenoides* and *Stipa viridula*. Amer. J. Bot. 30: 49–56.
- Johnson, K. L., ed. 1986. Crested Wheatgrass: Its Values, Problems and Myths; Symposium Proceedings, Logan, Utah, October 3–7, 1983. Logan.
- Johnson-Groh, C. L. and D. R. Farrar. 1985. Flora and phytogeographical history of Ledges State Park, Boone County, Iowa. Proc. Iowa Acad. Sci. 92: 137–143.
- Johnson-Groh, C. L., D. Q. Lewis, and J. F. Shearer. 1987. Vegetation communities and flora of Dolliver State Park, Webster County, Iowa. Proc. Iowa Acad. Sci. 94: 84–88.
- Jones, K. 1958. Cytotaxonomic studies in *Holcus* L.: I. The chromosome complex in *Holcus mollis* L. New Phytol. 57: 191–210.
- Jones, K. and C. P. Carroll. 1962. Cytotaxonomic studies in *Holcus* L.: II. Morphological relationships in *H. mollis* L. New Phytol. 61: 63–71.
- Jones, S. B. and N. C. Coile. 1988. The Distribution of the Vascular Flora of Georgia. Athens, Ga.
- Jones, S. D. and G. D. Jones. 1992. *Cynodon nlemfuensis* (Poaceae: Chlorideae) previously unreported in Texas. Phytologia 72: 93–95.
- Jones, S. D. and J. K. Wipff. 1992. *Eustachys retusa* (Poaceae), the first report in Florida and a key to *Eustachys* in Florida. Phytologia 73: 274–276.
- Jordal, L. H. 1951. A Floristic and Phytogeographic Survey of the Southern Slopes of the Brooks Range, Alaska. Ph.D. dissertation. University of Michigan.
- Jozwik, F. X. 1966. A Biosystematic Analysis of the Slender Wheatgrass Complex. Ph.D. dissertation. University of Wyoming.
- Judd, W. S. et al. 2002. Plant Systematics: A Phylogenetic Approach, ed. 2. Sunderland, Mass.
- Judziewicz, E. J. 1987. Taxonomy and Morphology of the Tribe Phareae (Poaceae: Bambusoideae). Ph.D. dissertation. University of Wisconsin.
- Judziewicz, E. J. 1990. A new South American species of *Sacciolepis* (Poaceae: Panicoideae: Paniceae), with a summary of the genus in the New World. Syst. Bot. 15: 415–420.
- Judziewicz, E. J. 1990b. Poaceae (Gramineae). In: A. R. A. Görts-van Rijn, ed. 1985+. Flora of the Guianas. Series A: Phanerogams. 12+ fascs. Königstein. Fasc. 8.
- Judziewicz, E. J., L. G. Clark, X. Londoño, and M. J. Stern. 1999. American Bamboos. Washington.

- Judziewicz, E. J. and R. G. Koch. 1993. Flora and vegetation of the Apostle Islands National Lakeshore and Madeline Island, Ashland and Bayfield counties, Wisconsin. *Michigan Bot.* 32: 43–193.
- Junak, S. et al. 1995. A Flora of Santa Cruz Island. Santa Barbara and Sacramento.
- Jurtzev, B. A. 1995. *Dupontia*. In: J. G. Packer, ed. 1995+. Flora of the Russian Arctic.... 3+ vols. Edmonton. Vol. 1, pp. 224–229.
- Kam, Y. K. and J. R. Maze. 1974. Studies on the relationships and evolution of supraspecific taxa utilizing developmental data: II. Relationships and evolution of *Oryzopsis hymenoides*, *O. virescens*, *O. kingii*, *O. micrantha*, and *O. asperifolia*. *Bot. Gaz.* 135: 227–247.
- Kartesz, J. T. and C. A. Meacham. 1999. Synthesis of the North American Flora, ver. 1.0. Chapel Hill. [CD-ROM.]
- Kawano, S. 1965. *Calamagrostis purpurascens* R. Br. and its identity. *Acta Phytotax. Geobot.* 21: 73–90.
- Kawano, S. 1966. Biosystematic studies of the *Deschampsia caespitosa* complex with special reference to the karyology of Icelandic populations. *Bot. Mag. (Tokyo)* 79: 293–307.
- Kawano, S., ed. 1990. Biological Approaches and Evolutionary Trends in Plants. London and San Diego.
- Kearney, T. H. and R. H. Peebles. 1951. Arizona Flora. Berkeley.
- Kellogg, E. A. 1985. A biosystematic study of the *Poa secunda* complex. *J. Arnold Arbor.* 66: 201–242.
- Kellogg, E. A. 1989. Comments on genomic genera in the Triticeae. *Amer. J. Bot.* 76: 796–805.
- Kellogg, E. A. 1990b. Molecular and morphological evolution in the Andropogoneae. In: S. W. L. Jacobs and J. Everett, eds. 2000. Grasses: Systematics and Evolution. Collingwood. Pp. 149–158.
- Kellogg, E. A. 1992. Tools for studying the chloroplast genome in the Triticeae (Gramineae): An *EcoRI* map, a diagnostic deletion, and support for *Bromus* as an outgroup. *Amer. J. Bot.* 79: 186–197.
- Kellogg, E. A. and C. S. Campbell. 1987. Phylogenetic analyses of the Gramineae. In: T. R. Soderstrom et al., eds. 1987. Grass Systematics and Evolution. Washington. Pp. 310–322.
- Kelsey = Kelsey; Newsletter of the Montana Native Plant Society.
- Kennedy, C. E., C. A. S. Smith, and D. A. Cooley. 2001. Observations of change in the cover of polargrass, *Arctagrostis latifolia*, and arctic lupine, *Lupinus arcticus*, in upland tundra on Herschel Island, Yukon Territory. *Canad. Field-Naturalist* 115: 323–328.
- Kerguélén, M. and F. Plonka. 1989. Les *Festuca* de la flore de France (Corse comprise). *Bull. Soc. Bot. Centre-Ouest*, num. spéc. 10: 1–368.
- Kerguélén, M., F. Plonka, and É. Chas. 1993. Nouvelle contribution aux *Festuca* (Poaceae) de France. *Lejeunia*, n. s. 142: 1–42.

- Kershaw, L., J. Gould, D. Johnson, and J. Lancaster. 2001. Rare Vascular Plants of Alberta. Edmonton.
- Kesler, T. R. 2000. A Taxonomic Reevaluation of *Aristida stricta* (Poaceae) Using Anatomy and Morphology. Honors thesis. Florida State University.
- Kew Bull. = Kew Bulletin.
- Khan, M. A. and C. A. Stace. 1998. Breeding relationships in the genus *Brachypodium* (Poaceae: Pooideae). *Nordic J. Bot.* 19: 257–269.
- Kiang, A.-S., V. Connolly, D. J. McConnell, and T. A. Kavanagh. 1994. Paternal inheritance of mitochondria and chloroplasts in *Festuca pratensis*–*Lolium perenne* intergeneric hybrids. *Theor. Appl. Genet.* 87: 681–688.
- Kiger, R. W. 1971. *Arthraxon hispidus* (Gramineae) in the United States: Taxonomic and floristic status. *Rhodora* 73: 39–46.
- Kim, K. V., J. H. Kim, and I. J. Lee. 1989. Biochemical identification of *Echinochloa* species collected in Korea. *Proc. Conf. Asian-Pacific Weed Sci. Soc.* 12: 519–531.
- Kimber, G. and M. Feldman. 1987. Wild Wheat: An Introduction. Columbia, Mo. [Univ. Missouri–Columbia, Agric. Exp. Sta., Special Rep. 343.]
- Kimber, G. and E. R. Sears. 1987. Evolution in the genus *Triticum* and the origin of cultivated wheat. In: E. G. Heyne, ed. 1987. *Wheat and Wheat Improvement*, ed. 2. Madison. Pp. 154–164.
- Kobayashi, H. and S. Sakamoto. 1990. Weed-crop complexes in cereal cultivation. In: S. Kawano, ed. 1990. *Biological Approaches and Evolutionary Trends in Plants*. London and San Diego. Pp. 67–80.
- Koch, S. D. 1974. The *Eragrostis pectinacea*–*pilosa* complex in North and Central America. *Illinois Biol. Monogr.* 48.
- Koekemoer, M. 1990. *Dactyloctenium*. In: G. E. Gibbs-Russell et al. 1990. *Grasses of Southern Africa*.... Pretoria. Pp. 99–101.
- Kok, P. D. F., P. J. Robbertse, and A. E. van Wyk. 1989. Systematic study of *Digitaria* section *Digitaria* (Poaceae) in southern Africa. *S. African J. Bot.* 55: 141–153.
- Komarov, V. L. 1963. *Glyceria*. In: V. L. Komarov et al., eds. 1963+. *Flora of the U.S.S.R.* (Flora SSSR). Translated from Russian. 28+ vols. Jerusalem etc. Vol. 2, pp. 356–365.
- Komarov, V. L. et al., eds. 1963+. *Flora of the U.S.S.R.* (Flora SSSR). Translated from Russian. 28+ vols. Jerusalem etc.
- Komatsu, M. et al. 2003. FRIZZY PANICLE is required to prevent the formation of axillary meristems and to establish floral meristem identity in rice spikelets. *Development* 130: 3841–3850.
- Kosarev, M. G. 1949. The variability of characters of crested wheatgrass. *Selekts. Semenov.* (Moscow) 4: 41–43.

- Koyama, T. 1987. Grasses of Japan and Its Neighboring Regions: An Identification Manual. Tokyo.
- Koyama, T. and S. Kawano. 1964. Critical taxa of grasses with North American and eastern Asiatic distribution. *Canad. J. Bot.* 42: 859–864.
- Krings, A. 2002. Additions to the flora of Nags Head Woods (Dare County, North Carolina) and the Outer Banks of North Carolina. *Sida* 20: 839–843.
- Kula, A. et al. 2006. Cytomorphological studies on American and European *Phleum commutatum* Garud. (Poaceae). *Acta Biol. Cracov., Ser. Bot.* 48: 99–108.
- Labrecque, J. and G. Lavoie. 2002. Les Plantes Vasculaires Menacées ou Vulnérables du Québec. Québec.
- Lackschewitz, K. 1991. Vascular Plants of West-central Montana—Identification Guidebook. Ogden. [U.S.D.A. Forest Serv., Gen. Techn. Rep. INT-277.]
- Laegaard, S. and P. M. Peterson. 2001. Gramineae (part 2): Subfam. Chloridoideae. In: G. Harling et al., eds. 1973+. Flora of Ecuador. 68+ nos. Göteborg. No. 68.
- Lammers, T. G. 1980. The vascular flora of Starr's Cave State Preserve. *Proc. Iowa Acad. Sci.* 87: 148–158.
- Lammers, T. G. 1983. The vascular flora of Des Moines County, Iowa. *Proc. Iowa Acad. Sci.* 90: 55–71.
- Landry, G. P. 1996. Noteworthy collections. *Castanea* 61: 197.
- Lange, K. I. 1998. Flora of Sauk County and Caledonia Township, Columbia County, South Central Wisconsin. Madison. [Wisconsin Dept. Nat. Res. Techn. Bull. 190.]
- Launert, E. 1971. *Oryza*. In: A. W. Exell and H. Wild, eds. 1960+. Flora Zambesiaca: Mozambique, Federation of Rhodesia and Nyasaland, Bechuanaland Protectorate. 12+ vols. in parts. London. Vol. 10, part 1, pp. 31–36.
- Lawrence, D. L. and J. T. Romo. 1995. Tree and shrub communities of wooded draws near the Matador Research Station in southern Saskatchewan. *Canad. Field-Naturalist* 108: 397–409.
- Lawrence, G. H. M., A. F. G. Buchheim, G. S. Daniels, and H. Dolezal, eds. 1968. B-P-H. Botanico-Periodicum-Huntianum. Pittsburgh.
- Lawrence, W. E. 1945. Some ecotypic relations of *Deschampsia caespitosa*. *Amer. J. Bot.* 32: 298–314.
- Layser, E. F. 1980. Flora of Pend Oreille County, Washington. Pullman.
- Lazarides, M. 1972. A revision of Australian Chlorideae (Gramineae). *Austral. J. Bot., Suppl.* Ser. 5.
- Le Roux, L. G. and E. A. Kellogg. 1999. Floral development and the formation of unisexual spikelets in the Andropogoneae (Poaceae). *Amer. J. Bot.* 86: 354–366.
- Leaflet. W. Bot. = Leaflets of Western Botany.
- Lebedev, D. V. and Z. V. Karamysheva, eds. 1977. Problemy Ekologii, Geobotaniki, Botanicheskoi Geografii i Floristiki. Leningrad.

- LeBlond, R. J. 2001. Taxonomy of the *Dichotoma* group of *Dichanthelium* (Poaceae). *Sida* 19: 821–837.
- Leidolf, A., S. McDaniel, and T. Nuttle. 2002. The flora of Okitibbeha County, Mississippi. *Sida* 20: 691–765.
- Lejeunia = Lejeunia; Bulletin des Botanistes Liégeois. Organe du Cercle de Botanique Liégeois et sa Section de Mycologue [later: ...; Revue de Botanique].
- Lelong, M. G. 1977. Annotated list of vascular plants in Mobile, Alabama. *Sida* 7: 118–146.
- Lelong, M. G. 1988. Noteworthy monocots of Mobile and Baldwin counties, Alabama. *Sida* 13: 101–113.
- Lepage, E. 1952. Études sur quelques plantes Américaines II. Hybrides intergénériques: *Agrohordeum* et *Agroelymus*. *Naturaliste Canad.* 79: 241–266.
- Lepage, E. 1965. Revision généalogique de quelques \times *Agroelymus*. *Naturaliste Canad.* 92: 205–216.
- Lesica, P. 1985. Checklist of the Vascular Plants of Glacier National Park, Montana, U.S.A. Bozeman. [Montana Acad. Sci. Monogr. 4.]
- Lesica, P. 1994. Noteworthy collections. *Madroño* 41: 231.
- Lesica, P. 1998. Noteworthy collections. *Madroño* 45: 328–330.
- Lesica, P. and T. H. DeLuca. 1996. Long-term harmful effects of crested wheatgrass on Great Plains grassland ecosystems. *J. Soil Water Conservation* 51: 408–409.
- Lewis, Mont E. 1971. Flora and Major Plant Communities of the Ruby-East Humboldt Mountains, with Special Emphasis on Lamoille Canyon. Washington.
- Lilloa = Lilloa; *Revista de Botánica*.
- Linder, H. P. 1997. Nomenclatural corrections in the *Rytidosperma* complex (Danthonieae, Poaceae). *Telopea* 7: 269–274.
- Linder, H. P. and N. P. Barker. 2000. Biogeography of the Danthonieae. In: S. W. L. Jacobs and J. Everett, eds. 2000. *Grasses: Systematics and Evolution*. Collingwood. Pp. 231–238.
- Linder, H. P. and G. Davidse. 1997. The systematics of *Tribolium* Desv. (Danthonieae: Poaceae). *Bot. Jahrb. Syst.* 119: 445–507.
- Linder, H. P. and G. A. Verboom. 1996. Generic limits in the *Rytidosperma* (Danthonieae, Poaceae) complex. *Telopea* 6: 597–627.
- Linder, H. P., G. A. Verboom, and N. P. Barker. 1997. Phylogeny and evolution in the *Crinipes* group of grasses (Arundinoideae: Poaceae). *Kew Bull.* 52: 91–110.
- Linnaea = Linnaea; ein Journal für die Botanik in ihrem ganzen Umfange.
- Linnaeus, C. 1753. *Species Plantarum*.... 2 vols. Stockholm.
- Liu, L. and S. M. Phillips. 2006. *Oryzae*. In: Wu Z. and P. H. Raven, eds. 1994+. *Flora of China*. 12+ vols. Beijing and St. Louis. Vol. 22, p. 183.
- Liu, L. and S. M. Phillips. 2006b. *Zizania*. In: Wu Z. and P. H. Raven, eds. 1994+. *Flora of China*. 12+ vols. Beijing and St. Louis. Vol. 22, pp. 187–188.

- Liu, Z. W. and R. R.-C. Wang. 1993. Genome constitutions of *Thinopyrum curvifolium*, *T. scirpeum*, *T. distichum*, and *T. junceum* (Triticeae: Gramineae). *Genome* 36: 641–651.
- Lloyd, R. M. and R. S. Mitchell. 1966. *Plants of the White Mountains, California and Nevada*. Berkeley.
- Lodge, R. W. 1959. Biological flora of the British Isles: *Cynosurus cristatus* L. *J. Ecol.* 47: 511–518.
- Lonard, R. I. 1993. *Guide to the Grasses of the Lower Rio Grande Valley, Texas*. Edinburg, Tex.
- Lonard, R. I. and F. W. Gould. 1974. The North American species of *Vulpia* (Gramineae). *Madroño* 22: 217–230.
- Londo, J. P. et al. 2006. Phylogeography of Asian wild rice, *Oryza rufipogon*, reveals multiple independent domestications of cultivated rice, *Oryza sativa*. *Proc. Natl. Acad. Sci. U.S.A.* 103: 9578–9583.
- London J. Bot. = London Journal of Botany.
- Louis-Marie, Père 1928. The genus *Trisetum* in America. *Rhodora* 30: 209–228, 231–245.
- Löve, Á. 1984. Conspectus of the Triticeae. *Feddes Repert.* 95: 425–521.
- Love, R. M. 1946. Interspecific hybridization in *Stipa*: I. Natural hybrids. *Amer. Naturalist* 80: 189–192.
- Love, R. M. 1954. Interspecific hybridization in *Stipa*: II. Hybrids of *S. cernua*, *S. lepida*, and *S. pulchra*. *Amer. J. Bot.* 41: 107–110.
- Lu, B. R., E. B. Naredo, A. B. Juliano, and M. T. Jackson. 2000. Preliminary studies on taxonomy and biosystematics of the AA genome *Oryza* species (Poaceae). In: S. W. L. Jacobs and J. Everett, eds. 2000. *Grasses: Systematics and Evolution*. Collingwood. Pp. 51–58.
- Lucchese, F. 1990. Revision and distribution of *Brachypodium phoenicoides* (L.) Roemer et Schultes in Italy. *Ann. Bot. (Rome)* 48: 163–177.
- Ludoviciana = Ludoviciana; Contributions de l'Herbier Louis-Marie, Faculté d'Agriculture de l'Université Laval.
- MacDonald, J. 1996. *A Survey of the Flora of Monroe County, Mississippi*. M.S. thesis. Mississippi State University.
- Macfarlane, T. D. 1987. Poaceae subfamily Pooideae. In: T. R. Soderstrom et al., eds. 1987. *Grass Systematics and Evolution*. Washington. Pp. 265–276.
- MacRoberts, B. R. and M. H. MacRoberts. 1995. Floristics of xeric sandhills in northwestern Louisiana. *Phytologia* 79: 123–131.
- MacRoberts, B. R. and M. H. MacRoberts. 1995b. Vascular flora of two calcareous prairie remnants on the Kisatchie National Forest, Louisiana. *Phytologia* 78: 18–27.
- MacRoberts, B. R. and M. H. MacRoberts. 1996. The floristics of calcareous prairies on the Kisatchie National Forest, Louisiana. *Phytologia* 81: 35–43.

- MacRoberts, B. R. and M. H. MacRoberts. 1996b. Floristics of xeric sandhills in east Texas. *Phytologia* 80: 1–7.
- MacRoberts, B. R. and M. H. MacRoberts. 1997. Floristics of beech-hardwood forest in east Texas. *Phytologia* 82: 20–29.
- MacRoberts, B. R. and M. H. MacRoberts. 1998. Floristics of muck bogs in east central Texas. *Phytologia* 85: 61–73.
- MacRoberts, B. R. and M. H. MacRoberts. 1998b. Floristics of wetland pine savannas in the Big Thicket National Preserve, southeast Texas. *Phytologia* 85: 40–50.
- MacRoberts, B. R., M. H. MacRoberts, and L. E. Brown. 2002. Annotated checklist of the vascular flora of the Hickory Creek Unit of the Big Thicket National Preserve, Tyler County, Texas. *Sida* 20: 781–795.
- MacRoberts, M. H. and B. R. MacRoberts. 1993. Vascular flora of sandstone outcrop communities in western Louisiana, with notes on rare and noteworthy species. *Phytologia* 75: 463–480.
- MacRoberts, M. H. and B. R. MacRoberts. 1995. Noteworthy vascular plant collections on the Kisatchie National Forest. *Phytologia* 78: 291–313.
- MacRoberts, M. H. and B. R. MacRoberts. 1998. Noteworthy vascular plant collections on the Angelina and Sabine national forests, Texas. *Phytologia* 84: 1–27.
- Madarish, D. M., J. L. Rodrigue, and M. B. Adams. 2002. Vascular Flora and Macroscopic Fauna on the Fernow Experimental Forest. Newton Square, Pa. [U.S.D.A. Forest Serv., Gen. Techn. Rep. NE-291.]
- Madroño = Madroño; *Journal of the California Botanical Society* [from vol. 3: a *West American Journal of Botany*].
- Maley, A. 1994. A Floristic Survey of the Black Forest of the Colorado Front Range. Boulder. [Nat. Hist. Invent. Colorado 14.]
- Mansfield, D. H. 1995. Vascular flora of Steens Mountain, Oregon. *J. Idaho Acad. Sci.* 31(2).
- Marchant, C. J. 1963. Corrected chromosome numbers for *Spartina ×townsendii* and its parent species. *Nature* 199: 929.
- Marchant, C. J. 1967. Evolution in *Spartina* (Gramineae): I. The history and morphology of the genus in Britain. *J. Linn. Soc., Bot.* 60: 1–24.
- Marchant, C. J. 1968. Evolution in *Spartina* (Gramineae): II. Chromosomes, basic relationships, and the problem of *S. ×townsendii* agg. *J. Linn. Soc., Bot.* 60: 381–409.
- Marchant, C. J. 1968b. Evolution in *Spartina* (Gramineae): III. Species chromosome numbers and their taxonomic significance. *J. Linn. Soc., Bot.* 60: 381–409.
- Marisco, T. D. 2005. The vascular flora of Montgomery County, Arkansas. *Sida* 21: 2389–2423.
- Markgraf-Dannenbergh, I. 1980. *Festuca*. In: T. G. Tutin et al., eds. 1964–1980. *Flora Europaea*. 5 vols. Cambridge. Vol. 5, pp. 125–153.

- Marr, K. L. and R. J. Hebda. 2006. *Calamagrostis tacomensis* (Poaceae), a new species from Washington and Oregon. *Madroño* 53: 290–300.
- Marriott, H. 1985. Flora of the Northwestern Black Hills, Crook and Weston Counties, Wyoming. M.S. thesis. University of Wyoming.
- Marsden, K. L. and L. E. Hendrickson. 2005. Noteworthy collections. *Madroño* 52: 271.
- Marsh, V. L. 1952. A taxonomic revision of the genus *Poa* of the United States and southern Canada. *Amer. Midl. Naturalist* 47: 202–250.
- Mason-Gamer, R. J. 2001. Origin of North American *Elymus* (Poaceae: Triticeae) allotetraploids based on granule-bound starch synthase gene sequences. *Syst. Bot.* 26: 757–768.
- Matthei, O. 1965. Estudio crítico de las gramíneas del género *Stipa* en Chile. *Gayana, Bot.* 13: 1–137.
- Matthei, O. 1986. El género *Bromus* L. (Poaceae) en Chile. *Gayana, Bot.* 43: 47–110.
- Matthews, M. A. 1997. An Illustrated Field Key to the Flowering Plants of Monterey County and Ferns, Fern Allies, and Conifers. Sacramento.
- Maxwell, C. L. 1991. Vascular flora of the Willapa Hills and lower Columbia River area of southwest Washington. In: Washington Native Plant Society. 1991. *Plant Life of Washington State*. Seattle. Pp. 28–76.
- Maydica = Maydica; *Rivista di Tecnica e Divulgazione Maidicola...dalla Stazione Sperimentale di Maiscoltura di Bergamo*.
- Maze, J. R. 1962. A Revision of the *Stipas* of the Pacific Northwest with Special Reference to *S. occidentalis* Thurb. ex Wats. M.S. thesis. University of Washington.
- Maze, J. R. 1965. Notes and key to some California species of *Stipa*. *Leafl. W. Bot.* 10: 157–180.
- Maze, J. R. 1981. A preliminary study on the root of *Oryzopsis hendersonii* (Gramineae). *Syesis* 14: 151–153.
- Maze, J. R. and K. A. Robson. 1996. A new species of *Achnatherum* (*Oryzopsis*) from Oregon. *Madroño* 43: 393–403.
- McClain, W. E. and J. E. Ebinger. 2002. A comparison of the vegetation of three limestone glades in Calhoun County, Illinois. *SouthE. Naturalist* 1: 179–188.
- McClintock, E., P. Reeberg, and W. Knight. 1990. A Flora of the San Bruno Mountains, San Mateo County, California. Sacramento. [Calif. Native Pl. Soc. Special Publ. 8.]
- McClure, F. A. 1955. Grasses of Guatemala. *Bambusa*. *Fieldiana, Bot.* 24(2): 52–60.
- McClure, F. A. 1957. Bamboos of the Genus *Phyllostachys* under Cultivation in the United States. Washington. [Agric. Handb. 114.]
- McClure, F. A. 1966. *The Bamboos: A Fresh Perspective*. Cambridge, Mass.
- McClure, F. A. 1973. Genera of bamboos native to the New World (Gramineae: Bambusoideae). *Smithsonian Contr. Bot.* 9: 1–148.

- McGregor, R. L. 1990. Seed dormancy and germination in the annual cleistogamous species of *Sporobolus* (Poaceae). *Trans. Kansas Acad. Sci.* 93: 8–11.
- McLachlan, K. I., S. G. Aiken, L. P. Lefkovitch, and S. A. Edlund. 1989. Grasses of the Queen Elizabeth Islands. *Canad. J. Bot.* 67: 2088–2105.
- McLaughlin, S. P. 2006. Vascular floras of Sonoita Creek State Natural Area and San Rafael State Park: Arizona's first natural-area parks. *Sida* 22: 661–704.
- McNamara, J. and J. A. Quinn. 1977. Resource allocation and reproduction in populations of *Amphicarpum purshii* (Gramineae). *Amer. J. Bot.* 64: 17–23.
- McNeill, J. 1981. *Apera*, silky-bent or windgrass, an important weed genus recently discovered in Ontario, Canada. *Canad. J. Pl. Sci.* 61: 479–485.
- McNeill, J. and W. G. Dore. 1976. Taxonomic and nomenclatural notes on Ontario grasses. *Naturaliste Canad.* 103: 553–567.
- McVaugh, R. 1983. Gramineae. In: R. McVaugh and W. R. Anderson, eds. 1974+. *Flora Novo-Galiciana: A Descriptive Account of the Vascular Plants of Western Mexico*. 8+ vols. Ann Arbor. Vol. 14.
- McVaugh, R. and W. R. Anderson, eds. 1974+. *Flora Novo-Galiciana: A Descriptive Account of the Vascular Plants of Western Mexico*. 8+ vols. Ann Arbor.
- Meddel. Grønland = Meddelelser om Grønland, af Kommissionen for Ledelsen af de Geologiske og Geografiske Undersøgelser i Grønland.
- Meddel. Grønland, Biosci. = Meddelelser om Grønland. Bioscience.
- Meded. Rijks-Herb. = Mededeelingen van 's Rijks-Herbarium.
- Meeks, D. N. 1984. A Floristic Study of Northern Tippah County, Mississippi. M.A. thesis. Mississippi State University.
- Mehrhoff, L. J. 2000. Perennial *Microstegium vimineum* (Poaceae): An apparent misidentification? *J. Torrey Bot. Soc.* 127: 251–254.
- Mejia-Saulés, T. and F. A. Bisby. 2000. Preliminary views on the tribe Meliceae (Gramineae: Pooideae). In: S. W. L. Jacobs and J. Everett, eds. 2000. *Grasses: Systematics and Evolution*. Collingwood. Pp. 83–88.
- Melderis, A. 1980. *Elymus*. In: T. G. Tutin et al., eds. 1964–1980. *Flora Europaea*. 5 vols. Cambridge. Vol. 5, pp. 192–198.
- Melderis, A. 1985. *Eremopyrum*. In: P. H. Davis, ed. 1965–1988. *Flora of Turkey and the East Aegean Islands*. 10 vols. Edinburgh. Vol. 9, pp. 227–231.
- Mem. Coll. Agric. Kyoto Univ. = Memoirs of the College of Agriculture, Kyoto University. [Kyoto Daigaku Nogabubu.]
- Merigliano, M. F. and P. Lesica. 1998. The native status of reed canarygrass (*Phalaris arundinacea* L.) in the inland Northwest, USA. *Nat. Areas J.* 18: 223–230.
- Messeri, A. 1942. Studio sistematico e fitogeografico di *Lagurus ovatus* L. *Nuovo Giorn. Bot. Ital.*, n. s. 49: 133–204.

- Michael, P. W. 1983. Taxonomy and distribution of *Echinochloa* species with a special reference to their occurrence as weeds of rice. In: Conference on Weed Control in Rice (1981). 1983. Proceedings of the Conference on Weed Control in Rice, 31 August – 4 September 1981.... Los Baños. Pp. 291–306.
- Michael, P. W. 2001. The taxonomy and distribution of *Echinochloa* species (barnyard grasses) in the Asian-Pacific region, with a review of pertinent biological studies. Proc. Conf. Asian-Pacific Weed Sci. Soc. 18: 57–66.
- Michelangeli, F. A., J. I. Davis, and D. W. Stevenson. 2003. Phylogenetic relationships among Poaceae and related families as inferred from morphology, inversions in the plastid genome, and sequence data from the mitochondrial and plastid genomes. Amer. J. Bot. 90: 93–106.
- Michener-Foote, J. and T. Hogan. 1999. The Flora and Vegetation of the Needle Mountains, San Juan Range, Southwestern Colorado. Boulder. [Nat. Hist. Invent. Colorado 18.] Michigan Bot. = Michigan Botanist.
- Misra, K. C. 1961. Geography, Morphology and Environmental Relationships of Certain *Stipa* Species in the Northern Great Plains. Ph.D. dissertation. University of Saskatchewan.
- Misra, K. C. 1963. Phytogeography of the genus *Stipa* L. Trop. Ecol. 4: 1–20.
- Mitchell, R. S. and G. C. Tucker. 1997. Revised checklist of New York State plants. Bull. New York State Mus. Sci. Serv. 490.
- Mitchell, W. W. 1992. Cytogeographic races of *Arctagrostis latifolia* (Poaceae) in Alaska. Canad. J. Bot. 70: 80–83.
- Mitchell, W. W. and H. J. Hodgson. 1965. The status of hybridization between *Agropyron sericeum* and *Elymus sibiricus* in Alaska. Canad. J. Bot. 43: 855–859.
- Mitchell, W. W. and H. J. Hodgson. 1965b. A new \times *Agrohordeum* from Alaska. Bull. Torrey Bot. Club 92: 403–407.
- Mitchell, W. W. and A. C. Wilton. 1966. A new tetraploid brome, section *Bromopsis*, of Alaska. Brittonia 18: 162–166.
- Mitt. Inst. Allg. Bot. Hamburg = Mitteilungen aus dem Institut für allgemeine Botanik in Hamburg.
- Mobberley, D. G. 1956. Taxonomy and distribution of the genus *Spartina*. Iowa State Coll. J. Sci. 30: 471–574.
- Moe, L. M. and E. C. Twisselman. 1995. A Key to Vascular Plant Species of Kern County, California and a Flora of Kern County, California. Sacramento. [Flora section reprinted from Wasman J. Biol. 25: 1–395. 1967.]
- Mohlenbrock, R. H. 2001. The Illustrated Flora of Illinois. Grasses: *Panicum* to *Danthonia*, ed. 2. Carbondale.
- Mohlenbrock, R. H. 2002. The Illustrated Flora of Illinois. Grasses: *Bromus* to *Paspalum*, ed. 2. Carbondale.
- Mohlenbrock, R. H. 2002b. Vascular Flora of Illinois. Carbondale.

- Mohlenbrock, R. H. and D. M. Ladd. 1978. Distribution of Illinois Vascular Plants. Carbondale.
- Molec. Biol. Evol. = Molecular Biology and Evolution.
- Molec. Phylogen. Evol. = Molecular Phylogenetics and Evolution.
- Molenaar, J. G. de. 1976. Vegetation of the Angmagssalik District, southeast Greenland. II. Herb and snow-bed vegetation. Meddel. Grønland 198(2): 1–266.
- Monde Pl. = Le Monde des Plantes; Intermédiaire des Botanistes.
- Monogr. Syst. Bot. Missouri Bot. Gard. = Monographs in Systematic Botany from the Missouri Botanical Garden.
- Morden, C. W. and S. L. Hatch. 1984. Cleistogamy in *Muhlenbergia cuspidata* (Poaceae). Sida 10: 254–255.
- Morden, C. W. and S. L. Hatch. 1996. Morphological variation and synopsis of the *Muhlenbergia repens* complex (Poaceae). Sida 17: 349–365.
- Morris, M. W. 1987. The Vascular Flora of Grenada County, Mississippi. M.S. thesis. Mississippi State University.
- Morris, M. W. 1997. Contributions to the flora and ecology of the northern longleaf pine belt in Rankin County, Mississippi. Sida 17: 615–626.
- Morrison, L. A. 2001. The Percival Herbarium and wheat taxonomy: Yesterday, today, and tomorrow. In: P. D. S. Caligari and P. E. Brandham, eds. 2001. Wheat Taxonomy: The Legacy of John Percival. London. Pp. 65–80.
- Morrone, O., A. S. Vega, and F. O. Zuloaga. 1996. Revisión de las especies del género *Paspalum* L. (Poaceae: Panicoideae: Paniceae), grupo *Dissecta* (s. str.). Candollea 51: 103–138.
- Morrone, O. and F. O. Zuloaga. 1992. Revisión de las especies Sudamericanas nativas e introducidas de los géneros *Brachiaria* y *Urochloa* (Poaceae: Panicoideae: Paniceae). Darwiniana 31: 43–109.
- Morrone, O. and F. O. Zuloaga. 1993. Synopsis del género *Urochloa* (Poaceae: Panicoideae: Paniceae) para México y América Central. Darwiniana 32: 59–75.
- Morton, C. M., J. T. Kartesz, B. L. Isaac, and R. Cox. 2004. Additions to and noteworthy records for the vascular flora of West Virginia. Sida 21: 481–485.
- Morton, J. K. and J. M. Venn. 1984. The Flora of Manitoulin Island and the Adjacent Islands of Lake Huron, Georgian Bay and the North Channel, ed. 2. Waterloo.
- Moseley, R. K. 1996. Vascular flora of subalpine parks in the Coeur d'Alene River drainage, northern Idaho. Madroño 43: 479–492.
- Moser, L. E., D. R. Buxton, and M. D. Casier, eds. 1996. Cool-Season Forage Grasses. Madison. [Agron. Monogr. 34.]

- Moss, E. H. and J. G. Packer. 1983. Flora of Alberta: A Manual of Flowering Plants, Conifers, Ferns, and Fern Allies Found Growing without Cultivation in the Province of Alberta, Canada, ed. 2. Toronto.
- Moyer, J. R. and A. L. Boswall. 2002. Tall fescue or creeping foxtail suppresses foxtail barley. *Canad. J. Pl. Sci.* 82: 89–92.
- Munz, P. A. 1959. A California Flora. Berkeley and Los Angeles.
- Murphy, A. H. and R. M. Love. 1950. Hairy oatgrass, *Danthonia pilosa* R. Br., as a weedy range grass. *Bull. Calif. Dep. Agric.* 39: 118–124.
- Murray, B. G., and N. R. N. Barker. 1988. Pollen/stigma interactions and hybridization in the genus *Briza* L. (Gramineae). *Evol. Trends Pl.* 2: 107–110.
- Musselman, L. J., T. S. Cochrane, W. E. Rice, and M. M. Rice. 1971. The flora of Rock County, Wisconsin. *Michigan Bot.* 10: 145–205.
- Muzika, R.-M., R. Hunsucker, and T. DeMeo. 1996. Botanical Reconnaissance of Big Run Bog Candidate Research Natural Area. Radnor. [U.S.D.A. Forest Serv., Gen. Techn. Rep. NE-223.]
- Myers, W. M. 1947. Cytology and genetics of forage grasses (concluded). *Bot. Rev.* (Lancaster) 7: 369–419.
- N Y F A Newslett. = NYFA [New York Flora Association] Newsletter.
- Naczi, R. F. C. et al. 2002b. Native flowering plant species new or otherwise significant in Kentucky. *Sida* 20: 397–402.
- Nat. Areas J. = Natural Areas Journal; Quarterly Publication of the Natural Areas Association.
- Nat. Ohio = Natural Ohio.
- National Research Council [U.S.A.]. 1993. Vetiver Grass: A Thin Green Line Against Erosion. Washington.
- Naturaliste Canad. = Naturaliste Canadien. Bulletin de Recherches, Observations et Découvertes se Rapportant à l'Histoire Naturelle du Canada.
- Nature = Nature; a Weekly Illustrated Journal of Science.
- Naumann, T. 1996. Plant List, Including Scientific and Common Names, Dinosaur National Monument. Vernal, Utah.
- Nechaev, A. P. and A. A. Nechaev. 1972. *Coleanthus subtilis* (Tratt.) Seidl in the Amur Basin. *Folia Geobot. Phytotax.* 7: 339–347.
- Neckles, H. A., J. W. Nelson, and R. L. Pederson. 1985. Management of Whitetop (*Scolochloa festucacea*) Marshes for Livestock Forage and Wildlife. Portage la Prairie. [Delta Waterfowl Wetlands Res. Sta., Techn. Bull. 1.]
- Nees, C. G. D. 1843. Gramina Novae Hollandiae, praesertim Insulae Van Diemen, collectionis Lindleyanae, a v. cl. Drummond, Gunn, aliisque collecta. *London J. Bot.* 2: 409–420.
- Negrete, I. G. et al. 1999. A checklist for the vascular plants of Padre Island National Seashore. *Sida* 18: 1227–1245.

- Nelson, E. N. and R. J. Tyrl. 1978. Hybridization and introgression between *Elymus canadensis* and *Elymus virginicus*. Proc. Oklahoma Acad. Sci. 58: 32–34.
- Nelson, J. B. and K. B. Kelly. 1997. Noteworthy collections. Castanea 62: 283–287.
- Nesom, G. L. and L. E. Brown. 1998. Annotated checklist of the vascular plants of Walker, Montgomery, and San Jacinto counties, east Texas. Phytologia 84: 107–153.
- Nevski, S. A. 1963. *Brachypodium*. In: V. L. Komarov et al., eds. 1963+. Flora of the U.S.S.R. (Flora SSSR). Translated from Russian. 28+ vols. Jerusalem etc. Vol. 2, pp. 472–474.
- New Phytol. = New Phytologist; a British Botanical Journal.
- New York Flora Association. 1990. Preliminary Vouchered Atlas of New York State Flora. Albany.
- New York Flora Association. 1990–1998. [Various.] N Y F A Newslett. 1–9.
- New Zealand J. Bot. = New Zealand Journal of Botany.
- Newslett. New York Fl. Assoc. = Newsletter, New York Flora Association.
- Neyland, R. et al. 2000. A vascular flora survey of Calcasieu Parish, Louisiana. Sida 19: 361–386.
- Nicora, E. G. 1995. Los géneros *Diplachne* y *Leptochloa* (Gramineae, Eragrosteae) de la Argentina y países limítrofes. Darwiniana 33: 233–256.
- Niemann, D. A. and R. Q. Landers. 1974. Forest communities in Woodman Hollow State Preserve, Iowa. Proc. Iowa Acad. Sci. 81: 176–184.
- Nihsen, M. E. et al. 2004. Growth rate and physiology of steers grazing tall fescue inoculated with novel endophytes. J. Anim. Sci. 82: 878–883.
- Nordic J. Bot. = Nordic Journal of Botany.
- Normile, D. 2004. Expanding trade with China creates ecological backlash. Science, ser. 2, 306: 968–969.
- Norstog, K. J. 1960. Some observations on the spikelet of *Hierochloë odorata*. Bull. Torrey Bot. Club 87: 95–98.
- Northam, F. E. 1995. Range extension of southwestern cupgrass (*Eriochloa acuminata*) into Kansas. Trans. Kansas Acad. Sci. 98: 68–71.
- Northam, F. E. and R. H. Callihan. 1992. Morphology and phenology of interrupted windgrass in northern Idaho. J. Idaho Acad. Sci. 28: 15–19.
- Northam, F. E., R. H. Callihan, and R. R. Old. 1989. *Sporobolus vaginiflorus* (Torrey ex Gray) Wood: Biology and pest implications of an alien grass recorded in Idaho. J. Idaho Acad. Sci. 25: 49–55.
- Northam, F. E., R. H. Callihan, and R. R. Old. 1991. Range extensions of four introduced grasses in Idaho. J. Idaho Acad. Sci. 27: 19–21.
- Northam, F. E., R. R. Old, and R. H. Callihan. 1993. Little lovegrass (*Eragrostis minor*) distribution in Idaho and Washington. Weed Technol. 7: 771–775.

- Notes Roy. Bot. Gard. Edinburgh = Notes from the Royal Botanic Garden, Edinburgh.
- Novit. Bot. Delect. Seminum Horti Bot. Univ. Carol. Prag. = Novitates Botanicae et Delectus Seminum Horti Botanici Universitatis Carolinae Pragensis.
- Novon = Novon; a Journal for Botanical Nomenclature.
- Novosti Sist. Vyssh. Rast. = Novosti Sistematiki Vysshikh Rastenii.
- Nucleus (Calcutta) = Nucleus; International Journal of Cytology and Allied Topics.
- Nuovo Giorn. Bot. Ital. = Nuovo Giornale Botanico Italiano.
- Old, R. R. and R. H. Callihan. 1986. Distribution of *Ventenata dubia* in Idaho. Idaho Weed Control Rep. 1986: 153.
- Oldham, M. J. et al. 1995. New and noteworthy Ontario grass (Poaceae) records. Michigan Bot. 34: 105–132.
- Oldham, M. J. and S. J. Darbyshire. 1993. The adventive grasses, *Apera interrupta* and *Deschampsia danthonoides*, new to Maine. Maine Naturalist (1993–95) 1: 231–232.
- Ostenfeld, C. E. H. 1923. Two plant lists from Inglefield Gulf and Inglefield Land (77° 28' and 79° 10' N. lat.), n.w. Greenland. Meddel. Grønland 64(7): 209–214.
- Oswald, V. H. and L. Ahart. 1994. Manual of the Vascular Plants of Butte County, California. Sacramento.
- Ownbey, G. B. and T. Morley. 1991. Vascular Plants of Minnesota: A Checklist and Atlas. Minneapolis.
- Packer, J. G., ed. 1995+. Flora of the Russian Arctic.... 3+ vols. Edmonton. [Translation by G. C. D. Griffiths of: A. I. Tolmatchew, ed. 1960–1987. Flora Arctica SSSR.... 10 vols. Moscow and Leningrad.]
- Paisooksantivatana, Y. and R. W. Pohl. 1992. Morphology, anatomy and cytology of the genus *Lithachne* (Poaceae: Bambusoideae). Revista Biol. Trop. 40: 47–72.
- Papp, C. 1928. Monographie der südamerikanischen Arten der Gattung *Melica* L. Repert. Spec. Nov. Regni Veg. 25: 97–160.
- Parker, C. L. 2001. Progress Report, Inventory and Monitoring Program, Vascular Plant Inventory, Summer 2001. Fairbanks.
- Parodi, L. R. 1934. Contribución al estudio de las gramíneas del género *Munroa*. Revista Mus. La Plata, Secc. Bot. 34: 171–193.
- Parodi, L. R. 1944. Revisión de las gramíneas Australes Americanas del género *Piptochaetium*. Revista Mus. La Plata, Secc. Bot. 6: 213–310.
- Parodiana = Parodiana; Revista de la Unidad Botánica C E F A P R I N.
- Pavlick, L. E. 1983. *Festuca viridula* Vasey (Poaceae): Re-establishment of its original lectotype. Taxon 32: 117–120.
- Pavlick, L. E. 1983b. Notes on the taxonomy and nomenclature of *Festuca occidentalis* and *F. idahoensis*. Canad. J. Bot. 61: 337–344.

- Pavlick, L. E. 1983c. The taxonomy and distribution of *Festuca idahoensis* in British Columbia and northwestern Washington. *Canad. J. Bot.* 61: 345–353.
- Pavlick, L. E. 1984. Studies of the *Festuca ovina* complex in the Canadian Cordillera. *Canad. J. Bot.* 62: 2448–2462.
- Pavlick, L. E. 1985. A new taxonomic survey of the *Festuca rubra* complex in northwestern North America, with emphasis on British Columbia. *Phytologia* 57: 1–17.
- Pavlick, L. E. 1995. *Bromus* L. of North America. Victoria.
- Pavlik, B. M. and M. G. Barbour. 1988. Demographic monitoring of endemic sand dune plants, Eureka Valley, California. *Biol. Conservation* 46: 217–242.
- Pavlick, L. E. and J. Looman. 1984. Taxonomy and nomenclature of rough fescues, *Festuca altaica*, *F. campestris* (*F. scabrella* var. *major*), and *F. hallii*, in Canada and the adjacent United States. *Canad. J. Bot.* 62: 1739–1749.
- Peart, M. H. 1984. The effects of morphology, orientation, and position of grass diaspores on seedling survival. *J. Ecol.* 69: 425–436.
- Peck, J. H. et al. 1981. A checklist of the vascular flora of Lee County, Iowa. *Proc. Iowa Acad. Sci.* 88: 159–171.
- Peck, J. H. et al. 1984. Checklist of the vascular flora of Lyon and Sioux counties, Iowa. *Proc. Iowa Acad. Sci.* 91: 92–97.
- Peck, J. H., L. J. Eilers, and D. M. Roosa. 1978. The vascular plants of Fremont County, Iowa. *Iowa Bird Life* 48: 3–24.
- Peck, J. H., D. M. Roosa, and L. J. Eilers. 1980. A checklist of the vascular flora of Allamakee County, Iowa. *Proc. Iowa Acad. Sci.* 87: 62–75.
- Pedersen, A. 1972. Adventitious plants and cultivated plants in Greenland. *Meddel. Grønland* 178(7): 1–99.
- Peet, R. K. 1993. A taxonomic study of *Aristida stricta* and *A. beyrichiana*. *Rhodora* 95: 25–37.
- Peñailillo, P. 2002. El género *Jarava* Ruiz et Pav. (Stipeae–Poaceae): Delimitación y nuevas combinaciones. *Gayana, Bot.* 59: 27–34.
- Pensiero, J. F. 1986. Revisión de las especies Argentinas del género *Pappophorum* (Gramineae–Eragrostoideae–Pappophoreae). *Darwiniana* 27: 65–87.
- Percival, J. 1921. *The Wheat Plant: A Monograph*. London.
- Petersen, G. and O. Seberg. 2003. Phylogenetic analyses of the diploid species of *Hordeum* (Poaceae) and a revised classification of the genus. *Syst. Bot.* 28: 293–306.
- Peterson, P. M. 1986. A flora of the Cottonwood Mountains, Death Valley National Monument, California. *Wasmann J. Biol.* 44: 73–126.
- Peterson, P. M. 2000. Systematics of the Muhlenbergiinae (Chloridoideae: Eragrostideae). In: S. W. L. Jacobs and J. Everett, eds. 2000. *Grasses: Systematics and Evolution*. Collingwood. Pp. 195–212.

- Peterson, P. M. et al. 1999. *Oplismenus hirtellus* subspecies *undulatifolius*, a new record for North America. *Castanea* 64: 201–202.
- Peterson, P. M. et al. 2001. Catalogue of New World grasses (Poaceae). II. Subfamily Chloridoideae. *Contr. U.S. Natl. Herb.* 41: 1–255.
- Peterson, P. M. et al. 2001b. Recognition of *Bromus richardsonii* and *B. ciliatus*: Evidence from morphology, cytology, and DNA fingerprinting (Poaceae: Bromeae). *Aliso* 20: 21–36.
- Peterson, P. M. and C. R. Annable. 1990. A revision of *Blepharoneuron* (Poaceae: Eragrostideae). *Syst. Bot.* 15: 515–525.
- Peterson, P. M. and C. R. Annable. 1991. Systematics of the annual species of *Muhlenbergia* (Poaceae–Eragrostideae). *Syst. Bot. Monogr.* 31: 1–109.
- Peterson, P. M. and Y. Herrera Arrieta. 2001. A leaf blade anatomical survey of *Muhlenbergia* (Poaceae: Muhlenbergiinae). *Sida* 19: 469–506.
- Peterson, P. M., R. D. Webster, and J. Valdés-Reyna. 1995. Subtribal classification of the New World Eragrostideae (Poaceae: Chloridoideae). *Sida* 16: 529–544.
- Peterson, P. M., R. D. Webster, and J. Valdés-Reyna. 1997. Genera of New World Eragrostideae (Poaceae: Chloridoideae). *Smithsonian Contr. Bot.* 87: 1–50.
- Pfeiffer, L. K. G. [1851–]1853–1854. *Nomenclator Botanicus*.... 2 vols. in 4. Kassel.
- Phillips, S. M. 1972. A survey of the genus *Eleusine* Gaertner (Gramineae) in Africa. *Kew Bull.* 27: 251–270.
- Phillips, S. M. 1995. Poaceae (Gramineae). In: I. Hedberg and S. Edwards, eds. 1989+. *Flora of Ethiopia (and Eritrea)*. 4+ vols. Addis Ababa and Uppsala. Vol. 7.
- Phillips, S. M. and Chen W. L. 2003. Notes on grasses (Poaceae) for the Flora of China, I: *Deyeuxia*. *Novon* 13: 318–321.
- Phytologia = Phytologia; Designed to Expedite Botanical Publication.
- Pierce, G. J. 1979. A Biosystematic Study of *Cathestum* and *Griffithsochloa* (Gramineae). Ph.D. dissertation. University of Wyoming.
- Pignatti, S. 1982. *Sesleria*. In: S. Pignatti et al. 1982. *Flora d'Italia*. 3 vols. Bologna. Vol. 3, pp. 505–509.
- Pignatti, S. et al. 1982. *Flora d'Italia*. 3 vols. Bologna.
- Piper, C. V. 1906b. North American species of *Festuca*. *Contr. U.S. Natl. Herb.* 10: vi–ix, 1–48.
- Pizzolato, T. D. 1984. Vascular system of the fertile floret of *Anthoxanthum odoratum* L. *Bot. Gaz.* 145: 358–371.
- Pl. Med. (Stuttgart) = *Planta Medica*. *Zeitschrift für Arzneipflanzenanwendung und Arzneipflanzenforschung* [subtitle varies]. [Supplement to: Hippokrates.]
- Pl. Molec. Biol. = *Plant Molecular Biology*; International Journal on Fundamental Research and Genetic Engineering.
- Pl. Syst. Evol. = *Plant Systematics and Evolution*.

- Plunkett, G. M. and G. W. Hall. 1995. The vascular flora and vegetation of western Isle of Wight County, Virginia. *Castanea* 60: 30–59.
- Pohl, R. W. 1954. The allopolyploid *Stipa latiglumis*. *Madroño* 12: 145–150.
- Pohl, R. W. 1959. Introduced weedy grasses in Iowa. *Proc. Iowa Acad. Sci.* 66: 160–162.
- Pohl, R. W. 1959b. Morphology and cytology of some hybrids between *Elymus canadensis* and *E. virginicus*. *Proc. Iowa Acad. Sci.* 66: 155–159.
- Pohl, R. W. 1966. The grasses of Iowa. *Iowa State J. Sci.* 40: 341–566.
- Pohl, R. W. 1966b. \times *Elymohordeum iowense*, a new intergeneric hybrid in the Triticeae. *Brittonia* 18: 250–255.
- Pohl, R. W. 1968. *How to Know the Grasses*, rev. ed. Dubuque.
- Pohl, R. W. 1980. Flora Costaricensis: Family #15, Gramineae. *Fieldiana, Bot.*, n. s. 4.
- Pohl, R. W. 1994. *Setariopsis*. In: G. Davidse et al., eds. 1994+. *Flora Mesoamericana*. 2+ vols. Mexico City. Vol. 6, p. 364.
- Pohl, R. W. 1994b. *Bambusa*. In: G. Davidse et al., eds. 1994+. *Flora Mesoamericana*. 2+ vols. Mexico City. Vol. 6, pp. 193–194.
- Pohl, R. W. 1994c. *Lithachne*. In: G. Davidse et al., eds. 1994+. *Flora Mesoamericana*. 2+ vols. Mexico City. Vol. 6, pp. 215–216.
- Pohl, R. W. and G. Davidse. 1994. *Enteropogon*. In: G. Davidse et al., eds. 1994+. *Flora Mesoamericana*. 2+ vols. Mexico City. Vol. 6, p. 289.
- Pohl, R. W. and G. Davidse. 1994b. *Paspalum*. In: G. Davidse et al., eds. 1994+. *Flora Mesoamericana*. 2+ vols. Mexico City. Vol. 6, pp. 335–352.
- Pohl, R. W. and G. Davidse. 2001. *Luziola*. In: G. Davidse et al., eds. *Flora de Nicaragua*. *Monogr. Syst. Bot. Missouri Bot. Gard.* 85: 2072–2073.
- Pohl, R. W. and N. R. Lersten. 1975. Stem aerenchyma as a character separating *Hymenachne* and *Sacciolepis* (Gramineae, Panicoideae). *Brittonia* 27: 223–227.
- Poole, J. P. 1978. An addition to the flora of the Gaspé Peninsula. *Rhodora* 80: 154.
- Popovich, S. J. and D. M. Henderson. 1994. Noteworthy collections. *Madroño* 41: 149–150.
- Popovich, S. J., W. D. Shepperd, D. W. Reichert, and M. A. Cone. 1993. *Flora of the Fraser Experimental Forest, Colorado*. Fort Collins. [U.S.D.A. Forest Serv., Gen. Techn. Rep. RM-233.]
- Porsild, A. E. 1964. *Illustrated flora of the Canadian Arctic Archipelago*, ed. 2. *Bull. Natl. Mus. Canada* 146: 1–218.
- Porsild, A. E. and W. J. Cody. 1980. *Vascular Plants of Continental Northwest Territories, Canada*. Ottawa.
- Porsild, M. P. 1930. Stray contributions to the flora of Greenland. I–V. *Meddel. Grønland* 77(1): 1–44.
- Powell, A. M. 1994. *Grasses of the Trans-Pecos and Adjacent Areas*. Austin.

- Prasad, V., C. A. E. Strömberg, H. Alimohammadian, and A. Sahni. 2005. Dinosaur coprolites and the early evolution of grasses and grazers. *Science*, ser. 2, 310: 1177–1180.
- Prat, H. 1936. La systématique des Graminées. *Ann. Sci. Nat., Bot., sér. 10*, 18: 165–258.
- Preslia = Preslia. *Věstník (Časopis) Československé Botanické Společnosti*.
- Proc. Biol. Soc. Wash. = Proceedings of the Biological Society of Washington.
- Proc. Conf. Asian-Pacific Weed Sci. Soc. = Proceedings of the Conference, Asian-Pacific Weed Science Society.
- Proc. Iowa Acad. Sci. = Proceedings of the Iowa Academy of Science.
- Proc. Kon. Ned. Akad. Wetensch. C. = Proceedings, Koninklijke Nederlandse Akademie van Wetenschappen. Series C, Biological and Medical Sciences.
- Proc. Montana Acad. Sci. = Proceedings of the Montana Academy of Sciences.
- Proc. Natl. Acad. Sci. U.S.A. = Proceedings of the National Academy of Sciences of the United States of America.
- Proc. Oklahoma Acad. Sci. = Proceedings of the Oklahoma Academy of Science.
- Prokudin, J. N. et al. 1977. *Zlaki Ukrainy*. Kiev.
- Provance, M. C. and A. C. Sanders. 2000. Noteworthy collections. *Madroño* 47: 139–141.
- Provancheria = Provancheria; *Mémoires de l'Herbier Louis-Marie, Faculté d'Agriculture de l'Université Laval*.
- Publ. Univ. Wyoming = Publications, University of Wyoming.
- Pyrah, G. L. 1969. Taxonomic and distributional studies in *Leersia* (Gramineae). *Iowa State Coll. J. Sci.* 44: 215–270.
- Pyrah, G. L. 1983. *Agropyron arizonicum* (Gramineae: Triticeae) and a natural hybrid from Arizona. *Great Basin Naturalist* 43: 131–135.
- Quatre-Temps = Quatre-temps; le Bulletin de la Société d'Animation du Jardin et de l'Institut Botaniques de Montréal.
- Quattrocchi, U. 2000. *CRC World Dictionary of Plant Names....* 4 vols. Boca Raton.
- Quinn, J. A. 1975. Variability among *Danthonia sericea* (Gramineae) populations in responses to substrate moisture levels. *Amer. J. Bot.* 62: 884–891.
- Quinn, J. A. and J. L. Engel. 1986. Life-history strategies and sex ratios for a cultivar and a wild population of *Buchloë dactyloides* (Gramineae). *Amer. J. Bot.* 73: 874–881.
- Quinn, J. A. and D. E. Fairbrothers. 1971. Habitat ecology and chromosome numbers of natural populations of the *Danthonia sericea* complex. *Amer. Midl. Naturalist* 85: 531–536.
- Quinn, J. A., J. Rotsettis, and D. E. Fairbrothers. 1972. Inflorescence characters and reproductive proficiency in *Danthonia sericea* populations. *Amer. J. Bot.* 59: 942–951.
- R J, Wyoming Agric. Exp. Sta. = R J [Research Journal]; Wyoming Agricultural Experiment Station.
- Radford, A. E., H. E. Ahles, and C. R. Bell. 1965. *Atlas of the Vascular Flora of the Carolinas*. Raleigh. [North Carolina Agric. Exp. Sta. Techn. Bull. 165.]

- Ramesar-Fortner, N. S., S. G. Aiken, and N. G. Dengler. 1995. Phenotypic plasticity in leaves of four species of arctic *Festuca* (Poaceae). *Canad. J. Bot.* 73: 1810–1823.
- Rana Creek Habitat Restoration. 2002. San Mateo County Parks Vegetation Resources. Redwood City.
- Raup, H. M. 1965. The flowering plants and ferns of the Mesters Vig District, northeast Greenland. *Meddel. Grønland* 166(2): 1–119.
- Raup, H. M. 1971. Miscellaneous contributions on the vegetation of the Mesters Vig District, northeast Greenland. *Meddel. Grønland* 194(2): 1–97.
- Raven, P. H., H. J. Thompson, and B. A. Prigge. 1986. *Flora of the Santa Monica Mountains, California*, ed. 2. Los Angeles.
- Rawinski, T. J., M. N. Rasmussen, and S. C. Rooney. 1989. Discovery of *Sporobolus asper* (Poaceae) in Maine. *Rhodora* 91: 220–221.
- Read, J. C. and B. J. Simpson. 1992. Documented chromosome numbers 1992: 3. Documentation and notes on the distribution of *Melica montezumae*. *Sida* 15: 151–152.
- Redman, D. E. 1995. Distribution and habitat types for Nepal microstegium [*Microstegium vimineum* (Trin.) Camus] in Maryland and the District of Columbia. *Castanea* 60: 270–275.
- Redman, D. E. 1995b. Noteworthy collections. *Castanea* 60: 82–84.
- Reed, C. F. 1964. A flora of the chrome and manganese ore piles at Canton, in the port of Baltimore, Maryland, and at Newport News, Virginia, with descriptions of genera and species new to the flora of eastern United States. *Phytologia* 10: 321–406.
- Reeder, C. G. 1985. The genus *Lycurus* (Gramineae) in North America. *Phytologia* 57: 283–291.
- Reeder, C. G. and J. R. Reeder. 1986. *Agrostis elliotiana* (Gramineae) new to Arizona and New Mexico. *Phytologia* 60: 453–458.
- Reeder, J. R. 1953. Affinities of the grass genus *Beckmannia* Host. *Bull. Torrey Bot. Club* 80: 187–196.
- Reeder, J. R. 1960. The systematic position of the grass genus *Antheophora*. *Trans. Amer. Microscop. Soc.* 79: 211–218.
- Reeder, J. R. 1965. The tribe Orcuttieae and the subtribes of the Pappophoreae (Gramineae). *Madroño* 18: 18–28.
- Reeder, J. R. 1968. Notes on Mexican grasses VIII: Miscellaneous chromosome numbers—2. *Bull. Torrey Bot. Club* 95: 69–86.
- Reeder, J. R. 1976. Systematic position of *Redfieldia* (Gramineae). *Madroño* 23: 434–438.
- Reeder, J. R. 1977. Chromosome numbers in western grasses. *Amer. J. Bot.* 64: 102–110.
- Reeder, J. R. 1982. Systematics of the tribe Orcuttieae (Gramineae) and the description of a new segregate genus, *Tuctoria*. *Amer. J. Bot.* 69: 1082–1095.
- Reeder, J. R. 1984. In: IOPB chromosome number reports LXXXII. *Taxon* 33: 126–134.

- Reeder, J. R. 1991. A new species of *Panicum* (Gramineae) from Arizona. *Phytologia* 71: 300–303.
- Reeder, J. R. 1994. *Stipa tenuissima* (Gramineae) in Arizona—A comedy of errors. *Madroño* 41: 328–329.
- Reeder, J. R. 1994b. *Setaria villosissima* (Gramineae) in Arizona: Fact or fiction. *Phytologia* 77: 452–455.
- Reeder, J. R. 2001. Noteworthy collections: Arizona. *Madroño* 48: 212–213.
- Reeder, J. R. and R. S. Felger. 1989. The *Aristida californica*–*glabrata* complex (Gramineae). *Madroño* 36: 187–197.
- Reeder, J. R. and C. G. Reeder. 1980. Systematics of *Bouteloua breviseta* and *B. ramosa* (Gramineae). *Syst. Bot.* 5: 312–321.
- Reeder, J. R. and C. G. Reeder. 1990. *Bouteloua eludens*: Elusive indeed, but not rare. *Desert Pl.* 10: 19–22, 31.
- Reeder, J. R. and D. N. Singh. 1967. Validity of the tribe Spartineae (Gramineae). [Abstract.] *Amer. J. Bot.* 54: 656.
- Reeder, J. R. and D. N. Singh. 1968. Chromosome numbers in the tribe Pappophoreae. *Madroño* 19: 183–187.
- Reeder, J. R. and L. J. Toolin. 1987. *Scleropogon* (Gramineae), a monotypic genus with disjunct distribution. *Phytologia* 62: 267–275.
- Reeder, J. R. and L. J. Toolin. 1989. Notes on *Pappophorum* (Gramineae: Pappophoreae). *Syst. Bot.* 14: 349–358.
- Renvoize, S. A. 1998. *Gramineas de Bolivia*. Kew.
- Rep. Fauna Fl. Wisconsin = Reports on the Fauna and Flora of Wisconsin.
- Repert. Spec. Nov. Regni Veg. = Repertorium Specierum Novarum Regni Vegetabilis.
- Res. Rep. Wisconsin Dept. Nat. Resources = Research Report, Wisconsin Department of Natural Resources.
- Revista Biol. Trop. = Revista de Biología Tropical.
- Revista Mus. Argent. Ci. Nat., “Bernardino Rivadavia” Inst. Nac. Invest. Ci. Nat = Revista del Museo Argentino de Ciencias Naturales “Bernardino Rivadavia” e Instituto Nacional de Investigación de las Ciencias Naturales. Botánica (Ciencias Botánicas).
- Revista Mus. La Plata, Secc. Bot. = Revista del Museo de La Plata. Sección Botánica.
- Reznicek, A. A. and E. J. Judziewicz. 1996. A new hybrid species, \times *Calammophila don-hensonii* (*Ammophila breviligulata* \times *Calamagrostis canadensis*, Poaceae), from Grand Island, Michigan. *Michigan Bot.* 35: 35–40.
- Rhoads, A. F. and W. M. Klein. 1993. *The Vascular Flora of Pennsylvania: Annotated Checklist and Atlas*. Philadelphia.
- Rhodora = Rhodora; Journal of the New England Botanical Club.

- Richards, C. D., F. Hyland, and L. M. Eastman. 1983. Check-list of the vascular plants of Maine, rev. 2. Bull. Josselyn Bot. Soc. Maine 11.
- Riefner, R. E. 2003. Noteworthy collections. Madroño 50: 312–313.
- Riefner, R. E. and D. R. Pryor. 1996. New locations and interpretations of vernal pools in southern California. Phytologia 80: 296–327.
- Riggins, R. 1977. A biosystematic study of the *Sporobolus asper* complex (Gramineae). Iowa State J. Res. 51: 287–321.
- Riley, J. L. 1979. Some new and interesting vascular plant records from northern Ontario. Canad. Field-Naturalist 93: 355–362.
- Riley, J. L. 2003. Flora of the Hudson Bay Lowland and Its Postglacial Origins. Ottawa.
- Riley, J. L. and S. M. McKay. 1980. The vegetation and phytogeography of coastal southwestern James Bay. Contr. Life Sci. Roy. Ontario Mus. 124.
- Rill, K. D. 1983. A vascular flora of Winnebago County, Wisconsin. Trans. Wisconsin Acad. Sci. 71: 155–180.
- Rivas-Martínez, S., D. Sánchez-Mata, and M. J. Costa. 1999. North American boreal and western temperate forest vegetation: Syntaxonomical synopsis of the potential natural plant communities of North America, II. Itin. Geobot. 12: 3–311.
- Roalson, E. H. and K. W. Allred. 1998b. A floristic study in the Diamond Creek drainage area, Gila National Forest, New Mexico. Aliso 17: 47–62.
- Robbrecht, E. and A. Bogaerts. 2004. EuroGard III: Papers from the Third European Botanic Gardens Congress and the Second European Botanic Gardens Education Congress (BEDUCO II). Meise. [Scripta Bot. Belg. 29.]
- Roberts, F. M. 1989. A Checklist of the Vascular Plants of Orange County, California. Irvine.
- Roché, C. T. and A. Rebeschke. 2005. Noteworthy collections. Madroño 52: 128.
- Rogers, B. S. and A. Tiehm. 1979. Vascular Plants of the Sheldon National Wildlife Refuge, with Special Reference to Possible Threatened and Endangered Species. Portland.
- Roland, A. E. and M. Zinck. 1998. Roland's Flora of Nova Scotia..., ed. 3. 2 vols. Halifax.
- Romero García, A. T., G. Blanca López, and C. Morales Torres. 1988. Revisión del género *Agrostis* L. (Poaceae) en la Península Ibérica. I. Estudio taxonómico. Ruizia 7: 1–160.
- Rominger, J. M. 1962. Taxonomy of *Setaria* (Gramineae) in North America. Illinois Biol. Monogr. 29.
- Roosa, D. M., L. J. Eilers, and S. Zaber. 1991. An annotated checklist of the vascular plant flora of Guthrie County, Iowa. J. Iowa Acad. Sci. 98: 14–30.
- Rosen, D. J., S. D. Jones, and J. K. Wipff. 2001. *Phyllostachys bambusoides* (Poaceae: Bambuseae) previously unreported from Louisiana. Sida 19: 731–734.
- Rosen, D. J. and J. K. Wipff. 2003. *Andropogon glomeratus* var. *glaucopsis* (Poaceae: Andropogoneae) documented in Louisiana. Sida 20: 1723–1725.

- Ross, E. M. 1989. *Phalaris*. In: T. D. Stanley and E. M. Ross. 1983–1989. Flora of South-eastern Queensland. 3 vols. Brisbane. Vol. 3, pp. 132–135.
- Rotsettis, J., J. A. Quinn, and D. E. Fairbrothers. 1972. Growth and flowering of *Danthonia sericea* populations. *Ecology* 53: 227–234.
- Rouleau, E. and G. Lamoureux. 1992. Atlas of the Vascular Plants of the Island of Newfoundland and of Saint-Pierre-et-Miquelon. Saint-Henri-de-Lévis.
- Rousseau, C. 1968. Histoire, habitat et distribution de 220 plantes introduites au Québec. *Naturaliste Canad.* 95: 49–169.
- Rousseau, C. 1974. Géographie Floristique du Québec-Labrador: Distribution des Principales Espèces Vasculaires. Québec.
- Roy, S., J.-P. Simon, and F.-J. Lapointe. 2000. Determination of the origin of the cold-adapted populations of barnyard grass (*Echinochloa crus-galli*) in eastern North America: A total-evidence approach using RAPD DNA and DNA sequences. *Canad. J. Bot.* 78: 1505–1513.
- Rubtzoff, P. 1961. Notes on fresh-water marsh and aquatic plants in California. *Leafl. W. Bot.* 9: 165–180.
- Rudall, P. J. et al. 2005. Evolution of reproductive structures in grasses (Poaceae) inferred by sister-group comparison with their putative closest living relatives, Ectocoleaceae. *Amer. J. Bot.* 92: 1432–1443.
- Rúgolo de Agrasar, Z. E. 1982. Revalidación del género *Bromidium* Nees et Meyen emend. Pilger (Gramineae). *Darwiniana* 24: 187–216.
- Rúgolo de Agrasar, Z. E. and A. M. Molina. 1997. Las especies del género *Agrostis* L. (Gramineae: Agrostideae) de Chile. *Gayana, Bot.* 54: 91–156.
- Rúgolo de Agrasar, Z. E. and A. M. Molina. 1997b. Presencia del híbrido \times *Agropogon littoralis* (Gramineae: Agrostideae) en Chile. *Hickenia* 11: 209–214.
- Rúgolo de Agrasar, Z. E. and A. M. Molina. 2002. El género *Lachnagrostis* (Gramineae: Agrostideae) en América del Sur. In: A. Freire Fierro and D. A. Neill, eds. 2002. La Botánica en el Nuevo Milenio: Memorias del Tercer Congreso Ecuatoriano de Botánica. Quito. Pp. 20–32.
- Ruizia = Ruizia; Monografías del Jardín Botánico.
- Runemark, H. 1962. A revision of *Parapholis* and *Monerma* (Gramineae) in the Mediterranean. *Bot. Not.* 115: 1–17.
- Russell, N. H. 1956. A checklist of the vascular flora of Poweshiek County, Iowa. *Proc. Iowa Acad. Sci.* 63: 161–176.
- S. African J. Bot. = South African Journal of Botany.
- Saarela, J. M., P. M. Peterson, and J. Cayouette. 2005. *Bromus hallii* (Poaceae), a new combination for California, U.S.A., and taxonomic notes on *Bromus orcuttianus* and *Bromus grandis*. *Sida* 21: 1997–2013.

- Saarela, J. M., P. M. Peterson, R. J. Soreng, and R. E. Chapman. 2003. A taxonomic revision of the eastern North American and eastern Asian disjunct genus *Brachyelytrum* (Poaceae): Evidence from morphology, phytogeography and AFLPs. *Syst. Bot.* 28: 674–692.
- Saichuk, J. K., C. M. Allen, and W. D. Reese. 2000. *Alopecurus myosuroides* and *Sclerochloa dura* (Poaceae) new to Louisiana. *Sida* 19: 411–412.
- Saint-Yves, A. 1925. Contribution à l'étude des *Festuca* (subgen. *Eu-festuca*) de l'Amérique du Nord et du Mexique. *Candollea* 2: 229–316.
- Sakamoto, S. 1979. Genetic relationships among four species of the genus *Eremopyrum* in the tribe Triticeae, Gramineae. *Mem. Coll. Agric. Kyoto Univ.* 114: 1–27.
- Sales, F. 1993. Taxonomy and nomenclature of *Bromus* sect. *Genea*. *Edinburgh J. Bot.* 50: 1–31.
- Salomon, B., R. von Bothmer, and N. Jacobsen. 1991. Intergeneric crosses between *Hordeum* and North American *Elymus* (Poaceae: Triticeae). *Hereditas (Lund)* 114: 117–122.
- Saltonstall, K. 2002. Cryptic invasion by a non-native genotype of the common reed, *Phragmites australis*, into North America. *Proc. Natl. Acad. Sci. U.S.A.* 99: 2445–2449.
- Saltonstall, K., P. M. Peterson, and R. J. Soreng. 2004. Recognition of *Phragmites australis* subsp. *americanus* (Poaceae: Arundinoideae) in North America: Evidence from morphological and genetic analysis. *Sida* 21: 683–692.
- Sánchez Vega, I. and S. D. Koch. 1988. Estudio biosistemático de *Eragrostis mexicana*, *E. neomexicana*, *E. orcuttiana*, y *E. virescens* (Gramineae: Chloridoideae). *Bol. Soc. Bot. México* 48: 95–112.
- Sánchez, E. 1979. Anatomía foliar de las especies y variedades Argentinas de los géneros *Tridens* Roem. et Schult. y *Erioneuron* Nash (Gramineae–Eragrostioideae–Eragrostae). *Darwiniana* 22: 159–175.
- Sánchez, E. 1983. *Dasyochloa* Willdenow ex Rydberg (Poaceae): Género monotípico de Norteamérica. *Lilloa* 36: 131–138.
- Sánchez, E. 1984. Estudios anatómicos en el género *Munroa* (Poaceae, Chloridoideae, Eragrostideae). *Darwiniana* 25: 43–57.
- Sánchez, E. and Z. E. Rúgolo de Agrasar. 1986. Estudio taxonómico sobre el género *Lycurus* (Gramineae). *Parodiana* 4: 267–310.
- Sánchez-Ken, J. G. and L. G. Clark. 2001. Gynerieae, a new neotropical tribe of grasses (Poaceae). *Novon* 11: 350–352.
- Sanders, A. C. 1996. Noteworthy collections. *Madroño* 43: 524–532.
- Sanders, T. S., J. L. Hamrick, and L. R. Holden. 1979. Allozyme variation in *Elymus canadensis* from the tallgrass prairie region: Geographic variation. *Amer. Midl. Naturalist* 101: 1–12.
- Sauer, J. D. 1972. Revision of *Stenotaphrum* (Gramineae: Paniceae) with attention to its historical geography. *Brittonia* 24: 202–222.

- Savile, D. B. O. 1979. Fungi as aids in higher plant classification. *Bot. Rev. (Lancaster)* 45: 377–503.
- Scagel, R. K. and J. R. Maze. 1984. A morphological analysis of local variation in *Stipa nelsonii* and *S. richardsonii* (Gramineae). *Canad. J. Bot.* 62: 763–770.
- Scheffer, T. H. 1945. The introduction of *Spartina alternifolia* to Washington with oyster culture. *Leafl. W. Bot.* 4: 163–164.
- Schippmann, U. 1991. Revision der europäischen Arten der Gattung *Brachypodium* Palisot de Beauvois (Poaceae). *Boissiera* 45: 1–249.
- Schlechtendal, D. F. L. von. 1861–1862. Ueber *Setaria* P.B. *Linnaea* 31: 387–509.
- Schmelzer, G. H. 1997. Review of *Pennisetum* section *Brevivalvula* (Poaceae). *Euphytica* 97: 1–20.
- Scholander, P. F. 1934. Vascular plants from northern Svalbard with remarks on the vegetation in North-East Land. *Skr. Svalbard Nordishavet* 62: 1–155.
- Scholz, H. 1970. Zur Systematik der Gattung *Bromus* (Gramineae) mit einer Abbildung. *Willdenowia* 6: 139–159.
- Scholz, H. 1986. Bemerkungen zur Flora Griechenlands: *Gastridium phleoides* und *G. ventricosum* (Poaceae). *Willdenowia* 16: 65–68.
- Scholz, H. 2003. Die Ackersippe der Verwechsellten Trespe (*Bromus commutatus*). *Bot. Naturschutz Hessen* 16: 17–22.
- Scholz, U. 1981. Monographie der Gattung *Oplismenus* (Gramineae). Vaduz.
- Schouten, Y. and J. F. Veldkamp. 1985. A revision of *Anthoxanthum* including *Hierochloë* (Gramineae) in Malesia and Thailand. *Blumea* 30: 319–351.
- Sci. Agric. (Ottawa) = Scientific Agriculture.
- Sci. Bull. Brigham Young Univ., Biol. Ser. = Science Bulletin, Brigham Young University. Biological Series.
- Science = Science; an Illustrated Journal [later: a Weekly Journal Devoted to the Advancement of Science]. [American Association for the Advancement of Science.]
- Scoggan, H. J. 1978–1979. The Flora of Canada. 4 parts. Ottawa. [Natl. Mus. Nat. Sci. Publ. Bot. 7.]
- Scott, R. W. 1995+. The Alpine Flora of the Rocky Mountains. 1+ vol. Salt Lake City.
- Scott, T. 1995. Whispering grasses. *Gard. Ill.* 15: 56–65.
- Scribner, F. L. 1897. Studies on American grasses: I. The genus *Ixophorus*. *Bull. Div. Agrostol. U.S.D.A.* 4: 5–7.
- Scribner, F. L. and E. D. Merrill. 1910. The grasses of Alaska. *Contr. U.S. Natl. Herb.* 13: 47–92.
- Seabloom, E. W. and A. M. Wiedemann. 1994. Distribution and effects of *Ammophila breviligulata* Fern. (American beachgrass) on the foredunes of the Washington coast. *J. Coastal Res.* 10: 178–188.

- Seagrist, R. V. and K. J. Taylor. 1998. Alpine vascular flora of Buffalo Peak, Mosquito Range, Colorado, USA. *Madroño* 45: 319–325.
- Seagrist, R. V. and K. J. Taylor. 1998b. Alpine vascular flora of Hasley Basin, Elk Mountains, Colorado, USA. *Madroño* 45: 310–318.
- Seidenfaden, G. 1933. The vascular plants of south-east Greenland 60° 04' to 64° 30' N. lat. *Meddel. Grønland* 106(3): 1–129.
- Selekts. Semenov. (Moscow) = Seleksiya i Semenovodstvo. [Moscow.]
- Senckenberg. Biol. = Senckenbergiana Biologica; wissenschaftliche Mitteilungen der Senckenbergischen naturforschenden Gesellschaft.
- Sendtner = Sendtner; Mitteilungen der Botanischen Staatsammlung und des Instituts für systematische Botanik der Universität München.
- Sendulsky, T. 1978. *Brachiara*: Taxonomy of cultivated and native species in Brazil. *Hoehnea* 7: 99–139.
- Sharma, M. P. and W. H. Vanden Born. 1978. The biology of Canadian weeds. 27. *Avena fatua* L. *Canad. J. Pl. Sci.* 58: 141–157.
- Shaw, R. B. and F. E. Smeins. 1981. Some anatomical and morphological characteristics of the North American species of *Eriochloa* (Poaceae: Paniceae). *Bot. Gaz.* 142: 534–544.
- Shaw, R. B. and R. D. Webster. 1987. The genus *Eriochloa* (Poaceae: Paniceae) in North and Central America. *Sida* 12: 165–207.
- Shechter, Y. 1969. Electrophoretic investigation of the hybrid origin of *Oryzopsis contracta*. *Advancing Frontiers Pl. Sci.* 23: 19–25.
- Shechter, Y. and B. L. Johnson. 1968. The probable origin of *Oryzopsis contracta*. *Amer. J. Bot.* 55: 611–618.
- Shelly, J. S. 1987. Rediscovery and preliminary studies of *Trisetum orthochaetum*, Missoula County, Montana. [Abstract.] *Proc. Montana Acad. Sci.* 47: 3–4.
- Sida = Sida; Contributions to Botany.
- Simmons, M. P., D. M. E. Ware, and W. J. Hayden. 1995. The vascular flora of the Potomac River watershed of King George County, Virginia. *Castanea* 60: 179–200.
- Simon, B. K. 1972. A revision of the genus *Sacciolepis* (Gramineae) in the "Flora Zambesiaca" area. *Kew Bull.* 27: 387–406.
- Simon, B. K. 1992. *Themeda*. In: J. R. Wheeler, ed. 1992. *Flora of the Kimberley Region*. Como, W.A. Pp. 1227–1228.
- Simon, B. K. and S. W. L. Jacobs. 1999. Revision of the genus *Sporobolus* (Poaceae, Chloridoideae) in Australia. *Austral. J. Bot.* 12: 375–448.
- Simon, B. K. and S. W. L. Jacobs. 2003. *Megathyrsus*, a new generic name for *Panicum* subgenus *Megathyrsus*. *Austrobaileya* 6: 571–574.
- Simpson, M. G., S. C. McMillan, and B. L. Stone. 1995. Checklist of the Vascular Plants of San Diego County. San Diego.

- Skojac, D., M. S. Devall, and B. R. Parresol. 2003. Additions to the flora of Cleveland County, Arkansas: Collections from Moro Bottoms Natural Area, as state-protected old-growth bottomland forest. *Sida* 20: 1731–1736.
- Skr. Svalbard Nordishavet = Skrifter om Svalbard og Nordishavet.
- Smith, C. F. 1976. A Flora of the Santa Barbara Region, California. Santa Barbara.
- Smith, E. B. 1988. An Atlas and Annotated List of the Vascular Plants of Arkansas. Fayetteville, Ark.
- Smith, E. B. 1991. An Atlas and Annotated List of the Vascular Plants of Arkansas, ed. 2. Fayetteville, Ark.
- Smith, G. L. and C. R. Wheeler. 1990–1991. A flora of the vascular plants of Mendocino County, California. *Wasmann J. Biol.* 48–49(1–2).
- Smith, J. P. Jr. 1971. Taxonomic revision of the genus *Gymnopogon* (Gramineae). *Iowa State Coll. J. Sci.* 45: 319–385.
- Smithsonian Contr. Bot. = Smithsonian Contributions to Botany.
- Snow, N. 1992–1994. The vascular flora of southeastern Yellowstone National Park and the headwaters region of the Yellowstone River, Wyoming. *Wasmann J. Biol.* 50(1–2): 52–95.
- Snow, N. 1997. Phylogeny and Systematics of *Leptochloa* P. Beauv. *Sensu Lato*. Ph.D. dissertation. Washington University.
- Snow, N. 1998. Nomenclatural changes in *Leptochloa* P. Beauvois sensu lato (Poaceae, Chloridoideae). *Novon* 8: 77–80.
- Snyder, L. A. 1950. Morphological variability and hybrid development in *Elymus glaucus*. *Amer. J. Bot.* 37: 628–636.
- Snyder, L. A. 1951. Cytology of inter-strain hybrids and the probable origin of variability in *Elymus glaucus*. *Amer. J. Bot.* 38: 195–202.
- Soderstrom, T. R. 1967. Taxonomic study of subgenus *Podosemum* and section *Epicampes* of *Muhlenbergia* (Gramineae). *Contr. U.S. Natl. Herb.* 34: 75–189.
- Soderstrom, T. R. 1980. A new species of *Lithachne* (Poaceae: Bambusoideae) and remarks on its sleep movements. *Brittonia* 32: 495–501.
- Soderstrom, T. R. 1981. The grass subfamily Centostecoideae [sic]. *Taxon* 30: 614–616.
- Soderstrom, T. R. and H. F. Decker. 1965. *Allolepis*: A new segregate of *Distichlis* (Gramineae). *Madroño* 18: 33–64.
- Soderstrom, T. R. and R. P. Ellis. 1987. The position of bamboo genera and allies in a system of grass classification. In: T. R. Soderstrom et al., eds. 1987. *Grass Systematics and Evolution*. Washington. Pp. 225–238.
- Soderstrom, T. R. and R. P. Ellis. 1988. The woody bamboos (Poaceae: Bambuseae) of Sri Lanka: A morphological-anatomical study. *Smithsonian Contr. Bot.* 72: 1–75.
- Soderstrom, T. R., K. W. Hilu, C. S. Campbell, and M. E. Barkworth, eds. 1987. *Grass Systematics and Evolution*. Washington.

- Soenarko, S. 1977. The genus *Cymbopogon* Sprengel (Gramineae). *Reinwardtia* 9: 225–375.
- Sohns, E. R. 1955. *Cenchrus* and *Pennisetum*: Fascicle morphology. *J. Wash. Acad. Sci.* 45: 135–143.
- Sohns, E. R. 1956. The genus *Hilaria*. *J. Wash. Acad. Sci.* 46: 311–321.
- Soreng, R. J. 1985. *Poa* L. in New Mexico with a key to middle and southern Rocky Mountain species. *Great Basin Naturalist* 45: 395–422.
- Soreng, R. J. 1991. Notes on new infraspecific taxa and hybrids in North American *Poa* (Poaceae). *Phytologia* 71: 340–413.
- Soreng, R. J. 1991b. Systematics of the "Epiles" group of *Poa* (Poaceae). *Syst. Bot.* 16: 507–528.
- Soreng, R. J. 1993. *Poa*. In: J. C. Hickman, ed. 1993. *The Jepson Manual. Higher Plants of California*. Berkeley, Los Angeles, and London. Pp. 1284–1291.
- Soreng, R. J. 1998. An infrageneric classification for *Poa* in North America, and other notes on sections, species, and subspecies of *Poa*, *Puccinellia*, and *Dissanthelium* (Poaceae). *Novon* 8: 187–202.
- Soreng, R. J. 2005. Miscellaneous chromosome number reports for *Poa* L. (Poaceae) in North America. *Sida* 22: 2195–2203.
- Soreng, R. J. and J. I. Davis. 1998. Phylogenetics and character evolution in the grass family (Poaceae): Simultaneous analysis of morphological and chloroplast DNA restriction site character sets. *Bot. Rev. (Lancaster)* 64: 1–85.
- Soreng, R. J. and J. I. Davis. 2000. Phylogenetic structure in Poaceae subfamily Pooideae as inferred from molecular and morphological characters: Misclassification versus reticulation. In: S. W. L. Jacobs and J. Everett, eds. 2000. *Grasses: Systematics and Evolution*. Collingwood. Pp. 61–74.
- Soreng, R. J., J. I. Davis, and J. J. Doyle. 1990. A phylogenetic analysis of chloroplast DNA restriction site variation in Poaceae subfam. Pooideae. *Pl. Syst. Evol.* 172: 83–97.
- Soreng, R. J. and E. E. Terrell. 1997. Taxonomic notes on *Schedonorus*, a segregate genus from *Festuca* or *Lolium*, with a new nothogenus, *×Schedololium*, and new combinations. *Phytologia* 83: 85–88.
- Soreng, R. J., E. E. Terrell, J. H. Wiersema, and S. J. Darbyshire. 2001. Proposal to conserve the name *Schedonorus arundinaceus* (Schreb.) Dumort. against *Schedonorus arundinaceus* Roem. & Schult. (Poaceae: Poaeae). *Taxon* 50: 915–917.
- Sørensen, T. J. 1933. The vascular plants of East Greenland from 71° 00' to 73° 30' N. lat. *Meddel. Grønland* 101(3): 1–177.
- Sørensen, T. J. 1943. The flora of Melville Bugt. *Meddel. Grønland* 124(5): 1–70.
- Sørensen, T. J. 1953. A revision of the Greenland species of *Puccinellia* Parl. with contributions to our knowledge of the arctic *Puccinellia* flora in general. *Meddel. Grønland* 136: 1–169.

- Sørensen, T. J. 1955. *Puccinellia agrostidea*, *P. bruggemannii*, *P. poacea*. In: A. E. Porsild. The vascular plants of the western Canadian Arctic Archipelago. Bull. Natl. Mus. Canada 135: 78–82.
- Sorrie, B. A. 1987. Notes on the rare flora of Massachusetts. Rhodora 89: 113–196.
- Sorrie, B. A. 1998. Noteworthy collections. Madroño 63: 496–500.
- Sorrie, B. A. and P. W. Dunwiddie. 1990. *Amphicarpum purshii* (Poaceae), a genus and species new to New England. Rhodora 92: 105–107.
- Sorrie, B. A. and S. W. Leonard. 1999. Noteworthy records of Mississippi vascular plants. Sida 18: 889–908.
- Sorrie, B. A. and P. Somers. 1999. The Vascular Plants of Massachusetts: A County Checklist. Westborough.
- Sorrie, B. A., B. Van Eerden, and M. J. Russo. 1997. Noteworthy plants from Fort Bragg and Camp MacKall, North Carolina. Castanea 62: 239–259.
- SouthE. Naturalist = Southeastern Naturalist.
- SouthW. Naturalist = Southwestern Naturalist.
- Soza, V. L. 2000. Noteworthy collections. Madroño 47: 141–142.
- Spalton, L. M. 2001. Brome-grasses with small lemmas. B S B I News 87: 21–23.
- Spalton, L. M. 2002. An analysis of the characters of *Bromus racemosus* L., *B. commutatus* Schrad. and *B. secalinus* L. (Poaceae). Watsonia 24: 193–202.
- Spangler, R. 2000. Andropogoneae systematics and generic limits in *Sorghum*. In: S. W. L. Jacobs and J. Everett, eds. 2000. Grasses: Systematics and Evolution. Collingwood. Pp. 167–170.
- Sparks, L. H., R. del Moral, A. F. Watson, and A. R. Kruckeberg. 1976. The distribution of vascular plant species on Sergief Island, southeast Alaska. Syesis 10: 1–9.
- Special Pap. Geol. Soc. Amer. = Special Papers of the Geological Society of America.
- Spellenberg, R., D. Anderson, and R. Brozka. 1993. Noteworthy collections. Madroño 40: 136–138.
- Spicher, D. and M. Josselyn. 1985. *Spartina* (Gramineae) in northern California: Distribution and taxonomic notes. Madroño 32: 158–167.
- Spribille, T. 2002. Noteworthy collections. Madroño 59: 55–58.
- Sta. Bull. New Hampshire Agric. Exp. Sta. = Station Bulletin, New Hampshire Agricultural Experiment Station.
- Stace, C. A. 1975b. Wild hybrids in the British flora. In: S. M. Walters, ed. 1975. European Floristic and Taxonomic Studies: A Conference Held in Cambridge, 29 June to 2 July 1974. Faringdon. Pp. 111–125.
- Stace, C. A. 1978. Notes on *Cutandia* and related genera. Bot. J. Linn. Soc. 76: 350–352.
- Stace, C. A. 1987. Triticale: A case of nomenclatural mistreatment. Taxon 36: 445–452.

- Stafleu, F. A. and R. S. Cowan. 1976–1988. Taxonomic Literature: A Selective Guide to Botanical Publications and Collections with Dates, Commentaries and Types, ed. 2. 7 vols. Utrecht etc.
- Stafleu, F. A. and E. A. Mennega. 1992+. Taxonomic Literature: A Selective Guide to Botanical Publications and Collections with Dates, Commentaries and Types. Supplement. 6+ vols. Königstein.
- Stalter, R. and E. E. Lamont. 1996. Noteworthy collections. *Castanea* 61: 396–397.
- Stalter, R. and J. Tamory. 1999. The vascular flora of Biscayne National Park, Florida. *Sida* 18: 1207–1226.
- Stanley, T. D. and E. M. Ross. 1983–1989. Flora of South-eastern Queensland. 3 vols. Brisbane.
- Stapleton, C. M. A. 1994. The bamboos of Nepal and Bhutan, part 1: *Bambusa*, *Dendrocalamus*, *Melocanna*, *Cephalostachyum*, *Teinostachyum*, and *Pseudostachyum* (Gramineae: Poaceae, Bambusoideae). *Edinburgh J. Bot.* 51: 1–32.
- Stapleton, C. M. A. 1997. Morphology of woody bamboos. In: G. P. Chapman, ed. 1997. *The Bamboos*. San Diego. Pp. 251–267.
- Stapleton, C. M. A. 1998. Form and function in the bamboo rhizome. *J. Amer. Bamboo Soc.* 12: 21–29.
- Stapleton, C. M. A. 2002. *Bambusa ventricosa* versus *Bambusa tuldooides*. *Bamboo* 23: 17–18.
- Stapleton, C. M. A., G. N. Chonghaile, and T. R. Hodgkinson. 2004. *Sarocalamus*, a new Sino-Himalayan bamboo genus (Poaceae–Bambusoideae). *Novon* 14: 345–349.
- State Univ. Iowa Stud. Nat. Hist. = State University of Iowa Studies in Natural History.
- Stebbins, G. L. 1947. The origin of the complex of *Bromus carinatus* and its phylogeographic implications. *Contr. Gray Herb.* 165: 42–55.
- Stebbins, G. L. 1957. The hybrid origin of microspecies in the *Elymus glaucus* complex. In: *International Genetics Symposia. 1957. Proceedings of the International Genetics Symposia, 1956: Tokyo & Kyoto, September, 1956.* Tokyo. Pp. 336–340.
- Stebbins, G. L. and L. A. Snyder. 1956. Artificial and natural hybrids in the Gramineae, tribe Hordeae. IX. Hybrids between western and eastern North American species. *Amer. J. Bot.* 43: 305–312.
- Stebbins, G. L. and H. A. Tobgy. 1944. The cytogenetics of hybrids in *Bromus* I. Hybrids within the section *Ceratochloa*. *Amer. J. Bot.* 31: 1–11.
- Stebbins, G. L. and D. Zohary. 1959. Cytogenetic and evolutionary studies in the genus *Dactylis*. *Univ. Calif. Publ. Bot.* 31: 1–40.
- Steel, M. G., P. B. Cavers, and S. M. Lee. 1983. The biology of Canadian weeds. 59. *Setaria glauca* (L.) Beauv. and *S. verticillata* (L.) Beauv. *Canad. J. Pl. Sci.* 63: 711–725.
- Steen, N. W., R. Elven, and I. Nordal. 2004. Hybrid origin of the arctic *×Pucciphippsia vacillans* (Poaceae): Evidence from Svalbard plants. *Pl. Syst. Evol.* 245: 215–238.

- Stephenson, S. N. 1971. The biosystematics and ecology of the genus *Brachyelytrum* (Gramineae) in Michigan. *Michigan Bot.* 10: 19–33.
- Stern, R. J. 1983. Morphometric and Phenologic Variability in *Ammophila breviligulata* Fernald. M.S. thesis. University of Vermont.
- Steury, B. W. 2000. Noteworthy collections. Maryland: *Sporobolus indicus* (L.) R. Br. (Poaceae). *Castanea* 65: 168.
- Stevens, O. A. 1963. Handbook of North Dakota Plants. Fargo.
- Stevenson, G. A. 1965. Notes on the more recently adventive flora of the Brandon area, Manitoba. *Canad. Field-Naturalist* 79: 174–177.
- Stewart, H. and R. J. Hebda. 2000. Grasses of the Columbia Basin of British Columbia. Victoria.
- Steyermark, J. A. 1963. Flora of Missouri. Ames.
- Stickney, P. F. 1961. Range of rough fescue (*Festuca scabrella* Torr.) in Montana. *Proc. Montana Acad. Sci.* 20: 12–17.
- Stiles, B. J. and C. L. Howel. 1998. Floristic survey of Rabun County, Georgia, part II. *Castanea* 63: 154–160.
- Stuart, J. D., T. Worley, and A. C. Buell. 1996. Plant associations of Castle Crags State Park, Shasta County, California. *Madroño* 43: 273–291.
- Sun, G. L. and B. Salomon. 2003. Microsatellite variability and heterozygote deficiency in the arctic-alpine Alaskan wheatgrass (*Elymus alaskanus*) complex. *Genome* 46: 729–737.
- Sun, G. L., B. Salomon, and R. von Bothmer. 1998. Characterization of microsatellite loci from *Elymus alaskanus* and length polymorphism in several *Elymus* species (Triticeae: Poaceae). *Genome* 41: 455–463.
- Sun, G. L., Tang H., and B. Salomon. 2006. Molecular diversity and relationships of North American *Elymus trachycaulus* and the Eurasian *E. caninus* species. *Genetica* 127: 55–64.
- Sundell, E. et al. 1999. Noteworthy vascular plants from Arkansas. *Sida* 18: 877–887.
- Sundell, E., R. D. Thomas, C. Amason, and C. H. Doffitt. 2002. Noteworthy vascular plants from Arkansas. II. *Sida* 20: 409–418.
- Svensk Bot. Tidskr. = Svensk Botanisk Tidskrift Utgifven af Svenska Botaniska Föreningen.
- Svitashev, S., T. Bryngelsson, Li X., and R. R.-C. Wang. 1998. Genome-specific repetitive DNA and RAPD markers for genome identification in *Elymus* and *Hordelymus*. *Genome* 41: 120–128.
- Svitashev, S., B. Salomon, T. Bryngelsson, and R. von Bothmer. 1996. A study of 28 *Elymus* species using repetitive DNA sequences. *Genome* 39: 1093–1101.
- Swallen, J. R. 1931. The grass genus *Amphibromus*. *Amer. J. Bot.* 18: 411–415.
- Swallen, J. R. 1932. Five new grasses from Texas. *Amer. J. Bot.* 19: 436–442.
- Swallen, J. R. 1941. New species, names, and combinations of grasses. *Proc. Biol. Soc. Wash.* 54: 43–46.

- Swallen, J. R. 1944. The Alaskan species of *Puccinellia*. J. Wash. Acad. Sci. 34: 16–32.
- Swallen, J. R. 1965. The grass genus *Luziola*. Ann. Missouri Bot. Gard. 52: 472–475.
- Swallen, J. R. and O. Tovar. 1965. The grass genus *Dissanthelium*. Phytologia 11: 361–376.
- Swink, F. and G. S. Wilhelm. 1994. Plants of the Chicago Region: An Annotated Checklist of the Vascular Flora..., ed. 4. Indianapolis.
- Symb. Bot. Upsal. = Symbolae Botanicae Upsalienses; Arbeten från Botaniska Institutionen i Uppsala.
- Syst. Bot. = Systematic Botany; Quarterly Journal of the American Society of Plant Taxonomists.
- Syst. Bot. Monogr. = Systematic Botany Monographs; Monographic Series of the American Society of Plant Taxonomists.
- Talbot, S. S. et al. 1999. Atlas of Rare Endemic Vascular Plants of the Arctic. Anchorage. [U.S.D.I. Fish Wildlife Serv., CAFF Techn. Rep. 3.]
- Tateoka, T. 1960. Cytology in grass systematics: A critical review. Nucleus (Calcutta) 3: 81–110.
- Tateoka, T. 1961. A biosystematic study of *Tridens* (Gramineae). Amer. J. Bot. 48: 565–573.
- Taxon = Taxon; Journal of the International Association for Plant Taxonomy.
- Taylor, R. J. and C. E. Taylor. 1980. Status Report on *Calamovilfa arcuata*. Knoxville.
- Taylor, R. J. and C. E. Taylor. 1987. Additions to the vascular flora of Oklahoma—IV. Sida 12: 233–237.
- Tercek, M. T., D. P. Hauber, and S. P. Darwin. 2002. Genetic and historical relationships among thermally adapted *Agrostis* (bentgrass) of North America and Kamchatka: Evidence for a previously unrecognized, thermally adapted taxon. Amer. J. Bot. 90: 1306–1312.
- Terrell, E. E. 1968. A Taxonomic Revision of the Genus *Lolium*. Washington. [U.S.D.A. Agric. Res. Serv., Techn. Bull. 1392.]
- Terrell, E. E. et al. 2000. Annotated List of the Flora of the Beltsville Agricultural Research Center, Beltsville, Maryland. Beltsville.
- Terrell, E. E. and L. R. Batra. 1982. *Zizania latifolia* and *Ustilago esculenta*, a grass-fungus association. Econ. Bot. 36: 274–285.
- Terrell, E. E., W. H. P. Emery, and H. E. Beaty. 1978. Observations on *Zizania texana* (Texas wildrice), an endangered species. Bull. Torrey Bot. Club 105: 50–57.
- Terrell, E. E., P. M. Peterson, J. L. Reveal, and M. R. Duvall. 1997. Taxonomy of North American species of *Zizania* (Poaceae). Sida 17: 533–549.
- Terrell, E. E., P. M. Peterson, and W. P. Wergin. 2001. Epidermal features and spikelet micromorphology in *Oryza* and related genera (Poaceae: Oryzaceae). Smithsonian Contr. Bot. 91: 1–50.
- Terrell, E. E. and J. L. Reveal. 1996. Noteworthy collections. Castanea 61: 95–96.

- Terrell, E. E. and H. Robinson. 1974. Luziolinae, a new subtribe of oryzoid grasses. Bull. Torrey Bot. Club 101: 235–245.
- Thellung, A. 1912. La Flore Adventice de Montpellier. Cherbourg. [Preprinted from Mém. Soc. Sci. Nat. Math. Cherbourg 38: 57–728. 1912.]
- Theor. Appl. Genet. = Theoretical and Applied Genetics; International Journal of Breeding Research and Cell Genetics.
- Thieret, J. W. 1956. Synopsis of the genus *Calamovilfa* (Gramineae). Castanea 31: 145–152.
- Thomas, R. D. 2002. *Cynosurus echinatus* (Poaceae) new to Texas. Sida 20: 837.
- Thomasson, J. R. 1978. Epidermal patterns of the lemma in some fossil and living grasses and their phylogenetic significance. Science, ser. 2, 199: 975–977.
- Thomasson, J. R. 1979. Late Cenozoic grasses and other angiosperms from Kansas, Nebraska, and Colorado: Biostratigraphy and relationships to living taxa. Bull. Kansas Geol. Surv. 218.
- Thomasson, J. R. 1984. A new record of *Melica subulata* (Gramineae) from the northern Black Hills of South Dakota. Amer. Midl. Naturalist 112: 208.
- Thompson, R. L. 2001. Botanical Survey of Myrtle Island Research Natural Area, Oregon. Portland. [U.S.D.A. Forest Serv., Gen. Techn. Rep. PNW-GTR-507.]
- Thompson, R. L., R. L. Jones, J. R. Abbott, and W. N. Denton. 2000. Botanical Survey of Rock Creek Research Natural Area, Kentucky. Newton Square, Pa. [U.S.D.A. Forest Serv., Gen. Techn. Rep. NE-272.]
- Thompson, R. L. and J. R. Skeese. 2005. Vascular flora of Golden and Silver Falls State Natural Area in the Oregon Coast Range, Coos County, Oregon. Madroño 52: 215–221.
- Thorne, R. F. 1955. The flora of Johnson County, Iowa. Proc. Iowa Acad. Sci. 62: 155–196.
- Thorne, R. F., B. A. Prigge, and J. Henrickson. 1981. A flora of the higher ranges and the Kelso Dunes of the eastern Mojave Desert in California. Aliso 10: 71–186.
- Thurber, G. 1880. *Melica*. In: W. H. Brewer et al. 1876–1880. Geological Survey of California.... Botany.... 2 vols. Cambridge, Mass. Vol. 2, pp. 302–305.
- Titus, J. H., S. Moore, M. Arnot, and P. J. Titus. 1998. Inventory of the vascular flora of the blast zone, Mount St. Helens, Washington. Madroño 45: 146–161.
- Torres, M. A. 1993. Revisión del Género *Stipa* (Poaceae) en la Provincia de Buenos Aires. La Plata.
- Tovar, O. 1993. Las gramíneas (Poaceae) del Perú. Ruizia 13.
- Towne, E. G. 2002. Vascular plants of Konza Prairie Biological Station: An annotated checklist of species in a Kansas tallgrass prairie. Sida 20: 269–294.
- Towne, E. G. and I. Barnard. 2000. *Themeda quadrivalvis* (Poaceae: Andropogoneae) in Kansas: An exotic plant introduced from birdseed. Sida 19: 201–203.
- Trans. Amer. Microscop. Soc. = Transactions of the American Microscopical Society.
- Trans. Kansas Acad. Sci. = Transactions of the Kansas Academy of Science.
- Trans. Kentucky Acad. Sci. = Transactions of the Kentucky Academy of Science.

- Trans. Wisconsin Acad. Sci. = Transactions of the Wisconsin Academy of Sciences, Arts and Letters.
- Trent, J. S. and K. W. Allred. 1990. A taxonomic comparison of *Aristida ternipes* and *Aristida hamulosa* (Gramineae). Sida 14: 251–261.
- Trop. Ecol. = Tropical Ecology; Official Publication of the International Society for Tropical Ecology.
- Tucker, G. C. 1996. The genera of Pooideae (Gramineae) in the southeastern United States. Harvard Pap. Bot. 9: 11–90.
- Türk Bot. Derg. = Türk Botanik Dergisi.
- Turner, B. L. 2004. *Sporobolus coahuilensis* (Poaceae): A new record for the U.S.A. from Trans-Pecos, Texas. Sida 21: 455–457.
- Turner, B. L., H. Nichols, G. Denny, and O. Doron. 2003. Atlas of the Vascular Plants of Texas. 2 vols. Fort Worth. [Sida Bot. Misc. 24.]
- Turrill, W. B., E. Milne-Redhead, C. E. Hubbard, and R. M. Polhill, eds. 1952+. Flora of Tropical East Africa. 152+ vols. London and Rotterdam. [Vols. by family, unnumbered, some in parts.]
- Tutin, T. G. 1952. Origin of *Poa annua* L. Nature 169: 160
- Tutin, T. G. 1980. *Nardus*. In: T. G. Tutin et al., eds. 1964–1980. Flora Europaea. 5 vols. Cambridge. Vol. 5, p. 255.
- Tutin, T. G. 1980b. *Piptatherum*. In: T. G. Tutin et al., eds. 1964–1980. Flora Europaea. 5 vols. Cambridge. Vol. 5, pp. 246–247.
- Tutin, T. G. et al., eds. 1964–1980. Flora Europaea. 5 vols. Cambridge.
- Tzvelev, N. N. 1975. On the possibility of despecialization by hybridogenesis for explaining the evolution of the Triticeae (Poaceae). [In Russian.] Zhurn. Obshchei Biol. 36: 90–99.
- Tzvelev, N. N. 1976. Zlaki SSSR. Leningrad.
- Tzvelev, N. N. 1977. On the origin and evolution of the feathergrasses (*Stipa* L.). [In Russian.] In: D. V. Lebedev and Z. V. Karamysheva, eds. 1977. Problemy Ekologii, Geobotaniki, Botanicheskoi Geografii i Floristiki. Leningrad. Pp. 139–150.
- Tzvelev, N. N. 1995. *Alopecurus*. In: J. G. Packer, ed. 1995+. Flora of the Russian Arctic.... 3+ vols. Edmonton. Vol. 1, pp. 106–114.
- Tzvelev, N. N. 1995b. *Deschampsia*. In: J. G. Packer, ed. 1995+. Flora of the Russian Arctic.... 3+ vols. Edmonton. Vol. 1, pp. 150–163.
- Tzvelev, N. N. 1995c. *Leymus*. In: J. G. Packer, ed. 1995+. Flora of the Russian Arctic.... 3+ vols. Edmonton. Vol. 1, pp. 300–306.
- Tzvelev, N. N. 1995d. *Puccinellia*. In: J. G. Packer, ed. 1995+. Flora of the Russian Arctic.... 3+ vols. Edmonton. Vol. 1, pp. 237–263.
- Ujhely, J. 1972. Evolutionary problems of the European koelerias. In: G. Vida, ed. 1972. Evolution in Plants. Budapest. Pp. 163–176.

- Univ. Calif. Publ. Bot. = University of California Publications in Botany.
- Urban, K. A. 1971. Common Plants of Craters of the Moon National Monument. Arco.
- Valdés-Reyna, J. and S. L. Hatch. 1997. A revision of *Erioneuron* and *Dasyochloa* (Poaceae: Eragrostideae). *Sida* 17: 645–666.
- Van den Borre, A. 1994. A Taxonomy of the Chloridoideae (Poaceae), with Special Reference to the Genus *Eragrostis*. Ph.D. dissertation. Australian National University.
- Van den Borre, A. and L. Watson. 1997. On the classification of the Chloridoideae (Poaceae). *Austral. Syst. Bot.* 10: 491–531.
- Van den Borre, A. and L. Watson. 2000. On the classification of the Chloridoideae: Results from morphological and leaf anatomical data analyses. In: S. W. L. Jacobs and J. Everett, eds. 2000. *Grasses: Systematics and Evolution*. Collingwood. Pp. 180–183.
- van Slageren, M. W. 1994. Wild Wheats: A Monograph of *Aegilops* L. and *Amblyopyrum* (Jaub. & Spach) Eig (Poaceae). Wageningen. [Wageningen Agric. Univ. Pap. 94-7.]
- van Welzen, P. C. 1981. A taxonomic revision of *Arthraxon* Beauv. (Gramineae). *Blumea* 27: 255–300.
- Vanderhorst, J. P. 1993. Flora of the Flat Tops, White River Plateau, and Vicinity in Northwestern Colorado. M.S. thesis. University of Wyoming.
- Vásquez, E. M. and M. E. Barkworth. 2004. Resurrection and emendation of *Macrochloa* (Gramineae: Stipeae). *Bot. J. Linn. Soc.* 144: 483–495.
- Vaughan, D. A. 1989. The Genus *Oryza* L.: Current Status of Taxonomy Los Baños. [I R R I Res. Pap. Ser. 138.]
- Vaughn, J. M. 1981. Systematics of *Aristida dichotoma*, *basiramea*, and *curtissii* (Poaceae). M.S. thesis. University of Oklahoma.
- Vega, A. S. 2000. Revisión taxonómica de las especies Americanas del género *Bothriochloa* (Poaceae: Panicoideae: Andropogoneae). *Darwiniana* 38: 127–186.
- Veldkamp, J. F. 1973. A revision of *Digitaria* in Malesia. *Blumea* 21: 1–80.
- Veldkamp, J. F. 1990. *Bromus luzonensis* is the correct name for *Bromus breviaristatus* Buckl. (Gramineae). *Taxon* 39: 660.
- Veldkamp, J. F. 1996. *Brachiaria*, *Urochloa* (Gramineae–Paniceae) in Malesia. *Blumea* 41: 413–437.
- Veldkamp, J. F. 1999. A revision of *Chrysopogon* Trin. including *Vetiveria* Bory (Gramineae) in Thailand and Malesia with notes on some other species from Africa and Australia. *Austrobaileya* 5: 503–533.
- Veldkamp, J. F. 2004. Miscellaneous notes on mainly southeast Asian Gramineae. *Reinwardtia* 12: 135–140.
- Veldkamp, J. F., R. de Koning, and M. S. M. Sosef. 1986. Generic delimitation of *Rottboellia* and related genera (Gramineae). *Blumea* 31: 281–307.

- Verboom, G. A., H. P. Linder, and N. P. Barker. 1994. Haustorial synergids: An important character in the systematics of danthonioid grasses (Arundinoideae: Poaceae). *Amer. J. Bot.* 81: 1601–1610.
- Vergagno Gambi, O. 1965. Osservazioni sullo sviluppo di *Lagurus ovatus* L. *Giorn. Bot. Ital.* 72: 243–254.
- Vermont Botanical and Bird Club. 1973. Check List of Vermont Plants, Including All Vascular Plants Growing without Cultivation. Burlington.
- Vickery, J. W. 1956. A revision of the Australian species of *Danthonia* DC. *Contr. New South Wales Natl. Herb.* 2: 249–325.
- Vickery, J. W. 1975. Flora of New South Wales. No. 19. Gramineae. Part 2. Sydney.
- Vida, G. 1972. Evolution in Plants. Budapest. [Symp. Biol. Hung. 12.]
- Vilkomerson, H. 1950. The unusual meiotic behavior of *Elymus wiegandii*. *Exp. Cell Res.* 1: 534–542.
- Villamil, C. B. 1969. El género *Monanthochloë* (Gramineae): Estudios morfológicos y taxonómicos con especial referencia a la especie Argentina. *Kurtziana* 5: 369–391.
- Vogel, K. P., K. J. Moore, and L. E. Moser. 1996. Bromegrasses. In: L. E. Moser et al., eds. 1996. Cool-Season Forage Grasses. Madison. Pp. 535–567.
- Voss, E. G. 1972–1996. Michigan Flora.... 3 vols. Bloomfield Hills and Ann Arbor.
- Wagenknecht, B. L. 1954. The flora of Washington County, Iowa. *Proc. Iowa Acad. Sci.* 61: 184–204.
- Wagnon, H. K. 1950. Three new species and one new form in *Bromus*. *Leafl. W. Bot.* 6: 64–69.
- Wagnon, H. K. 1952. A revision of the genus *Bromus*, section *Bromopsis*, of North America. *Brittonia* 7: 415–480.
- Walker, P. J., C. A. Paris, and D. S. Barrington. 1998. Taxonomy and phylogeography of the North American beachgrasses. [Abstract.] *Amer. J. Bot.* 85(6, suppl.): 87.
- Walsh, N. G. 1994. *Cortaderia*. In: D. B. Foreman et al., eds. 1993–1999. Flora of Victoria. 4 vols. Melbourne and Sydney. Vol. 2, pp. 546–548.
- Walters, S. M., ed. 1975. European Floristic and Taxonomic Studies: A Conference Held in Cambridge, 29 June to 2 July 1974. Faringdon. [B.S.B.I. Conf. Rep. 15.]
- Walters, T. E., D. S. Decker-Walters, and D. R. Gordon. 1994. Restoration considerations for wiregrass (*Aristida stricta*): Allozymic diversity of populations. *Conservation Biol.* 8: 581–585.
- Wang, C. P., Yu Z. H., and Ye G. H. 1980. A taxonomical study of *Phyllostachys* in China. *Acta Phytotax. Sin.* 18: 15–19, 168–193.
- Wang, R. R.-C. et al. 2006. Variations in abundance of 2 repetitive sequences in *Leymus* and *Psathyrostachys* species. *Genome* 49: 511–519.

- Wang, R. R.-C., D. R. Dewey, and C. Hsiao. 1986. Genome analysis of the tetraploid *Pseudoroegneria tauri*. *Crop Sci. (Madison)* 26: 723–727.
- Wang, R. R.-C. and K. B. Jensen. 1994. Absence of J genome in *Leymus* species (Poaceae: Triticeae): Evidence from DNA hybridization and meiotic pairing. *Genome* 37: 231–235.
- Ward, G. H. 1948. A Flora of Chelan County, Washington. M.S. thesis. State College of Washington [Washington State University].
- Warwick, S. I. 1979. The biology of Canadian weeds. 37. *Poa annua* L. *Canad. J. Pl. Sci.* 59: 1053–1066.
- Warwick, S. I. and S. G. Aiken. 1986. Electrophoretic evidence for the recognition of two species in annual wild rice (*Zizania*, Poaceae). *Syst. Bot.* 11: 464–473.
- Warwick, S. I. and L. D. Black. 1983. The biology of Canadian weeds. 61. *Sorghum halepense* (L.) Pers. *Canad. J. Pl. Sci.* 63: 997–1014.
- Warwick, S. I., L. D. Black, and B. F. Zilkey. 1985. The biology of Canadian weeds. 72. *Apera spica-venti* (L.) Beauv. *Canad. J. Pl. Sci.* 65: 711–721.
- Warwick, S. I., B. K. Thompson, and L. D. Black. 1987. Genetic variation in Canadian and European populations of the colonizing weed species *Apera spica-venti*. *New Phytol.* 106: 301–317.
- Washington Native Plant Society. 1991. Plant Life of Washington State. Seattle. [Douglasia Occas. Pap. 4.]
- Wasmann J. Biol. = Wasmann Journal of Biology.
- Watson, L., H. T. Clifford, and M. J. Dallwitz. 1985. The classification of the Poaceae: Subfamilies and supertribes. *Austral. J. Bot.* 33: 433–484.
- Watson, L. and M. J. Dallwitz. 1992. The Grass Genera of the World. Wallingford.
- Watson, W. C. 1989. The vascular flora of Pilot Knob State Preserve. *J. Iowa Acad. Sci.* 96: 6–13.
- Watsonia = Watsonia; Journal of the Botanical Society of the British Isles.
- Watt, G. 1904. *Coix* spp. or Job's tears: A review of all available information. *Agric. Ledger* 13: 189–229.
- Weakley, A. S. and P. M. Peterson. 1998. Taxonomy of the *Sporobolus floridanus* complex (Poaceae: Sporobolinae). *Sida* 18: 247–270.
- Webbia = Webbia; Raccolta di Scritti Botanici.
- Weber, W. A. 1984. A new genus of grasses from the western oil shales. *Phytologia* 55: 1–2.
- Weber, W. A. 1995. Checklist of Vascular Plants of Boulder County, Colorado. Boulder. [Nat. Hist. Invent. Colorado 16.]
- Webster, R. D. 1981. A Biosystematic Study of the *Digitaria sanguinalis* Complex in North America (Poaceae). Ph.D. dissertation. Texas A&M University.
- Webster, R. D. 1983. A revision of the genus *Digitaria* Haller (Paniceae: Poaceae) in Australia. *Brunonia* 6: 131–216.

- Webster, R. D. 1987. Taxonomy of *Digitaria* section *Digitaria* in North America (Poaceae: Paniceae). *Sida* 12: 209–222.
- Webster, R. D. 1987b. The Australian Paniceae (Poaceae). Berlin and Stuttgart.
- Webster, R. D. and S. L. Hatch. 1981. Taxonomic relationships of Texas specimens of *Digitaria ciliaris* and *Digitaria bicornis* (Poaceae). *Sida* 9: 34–42.
- Webster, R. D. and S. L. Hatch. 1990. Taxonomy of *Digitaria* section *Aequiglumae* (Poaceae: Paniceae). *Sida* 14: 145–167.
- Webster, R. D. and R. B. Shaw. 1995. Taxonomy of the North American species of *Saccharum* (Poaceae: Andropogoneae). *Sida* 16: 551–580.
- Weed Technol. = Weed Technology; a Journal of the Weed Science Society of America.
- Weimarck, G. 1971. Variation and taxonomy of *Hierochloë* (Gramineae) in the Northern Hemisphere. *Bot. Not.* 124: 129–175.
- Weimarck, G. 1987. *Hierochloë hirta* subsp. *praetermissa*, subsp. nova (Gramineae), an Asiatic-E. European taxon extending to N and C Europe in the Northern Hemisphere. *Symb. Bot. Upsal.* 2: 175–181.
- Weintraub, F. C. 1953. Grasses Introduced into the United States. Washington. [Agric. Handb. 58.]
- Welsh, S. L., N. D. Atwood, S. Goodrich, and L. C. Higgins, eds. 1993. A Utah Flora, ed. 2. Provo.
- Wendel, J. F. 2000. Genome evolution in polyploids. *Pl. Molec. Biol.* 42: 225–249.
- Wenger, L. E. 1940. Inflorescence variations in buffalo grass, *Buchloë dactyloides*. *J. Amer. Soc. Agron.* 32: 274–177.
- Werner, P. A. and R. Rioux. 1977. The biology of Canadian weeds. 24. *Agropyron repens* (L.) Beauv. *Canad. J. Pl. Sci.* 57: 904–919.
- Westerbergh, A. and J. F. Doebley. 2002. Morphological traits defining species differences in wild relatives of maize are controlled by multiple quantitative trait loci. *Evolution* 56: 273–283.
- Wheeler, D. J. B., S. W. L. Jacobs, and R. D. B. Whalley. 2002. Grasses of New South Wales, ed. 3. Armidale.
- Wheeler, J. R., ed. 1992. Flora of the Kimberley Region. Como, W.A.
- Whipple, I. G., M. E. Barkworth, and B. S. Bushman. 2007. Molecular insights into the taxonomy of *Glyceria* (Poaceae: Meliceae) in North America. *Amer. J. Bot.* 94: 551–557.
- Whitney, K. D. 1996. Noteworthy collections. *Madroño* 43: 336–337.
- Widjaja, E. A. 1997. New taxa in Indonesian bamboos. *Reinwardtia* 11: 57–152.
- Wilder, G. J. and M. R. McCombs. 2006. New and significant records of vascular plants for Florida and for Collier County and Lee County, Florida. *Sida* 22: 787–799.
- Willemse, L. P. M. 1982. A discussion of the Ehrharteae (Gramineae) with special reference to the Malesian taxa formerly included in *Microlaena*. *Blumea* 28: 181–194.

- Williams, A. H. 1997. Range expansion northward in Illinois and into Wisconsin of *Tridens flavus* (Poaceae). *Rhodora* 99: 344–351.
- Wilson, B. L. 1992. Checklist of the vascular flora of Page County, Iowa. *J. Iowa Acad. Sci.* 99: 22–33.
- Wilson, B. L. and S. Gray. 2002. Resurrection of a century-old species distinction in *Calamagrostis*. *Madroño* 49: 169–177.
- Wilson, B. L., J. Kitzmiller, W. Rolle, and V. D. Hipkins. 2001. Isozyme variation and its environmental correlates in *Elymus glaucus* from the California floristic province. *Canad. J. Bot.* 79: 139–153.
- Wilson, F. D. 1963. Revision of *Sitanion* (Triticeae, Gramineae). *Brittonia* 15: 303–323.
- Wilson, K. L. and D. A. Morrison, eds. 2000. *Monocots: Systematics and Evolution*. Melbourne.
- Winstead, R. 1990. A Taxonomic and Ecological Survey of the Plant Communities of Attala County Mississippi. M.S. thesis. Mississippi State University.
- Wipff, J. K. 1995. A Biosystematic Study of Selected Facultative Apomictic Species of *Pennisetum* (Poaceae: Paniceae) and Their Hybrids. Ph.D. dissertation. Texas A&M University.
- Wipff, J. K. 1996. Nomenclatural combinations in *Schizachyrium* (Poaceae: Andropogoneae). *Phytologia* 80: 35–39.
- Wipff, J. K. 2001. Nomenclatural changes in *Pennisetum* (Poaceae: Paniceae). *Sida* 19: 523–530.
- Wipff, J. K. and S. L. Hatch. 1992. *Eustachys caribaea* (Poaceae: Chlorideae) in Texas. *Sida* 15: 160–161.
- Wipff, J. K. and S. L. Hatch. 1994. A systematic study of *Digitaria* sect. *Pennatae* (Poaceae: Paniceae) in the New World. *Syst. Bot.* 19: 613–627.
- Wipff, J. K. and S. D. Jones. 1994. *Melica subulata* (Poaceae: Meliceae): The first report for Colorado. *Sida* 16: 210–211.
- Wipff, J. K. and S. D. Jones. 1996. A new combination in *Bouteloua* (Poaceae). *Sida* 17: 111–114.
- Wipff, J. K., S. D. Jones, and C. T. Bryson. 1994. *Eustachys glauca* and *E. caribaea* (Poaceae: Chlorideae): The first reports for Mississippi. *Sida* 16: 211.
- Wipff, J. K., R. I. Lonard, S. D. Jones, and S. L. Hatch. 1993. The genus *Urochloa* (Poaceae: Paniceae) in Texas, including one previously unreported species for the state. *Sida* 15: 405–413.
- Wipff, J. K. and B. S. Rector. 1993. *Rottboellia cochinchinensis* (Poaceae: Andropogoneae) new to Texas. *Sida* 15: 419–424.
- Woike, S. 1969. Beitrag zum Vorkommen von *Coleanthus subtilis* (Tratt.) Seidl. (Feines Scheidenblütgras) in Europa. *Folia Geobot. Phytotax.* 4: 401–413.

- Wolden, B. O. 1956. The flora of Emmet County, Iowa. Proc. Iowa Acad. Sci. 63: 118–156.
- Wolf, N. M. 1776. Genera Plantarum.... [Danzig.]
- Wong, K. M. 1995. The Morphology, Anatomy, Biology, and Classification of Peninsular Malayan Bamboos. Kuala Lumpur.
- Woodbury, A. M., ed. 1961. Ecological Studies of the Flora and Fauna of Navajo Reservoir Basin, Colorado and New Mexico. Salt Lake City.
- Wu, Z. and P. H. Raven, eds. 1994+. Flora of China. 12+ vols. Beijing and St. Louis.
- Wunderlin, R. P. 1998. Guide to the Vascular Plants of Florida. Gainesville.
- Wyoming Agric. Exp. Sta. Bull. = Wyoming Agricultural Experiment Station Bulletin.
- Xia, N. H. and C. M. A. Stapleton. 1997. Typification of *Bambusa bambos* (Gramineae, Bambusoideae). Kew Bull. 52: 693–698.
- Yabuno, T. 1962. Cytotaxonomic studies on the two cultivated species and the wild relatives in the genus *Echinochloa*. Cytologia 27: 296–305.
- Yabuno, T. 1966. Biosystematic study of the genus *Echinochloa*. J. Jap. Bot. 19: 277–323.
- Yabuno, T. 1984. A biosystematic study on *Echinochloa oryzoides* (Ard.) Fritsch. Cytologia 49: 673–678.
- Yabuno, T. and H. Yamaguchi. 1996. Hie No Hakubutsugaku. [A Natural History of *Echinochloa*.] Tokyo.
- Yasuda, K., A. Yano, Y. Nakayama, and H. Yamaguchi. 2001. Identification of *Echinochloa oryzicola* and *E. crus-galli* using PCR-RFLP technique. [Abstract.] J. Weed Sci. Technol. 46(suppl.): 204–205.
- Yates, H. O. 1966. Morphology and cytology of *Uniola* (Gramineae). SouthW. Naturalist 11: 145–189.
- Yates, H. O. 1966b. Revision of grasses traditionally referred to *Uniola*, I. *Uniola* and *Leptochloopsis*. SouthW. Naturalist 11: 372–394.
- Yates, H. O. 1966c. Revision of grasses traditionally referred to *Uniola*, II. *Chasmanthium*. SouthW. Naturalist 11: 415–455.
- Yatskievych, G. 1999+. Steyermark's Flora of Missouri. 2+ vols. Jefferson City.
- Yen, C. et al. 2005. *Douglasdeweya*: A new genus, with a new species and a new combination (Triticeae: Poaceae). Canad. J. Bot. 83: 413–419.
- Yen, C. et al. 2005b. Hitoshi Kihara, Áskell Löve and the modern genetic concept of the genera in the tribe Triticeae (Poaceae). Acta Phytotax. Sin. 43: 82–93.
- Youngner, V. B. and C. M. McKell, eds. 1972. The Biology and Utilization of Grasses. New York.
- Zaitchik, B., L. G. Le Roux, and E. A. Kellogg. 2000. Development of male flowers in *Zizania aquatica* (North American wild-rice; Gramineae). Int. J. Pl. Sci. 161: 345–351.
- Zandee, M. and P. C. G. Glas. 1982. Studies in the *Holcus lanatus*–*Holcus mollis* complex (Poaceae [= Gramineae]). Proc. Kon. Ned. Akad. Wetensch. C. 85: 413–437.

- Zebryk, T. M. 1998. Noteworthy collections. *Castanea* 63: 78–79.
- Zhang, H. B. and J. Dvorak. 1991. The genome origin of tetraploid species of *Leymus* (Poaceae: Triticeae) inferred from variation in repeated nucleotide sequences. *Amer. J. Bot.* 78: 871–884.
- Zhang, X. Q., B. Salomon, and R. von Bothmer. 2002. Application of random amplified polymorphic DNA markers to evaluate intraspecific genetic variation in the *Elymus alaskanus* complex (Poaceae). *Genet. Resources Crop Evol.* 49: 397–407.
- Zhu, Z., Chu C. D., and C. M. A. Stapleton. 2006. *Arundinaria*. In: Wu Z. and P. H. Raven, eds. 1994+. *Flora of China*. 12+ vols. Beijing and St. Louis. Vol. 22, pp. 113–115.
- Zhurn. Obshechi Biol. = Zhurnal Obshechi Biologii.
- Zika, P. F. 1989. Noteworthy collections. *Madroño* 36: 207.
- Zika, P. F. 1990. Range expansion of some grasses in Vermont. *Rhodora* 92: 80–89.
- Zika, P. F. 2000. Noteworthy collections. *Madroño* 47: 214–216.
- Zika, P. F. 2000b. Two more weeds in Maine. *Rhodora* 102: 208–209.
- Zika, P. F. and E. J. Marshall. 1991. Contributions to the flora of the Lake Champlain Valley, New York and Vermont, III. *Bull. Torrey Bot. Club* 118: 58–61.
- Zika, P. F., R. J. Stern, and H. E. Ahles. 1983. Contributions to the flora of the Lake Champlain Valley, New York and Vermont. *Bull. Torrey Bot. Club* 110: 366–369.
- Zika, P. F. and B. L. Wilson. 1998. Noteworthy collections. *Madroño* 45: 86–87.
- Zizka, G. 1988. Revision der Melinideae Hitchcock (Poaceae, Panicoideae). *Biblioth. Bot.* 138: 1–149.
- Zizka, G. 1990. Taxonomy of the Melinideae (Poaceae: Panicoideae). *Mitt. Inst. Allg. Bot. Hamburg* 23: 563–572.
- Zobel, D. B. and C. R. Wasem. 1979. Pyramid Lake Research Natural Area. Federal Research Natural Areas in Oregon and Washington: A Guidebook for Scientists and Educators, Supplement No. 8. Corvallis.
- Zotov, V. D. 1963. Synopsis of the grass subfamily Arundinoideae in New Zealand. *New Zealand J. Bot.* 1: 78–136.
- Zuloaga, F. O. et al. 2003. Catalogue of New World grasses (Poaceae). III. Subfamilies Panicoideae, Aristidoideae, Arundinoideae and Danthonioideae. *Contr. U.S. Natl. Herb.* 46.
- Zuloaga, F. O., R. P. Ellis, and O. Morrone. 1993. A revision of *Panicum* subg. *Dichantherium* sect. *Dichantherium* (Poaceae: Panicoideae: Paniceae) in Mesoamerica, the West Indies, and South America. *Ann. Missouri Bot. Gard.* 80: 119–190.
- Zuloaga, F. O. and O. Morrone. 1996. Revisión de las especies Americanas de *Panicum* subgenero *Panicum* sección *Panicum* (Poaceae: Panicoideae: Paniceae). *Ann. Missouri Bot. Gard.* 83: 200–280.

- Zuloaga, F. O., O. Morrone, and L. M. Giussani. 2000. A cladistic analysis of the Paniceae: A preliminary approach. In: S. W. L. Jacobs and J. Everett, eds. 2000. Grasses: Systematics and Evolution. Collingwood. Pp. 123–135.
- Zuloaga, F. O., O. Morrone, A. S. Vega, and L. M. Giussani. 1998. Revisión y análisis cladístico de *Steinchisma* (Poaceae: Panicoideae: Paniceae). Ann. Missouri Bot. Gard. 85: 631–656.